



# Jainson

SINCE 1971

NATIONAL PRICE LIST

APRIL 2024

- CABLE TERMINAL ENDS
- CABLE GLANDS



**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1        | 2.5                  | 5.2   | 319-05           | 7.03       | 1000    |
| 2        | 4                    | 6.5   | 319-06           | 9.92       | 1000    |
| 3        | 6                    | 6.5   | 319-07           | 10.80      | 1000    |
| 4        | 10                   | 6.5   | 319-08           | 13.64      | 1000    |
| 5        | 16                   | 6.5   | 319-09           | 18.17      | 500     |
| 6        | 25                   | 6.5   | 319-10           | 30.91      | 300     |
| 7        | 35                   | 6.5   | 319-11           | 36.07      | 300     |
| 8        | 35                   | 8.2   | 319-12           | 36.07      | 300     |
| 9        | 50                   | 6.5   | 319-13           | 46.14      | 200     |
| 10       | 50                   | 8.2   | 319-14           | 46.14      | 200     |
| 11       | 50                   | 10.2  | 319-15           | 46.14      | 200     |
| 12       | 70                   | 8.2   | 319-16           | 82.60      | 100     |
| 13       | 70                   | 10.2  | 319-17           | 82.60      | 100     |
| 14       | 70                   | 12.7  | 319-18           | 82.60      | 100     |
| 15       | 95                   | 10.2  | 319-19           | 114.90     | 100     |
| 16       | 95                   | 12.7  | 319-20           | 114.90     | 100     |
| 17       | 120                  | 10.2  | 319-21           | 159.37     | 50      |
| 18       | 120                  | 12.7  | 319-22           | 159.37     | 50      |
| 19       | 120                  | 16.2  | 319-23           | 159.37     | 50      |
| 20       | 150                  | 10.2  | 319-24           | 220.31     | 50      |
| 21       | 150                  | 12.7  | 319-25           | 220.31     | 50      |
| 22       | 150                  | 16.2  | 319-26           | 220.31     | 50      |
| 23       | 185                  | 12.7  | 319-27           | 326.26     | 25      |
| 24       | 185                  | 16.2  | 319-28           | 326.26     | 25      |
| 25       | 225                  | 16.2  | 319-231          | 446.80     | 25      |
| 26       | 240                  | 16.2  | 319-29           | 457.68     | 20      |
| 27       | 240                  | 20.3  | 319-30           | 457.68     | 20      |
| 28       | 300                  | 16.2  | 319-31           | 661.32     | 15      |
| 29       | 300                  | 20.3  | 319-32           | 661.32     | 15      |
| 30       | 400                  | 20.3  | 319-33           | 919.85     | 10      |
| 31       | 500                  | 20.3  | 319-34           | 1255.42    | 10      |
| 32       | 630                  | 20.3  | 319-35           | 1736.61    | 5       |
| 33       | 800                  | ----- | 319-062          | 2869.18    | 4       |
| 34       | 1000                 | ----- | 319-076          | 5485.87    | 5       |

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(LONG BARREL)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 35       | 2.5                  | 5.2   | JEB-05           | 11.56      | 1000    |
| 36       | 4                    | 6.5   | JEB-06           | 15.70      | 1000    |
| 37       | 6                    | 6.5   | JEB-07           | 17.36      | 1000    |
| 38       | 10                   | 6.5   | JEB-08           | 21.64      | 1000    |
| 39       | 16                   | 6.5   | JEB-09           | 28.92      | 500     |
| 40       | 25                   | 6.5   | JEB-10           | 49.11      | 300     |

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(LONG BARREL)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 41       | 35                   | 6.5   | JEB-11           | 55.14      | 300     |
| 42       | 35                   | 8.2   | JEB-12           | 55.14      | 300     |
| 43       | 50                   | 6.5   | JEB-13           | 70.23      | 200     |
| 44       | 50                   | 8.2   | JEB-14           | 70.23      | 200     |
| 45       | 50                   | 10.2  | JEB-15           | 70.23      | 200     |
| 46       | 70                   | 8.2   | JEB-16           | 114.73     | 100     |
| 47       | 70                   | 10.2  | JEB-17           | 114.73     | 100     |
| 48       | 70                   | 12.7  | JEB-18           | 114.73     | 100     |
| 49       | 95                   | 10.2  | JEB-19           | 150.69     | 75      |
| 50       | 95                   | 12.7  | JEB-20           | 150.69     | 75      |
| 51       | 120                  | 10.2  | JEB-21           | 206.34     | 50      |
| 52       | 120                  | 12.7  | JEB-22           | 206.34     | 50      |
| 53       | 120                  | 16.2  | JEB-23           | 206.34     | 50      |
| 54       | 150                  | 10.2  | JEB-24           | 251.70     | 40      |
| 55       | 150                  | 12.7  | JEB-25           | 251.70     | 40      |
| 56       | 150                  | 16.2  | JEB-26           | 251.70     | 40      |
| 57       | 185                  | 12.7  | JEB-27           | 400.06     | 25      |
| 58       | 185                  | 16.2  | JEB-28           | 400.06     | 25      |
| 59       | 225                  | 16.2  | JEB-231          | 552.57     | 25      |
| 60       | 240                  | 16.2  | JEB-29           | 561.20     | 20      |
| 61       | 240                  | 20.3  | JEB-30           | 561.20     | 20      |
| 62       | 300                  | 16.2  | JEB-31           | 747.73     | 15      |
| 63       | 300                  | 20.3  | JEB-32           | 747.73     | 15      |
| 64       | 400                  | 20.3  | JEB-33           | 1105.80    | 10      |
| 65       | 500                  | 20.3  | JEB-34           | 1537.54    | 8       |
| 66       | 630                  | 20.3  | JEB-35           | 2152.55    | 5       |
| 67       | 800                  | ----- | JEB-62           | 3376.43    | 5       |
| 68       | 1000                 | ----- | JEB-76           | 6372.48    | 4       |

**Jainson**  
COPPER TUBULAR  
CRIMPING TERMINAL  
SOCKETS  
(HEAVY DUTY)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 69       | 25                   | 8.2   | 319-282          | 43.86      | 300     |
| 70       | 35                   | 8.2   | 319-283          | 68.51      | 200     |
| 71       | 50                   | 8.2   | 319-284          | 110.40     | 100     |
| 72       | 70                   | 10.2  | 319-285          | 177.11     | 75      |
| 73       | 95                   | 12.7  | 319-286          | 264.79     | 50      |
| 74       | 120                  | 12.7  | 319-287          | 370.80     | 40      |
| 75       | 150                  | 12.7  | 319-288          | 458.32     | 25      |
| 76       | 185                  | 12.7  | 319-289          | 664.21     | 25      |
| 77       | 240                  | 16.2  | 319-290          | 932.11     | 15      |
| 78       | 300                  | 16.2  | 319-291          | 1160.96    | 10      |
| 79       | 400                  | 20.3  | 319-292          | 1697.04    | 8       |

**Jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(I C F)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 80       | 11-17                | 319-106          | 42.25      | 300     |
| 81       | 11-17                | 319-145          | 42.25      | 300     |
| 82       | 11-17                | 319-146          | 42.25      | 300     |
| 83       | 11-17                | 319-109          | 44.44      | 300     |
| 84       | 17-23                | 319-107          | 71.04      | 200     |
| 85       | 17-23                | 319-147          | 71.04      | 200     |
| 86       | 17-23                | 319-148          | 71.04      | 200     |
| 87       | 17-23                | 319-108          | 78.38      | 200     |
| 88       | 23-29                | 319-110          | 103.77     | 150     |
| 89       | 23-29                | 319-149          | 102.13     | 150     |
| 90       | 23-29                | 319-150          | 102.13     | 150     |
| 91       | 23-29                | 319-151          | 103.92     | 150     |
| 92       | 23-29                | 319-111          | 98.23      | 150     |
| 93       | 29-45                | 319-116          | 138.78     | 150     |
| 94       | 29-45                | 319-152          | 144.13     | 150     |
| 95       | 29-45                | 319-153          | 144.13     | 150     |
| 96       | 29-45                | 319-154          | 144.13     | 150     |
| 97       | 29-45                | 319-113          | 138.78     | 150     |
| 98       | 45-57                | 319-112          | 232.19     | 75      |
| 99       | 45-57                | 319-155          | 232.19     | 75      |
| 100      | 45-57                | 319-156          | 232.19     | 75      |
| 101      | 45-57                | 319-157          | 232.19     | 75      |
| 102      | 57-75                | 319-114          | 294.99     | 75      |
| 103      | 57-75                | 319-158          | 301.42     | 75      |
| 104      | 57-75                | 319-159          | 301.42     | 75      |
| 105      | 57-75                | 319-160          | 301.42     | 75      |
| 106      | 75-90                | 319-137          | 333.18     | 50      |
| 107      | 75-90                | 319-161          | 333.49     | 50      |
| 108      | 75-90                | 319-162          | 333.49     | 50      |
| 109      | 75-90                | 319-163          | 333.49     | 50      |
| 110      | 90-110               | 319-115          | 408.16     | 40      |
| 111      | 90-110               | 319-164          | 408.16     | 40      |
| 112      | 90-110               | 319-165          | 408.16     | 40      |
| 113      | 90-110               | 319-166          | 408.16     | 40      |
| 114      | 110-146              | 319-138          | 598.62     | 25      |
| 115      | 110-146              | 319-167          | 598.62     | 25      |
| 116      | 110-146              | 319-168          | 598.62     | 25      |
| 117      | 110-146              | 319-169          | 598.62     | 25      |
| 118      | 146-183              | 319-128          | 816.30     | 20      |
| 119      | 146-183              | 319-170          | 816.30     | 20      |
| 120      | 146-183              | 319-171          | 816.30     | 20      |
| 121      | 183-225              | 319-139          | 931.80     | 15      |
| 122      | 183-225              | 319-172          | 931.80     | 15      |
| 123      | 183-225              | 319-173          | 931.80     | 15      |
| 124      | 183-225              | 319-174          | 931.80     | 15      |
| 125      | 225-299              | 319-140          | 1316.67    | 10      |
| 126      | 225-299              | 319-175          | 1348.41    | 10      |
| 127      | 225-299              | 319-176          | 1330.28    | 10      |
| 128      | 299-366              | 319-141          | 1774.40    | 10      |


**jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS



(ICF)

| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 129      | 299-366              | 319-177          | 1874.47    | 10      |
| 130      | 299-366              | 319-178          | 1874.47    | 10      |
| 131      | 366-437              | 319-142          | 2427.75    | 5       |
| 132      | 366-437              | 319-179          | 2572.87    | 5       |
| 133      | 366-437              | 319-180          | 2572.87    | 5       |

**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS



(DLW)

| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 134      | 133                  | 319-36           | 522.16     | 40      |
| 135      | 133                  | 319-37           | 522.16     | 40      |
| 136      | 133                  | 319-38           | 416.68     | 40      |
| 137      | 133                  | 319-39           | 425.89     | 40      |
| 138      | 133                  | 319-40           | 522.16     | 40      |
| 139      | 133                  | 319-41           | 446.50     | 40      |
| 140      | 270                  | 319-42           | 991.67     | 15      |
| 141      | 270                  | 319-43           | 1034.76    | 15      |
| 142      | 270                  | 319-44           | 1076.28    | 15      |
| 143      | 400                  | 319-45           | 1581.51    | 10      |
| 144      | 400                  | 319-46           | 1581.51    | 10      |
| 145      | 133                  | 319-47           | 485.86     | 40      |
| 146      | 270                  | 319-48           | 1095.96    | 15      |
| 147      | 270                  | 319-49           | 1141.16    | 15      |
| 148      | 400                  | 319-50           | 1934.84    | 10      |
| 149      | 133                  | 319-51           | 694.97     | 15      |

**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS



(CLW)

| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 150      | 150                  | 319-54           | 699.58     | 40      |
| 151      | 120                  | 319-55           | 539.68     | 50      |
| 152      | 25                   | 319-56           | 58.44      | 200     |
| 153      | 3                    | 319-65           | 13.45      | 500     |
| 154      | 3                    | 319-66           | 13.45      | 500     |
| 155      | 3                    | 319-67           | 13.45      | 500     |
| 156      | 10                   | 319-68           | 47.04      | 200     |
| 157      | 10                   | 319-69           | 47.04      | 200     |
| 158      | 120                  | 319-70           | 534.76     | 50      |

**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS



(CLW)

| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 159      | 225                  | 319-71           | 899.15     | 20      |
| 160      | 270                  | 319-72           | 1470.19    | 15      |
| 161      | 475                  | 319-73           | 2484.66    | 8       |
| 162      | 475                  | 319-74           | 2870.58    | 8       |
| 163      | 475                  | 319-75           | 2478.51    | 8       |
| 164      | 50                   | 319-87           | 150.69     | 150     |
| 165      | 35                   | 319-187          | 101.41     | 200     |
| 166      | 3                    | 319-209          | 13.02      | 500     |
| 167      | 3                    | 319-210          | 13.02      | 500     |
| 168      | 3                    | 319-211          | 33.51      | 500     |
| 169      | 25                   | 319-212          | 61.05      | 200     |
| 170      | 225                  | 319-213          | 891.77     | 20      |
| 171      | 225                  | 319-214          | 1070.43    | 10      |
| 172      | 270                  | 319-215          | 1290.00    | 10      |
| 173      | 10                   | 319-228          | 44.26      | 300     |
| 174      | 70                   | 319-229          | 222.50     | 200     |
| 175      | 50                   | 319-230          | 153.62     | 150     |

**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS HEAVY DUTY



(XLPE)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 176      | 1.5                  | 5.2   | 319-538          | 11.04      | 1000    |
| 177      | 1.5                  | 6.5   | 319-539          | 11.04      | 1000    |
| 178      | 2.5                  | 4.2   | 319-388          | 11.90      | 1000    |
| 179      | 2.5                  | 5.2   | 319-540          | 11.90      | 1000    |
| 180      | 2.5                  | 6.5   | 319-541          | 11.90      | 1000    |
| 181      | 4                    | 5.2   | 319-389          | 13.55      | 1000    |
| 182      | 4                    | 6.5   | 319-543          | 13.55      | 1000    |
| 183      | 6                    | 5.2   | 319-390          | 17.41      | 1000    |
| 184      | 6                    | 6.5   | 319-544          | 17.41      | 1000    |
| 185      | 6                    | 8.4   | 319-545          | 17.41      | 1000    |
| 186      | 10                   | 6.5   | 319-353          | 20.32      | 1000    |
| 187      | 10                   | 8.4   | 319-547          | 20.32      | 1000    |
| 188      | 16                   | 6.5   | 319-354          | 25.90      | 500     |
| 189      | 16                   | 8.4   | 319-549          | 25.90      | 500     |
| 190      | 25                   | 6.5   | 319-355          | 39.58      | 300     |
| 191      | 25                   | 8.4   | 319-551          | 39.58      | 300     |
| 192      | 25                   | 10.5  | 319-552          | 39.58      | 300     |
| 193      | 35                   | 6.5   | 319-542          | 55.65      | 300     |
| 194      | 35                   | 8.4   | 319-356          | 55.65      | 300     |
| 195      | 35                   | 10.5  | 319-554          | 55.65      | 300     |
| 196      | 50                   | 8.4   | 319-357          | 87.48      | 150     |
| 197      | 50                   | 10.5  | 319-556          | 87.48      | 150     |


**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS (HEAVY DUTY)



(XLPE)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 198      | 70                   | 8.4   | 319-557          | 135.87     | 100     |
| 199      | 70                   | 10.5  | 319-358          | 135.87     | 100     |
| 200      | 70                   | 13    | 319-559          | 135.87     | 100     |
| 201      | 95                   | 10.5  | 319-359          | 208.90     | 75      |
| 202      | 95                   | 13    | 319-560          | 208.90     | 75      |
| 203      | 120                  | 13    | 319-241          | 266.78     | 50      |
| 204      | 120                  | 17    | 319-546          | 266.78     | 50      |
| 205      | 150                  | 13    | 319-242          | 337.58     | 40      |
| 206      | 150                  | 17    | 319-564          | 337.58     | 40      |
| 207      | 185                  | 17    | 319-243          | 455.30     | 25      |
| 208      | 240                  | 17    | 319-244          | 670.10     | 20      |
| 209      | 240                  | 21    | 319-567          | 670.10     | 20      |
| 210      | 300                  | 17    | 319-245          | 959.54     | 15      |
| 211      | 300                  | 21    | 319-569          | 959.54     | 15      |
| 212      | 400                  | 17    | 319-246          | 1544.06    | 10      |
| 213      | 400                  | 21    | 319-571          | 1544.06    | 10      |
| 214      | 500                  | 21    | 319-247          | 1953.68    | 8       |
| 215      | 550                  | 21    | 319-573          | 2390.99    | 8       |
| 216      | 630                  | 21    | 319-248          | 2765.37    | 4       |
| 217      | 800                  |       | 319-599          | 4417.03    | 4       |
| 218      | 1000                 |       | 319-590          | 6546.89    | 4       |

**jainson**  
COPPER TUBULAR CRIMPING TERMINAL  
SOCKETS EXTENDED  
PALM BLANKS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 219      | 50                   | 319-466          | 142.23     | 100     |
| 220      | 70                   | 319-467          | 216.03     | 100     |
| 221      | 95                   | 319-468          | 308.43     | 50      |
| 222      | 120                  | 319-469          | 405.46     | 40      |
| 223      | 150                  | 319-470          | 529.69     | 40      |
| 224      | 185                  | 319-471          | 678.05     | 25      |
| 225      | 240                  | 319-472          | 997.55     | 20      |
| 226      | 300                  | 319-473          | 1455.43    | 15      |
| 227      | 400                  | 319-474          | 2283.24    | 10      |
| 228      | 500                  | 319-475          | 3008.52    | 5       |
| 229      | 625                  | 319-476          | 4301.11    | 5       |





**jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
( LONG BARREL H. D. )



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 230      | 2.5                  | 4.2   | JCXL-1                  | 13.91      | 1000    |
| 231      | 4                    | 4.2   | JCXL-2                  | 16.27      | 1000    |
| 232      | 6                    | 4.2   | JCXL-3                  | 22.20      | 1000    |
| 233      | 10                   | 6.4   | JCXL-4                  | 28.74      | 500     |
| 234      | 16                   | 6.4   | JCXL-5                  | 33.97      | 500     |
| 235      | 25                   | 6.4   | JCXL-6                  | 61.75      | 300     |
| 236      | 35                   | 6.4   | JCXL-7                  | 80.20      | 300     |
| 237      | 50                   | 7.8   | JCXL-8                  | 132.46     | 200     |
| 238      | 70                   | 12.8  | JCXL-9                  | 189.71     | 100     |
| 239      | 95                   | 12.8  | JCXL-10                 | 281.01     | 75      |
| 240      | 120                  | 12.8  | JCXL-11                 | 331.88     | 50      |
| 241      | 150                  | 13.0  | JCXL-12                 | 528.21     | 40      |
| 242      | 185                  | 16.2  | JCXL-13                 | 626.84     | 25      |
| 243      | 240                  | 16.2  | JCXL-14                 | 819.16     | 20      |
| 244      | 300                  | 16.2  | JCXL-15                 | 1195.74    | 15      |
| 245      | 400                  | 16.2  | JCXL-16                 | 1715.89    | 10      |
| 246      | 500                  | 21.0  | JCXL-17                 | 2104.07    | 5       |
| 247      | 630                  | 21.0  | JCXL-18                 | 2819.60    | 5       |
| 248      | 800                  | ----- | JCXL-19                 | 4505.22    | 4       |
| 249      | 1000                 | ----- | JCXL-20                 | 6728.50    | 4       |

**jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS  
(45° & 90°) BEND TYPE



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 250      | 95                   | 10.5  | 319-827                 | 210.65     | 50      |
| 251      | 95                   | 13.5  | 319-828                 | 210.65     | 50      |
| 252      | 150                  | 13.0  | 319-831                 | 341.79     | 40      |
| 253      | 150                  | 17.0  | 319-832                 | 341.79     | 40      |
| 254      | 185                  | 13.0  | 319-833                 | 465.01     | 25      |
| 255      | 185                  | 17.0  | 319-833A                | 465.01     | 25      |
| 256      | 240                  | 17.0  | 319-834                 | 683.49     | 20      |
| 257      | 240                  | 21.0  | 319-835                 | 683.49     | 20      |
| 258      | 300                  | 17.0  | 319-836                 | 973.72     | 15      |
| 259      | 300                  | 21.0  | 319-837                 | 973.72     | 15      |
| 260      | 400                  | 17.0  | 319-838                 | 1518.17    | 10      |

**jainson**  
COPPER TUBULAR TERMINAL  
SOCKETS FOR XLPE CABLES  
(DOUBLE HOLE)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 261      | 95                   | 11.0  | 319-847                 | 462.06     | 50      |
| 262      | 95                   | 13.0  | 319-847A                | 452.35     | 50      |
| 263      | 120                  | 11.0  | 319-848                 | 549.12     | 40      |
| 264      | 120                  | 13.0  | 319-848A                | 539.41     | 40      |
| 265      | 150                  | 11.0  | 319-849                 | 673.68     | 40      |
| 266      | 150                  | 13.0  | 319-849A                | 663.95     | 40      |
| 267      | 185                  | 13.0  | 319-850                 | 790.74     | 25      |
| 268      | 185                  | 17.0  | 319-850A                | 778.23     | 25      |
| 269      | 240                  | 13.0  | 319-851                 | 1127.97    | 20      |
| 270      | 240                  | 17.0  | 319-851A                | 1116.26    | 20      |
| 271      | 300                  | 13.0  | 319-852                 | 1160.07    | 15      |
| 272      | 300                  | 17.0  | 319-852A                | 1631.87    | 15      |
| 273      | 400                  | 13.0  | 319-853                 | 3182.99    | 10      |
| 274      | 400                  | 17.0  | 319-853A                | 3161.59    | 10      |
| 275      | 400                  | 14.0  | 319-437                 | 3375.62    | 10      |
| 276      | 50                   | 11    | 319-466DH               | 232.85     | 100     |
| 277      | 70                   | 13    | 319-467DH               | 354.15     | 100     |
| 278      | 95                   | 13    | 319-468DH               | 506.68     | 50      |
| 279      | 120                  | 13    | 319-469DH               | 665.35     | 50      |
| 280      | 150                  | 13    | 319-470DH               | 831.69     | 40      |
| 281      | 185                  | 13    | 319-471DH               | 1044.29    | 25      |
| 282      | 240                  | 13    | 319-472DH               | 1633.95    | 20      |
| 283      | 300                  | 13    | 319-473DH               | 2328.92    | 15      |
| 284      | 400                  | 13    | 319-474DH               | 3040.54    | 10      |
| 285      | 500                  | 21    | 319-475DH               | 4010.84    | 5       |
| 286      | 400                  | 14    | 134/RODH                | 2513.80    | 8       |
| 287      | 400                  | 14    | 13213DH                 | 1746.64    | 10      |
| 288      | 400                  | 18    | 13374DH                 | 1731.50    | 10      |
| 289      | 240                  | 12    | 29271DH                 | 1099.83    | 15      |
| 290      | 300                  | 12    | 29313DH                 | 1247.63    | 15      |

**jainson**  
COPPER CRIMPING  
CABLE SOCKETS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 291      | 400                  | 33    | 13326                   | 1354.75    | 10      |
| 292      | 120                  | 6.5   | 319-469SP               | 493.13     | 50      |

**jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS LONG  
BARREL (XLPE)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 293      | 35                   | 6.5   | 319-542EB               | 73.63      | 300     |
| 294      | 35                   | 8.4   | 319-356EB               | 71.79      | 300     |
| 295      | 35                   | 10.5  | 319-554EB               | 75.47      | 300     |
| 296      | 50                   | 8.4   | 319-357EB               | 130.32     | 150     |
| 297      | 50                   | 10.2  | 319-556EB               | 122.96     | 150     |
| 298      | 95                   | 10.5  | 319-359EB               | 224.57     | 75      |
| 299      | 95                   | 13.0  | 319-560EB               | 214.81     | 75      |
| 300      | 120                  | 13.0  | 319-241EB               | 441.78     | 50      |
| 301      | 150                  | 13.0  | 319-242EB               | 469.39     | 40      |
| 302      | 185                  | 12.0  | 319-243EB               | 598.24     | 25      |

**jainson**  
COPPER TUBULAR CRIMPING  
TERMINAL SOCKETS (XLPE)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|-------------------------|------------|---------|
| 303      | 70                   | 17.0  | 319-559SP               | 216.77     | 75      |
| 304      | 400                  | 13.0  | 319-436                 | 1781.01    | 10      |
| 305      | 630                  | ----- | 319-438                 | 5235.61    | 4       |

**jainson**  
SOLDERING TYPE COPPER  
TUBULAR SOCKETS



| ITEM NO. | AREA AMP | E Dia | <b>jainson</b> CAT. No. | PRICE EACH | STD PKG |
|----------|----------|-------|-------------------------|------------|---------|
| 306      | 15       | 3.2   | 423-201                 | 7.75       | 1000    |
| 307      | 30       | 5.1   | 423-202                 | 11.25      | 1000    |
| 308      | 60       | 6.4   | 423-203                 | 28.35      | 300     |
| 309      | 100      | 9.5   | 423-204                 | 56.42      | 150     |
| 310      | 150      | 9.5   | 423-205                 | 95.09      | 100     |
| 311      | 200      | 12.7  | 423-206                 | 150.30     | 50      |
| 312      | 300      | 12.7  | 423-207                 | 285.48     | 25      |
| 313      | 400      | 15.9  | 423-208                 | 343.46     | 20      |
| 314      | 500      | 19.0  | 423-209                 | 464.58     | 15      |
| 315      | 600      | 19.0  | 423-210                 | 715.83     | 10      |
| 316      | 800      | 23.8  | 423-211                 | 1305.33    | 8       |
| 317      | 1000     | 23.8  | 423-212                 | 1931.31    | 4       |
| 318      | 1000     | ----- | 423-295                 | 3402.24    | 4       |



**jainson**  
SOLDERING TYPE COPPER  
TUBULAR SOCKETS



HEAVY DUTY

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 319      | 15                   | 5.1   | 219-6            | 13.68      | 1000    |
| 320      | 30                   | 7.1   | 219-7            | 24.46      | 500     |
| 321      | 60                   | 10.3  | 219-8            | 47.49      | 200     |
| 322      | 100                  | 11.9  | 219-9            | 81.60      | 100     |
| 323      | 150                  | 13.5  | 219-10           | 147.41     | 75      |
| 324      | 200                  | 13.5  | 219-11           | 251.10     | 50      |
| 325      | 300                  | 16.7  | 219-12           | 348.73     | 25      |
| 326      | 400                  | 16.7  | 219-13           | 551.95     | 15      |
| 327      | 500                  | 19.8  | 219-14           | 884.44     | 10      |

(AS PER TABLE 2-OF BS-91-1973)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 328      | 6                    | 5.5   | 219-15           | 15.85      | 1000    |
| 329      | 16                   | 6.6   | 219-16           | 31.72      | 500     |
| 330      | 25                   | 9.0   | 219-17           | 54.32      | 200     |
| 331      | 35                   | 9.0   | 219-18           | 73.08      | 200     |
| 332      | 70                   | 11    | 219-23           | 214.13     | 75      |
| 333      | 95                   | 14    | 219-24           | 301.70     | 50      |
| 334      | 120                  | 14    | 219-25           | 514.91     | 25      |
| 335      | 185                  | 14    | 219-26           | 858.89     | 20      |
| 336      | 240                  | 18    | 219-27           | 1037.66    | 20      |
| 337      | 300                  | 18    | 219-28           | 1439.02    | 15      |
| 338      | 500                  | 22    | 219-29           | 2107.65    | 10      |
| 339      | 625                  | 26    | 219-30           | 2932.23    | 10      |

**jainson**  
COPPER TUBULAR  
TERMINAL ENDS  
(OVAL DOUBLE HOLE)



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 340      | 42                   | 319-81           | 346.57     | 200     |
| 341      | 100                  | 319-82           | 608.94     | 25      |
| 342      | 133                  | 319-83           | 659.92     | 25      |



**jainson**  
COPPER TUBULAR  
CRIMPING  
IN-LINE CONNECTORS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 343      | 1.5                  | 58-450           | 5.02       | 1000    |
| 344      | 1.5                  | 58-453           | 5.15       | 1000    |
| 345      | 2.5                  | 58-451           | 5.47       | 1000    |
| 346      | 2.5                  | 58-454           | 5.60       | 1000    |
| 347      | 4-6                  | 58-452           | 7.73       | 1000    |
| 348      | 4-6                  | 58-455           | 8.11       | 1000    |
| 349      | 10                   | 58-456           | 11.31      | 1000    |
| 350      | 10                   | 58-460           | 13.51      | 1000    |
| 351      | 16                   | 58-461           | 27.64      | 400     |
| 352      | 25                   | 58-484           | 36.99      | 300     |
| 353      | 25                   | 58-486           | 80.45      | 300     |
| 354      | 35                   | 58-485           | 52.88      | 200     |
| 355      | 35                   | 58-487           | 108.20     | 200     |
| 356      | 50                   | 58-480           | 160.74     | 100     |
| 357      | 70                   | 58-478           | 119.02     | 75      |
| 358      | 70                   | 58-481           | 238.02     | 75      |
| 359      | 95                   | 58-482           | 336.94     | 50      |
| 360      | 2.5                  | 58-466           | 5.31       | 1000    |
| 361      | 1.5                  | 58-463 (I)       | 7.28       | 1000    |
| 362      | 2.5                  | 58-464 (I)       | 8.67       | 1000    |
| 363      | 4-6                  | 58-465 (I)       | 13.01      | 500     |
| 364      | 4-6                  | 58-475 (I)       | 19.42      | 500     |
| 365      | 2.5                  | 32-23            | 5.87       | 1000    |
| 366      | 4                    | 32-3             | 7.82       | 1000    |
| 367      | 6                    | 32-4             | 8.11       | 1000    |
| 368      | 16                   | 32-6             | 12.99      | 500     |
| 369      | 25                   | 32-7             | 31.23      | 400     |
| 370      | 35                   | 32-8             | 44.22      | 300     |
| 371      | 50                   | 32-9             | 68.12      | 200     |
| 372      | 70                   | 32-10            | 103.25     | 100     |
| 373      | 95                   | 32-11            | 139.57     | 100     |
| 374      | 120                  | 32-12            | 194.45     | 50      |
| 375      | 150                  | 32-13            | 250.38     | 50      |
| 376      | 185                  | 32-14            | 313.77     | 40      |
| 377      | 225                  | 32-20            | 431.24     | 25      |
| 378      | 240                  | 32-15            | 454.11     | 25      |
| 379      | 300                  | 32-16            | 678.84     | 20      |
| 380      | 400                  | 32-17            | 1033.08    | 15      |
| 381      | 500                  | 32-18            | 1351.05    | 10      |
| 382      | 625                  | 32-19            | 1845.14    | 5       |
| 383      | 800                  | 32-21            | 2871.72    | 4       |
| 384      | 1000                 | 32-22            | 4173.13    | 4       |
| 385      | 25                   | 32-24            | 31.72      | 300     |
| 386      | 35                   | 32-25            | 47.42      | 200     |
| 387      | 50                   | 32-26            | 71.89      | 150     |
| 388      | 70                   | 32-27            | 128.51     | 100     |
| 389      | 95                   | 32-28            | 188.99     | 75      |
| 390      | 120                  | 32-29            | 226.94     | 50      |
| 391      | 150                  | 32-30            | 326.90     | 25      |
| 392      | 300                  | 32-33            | 969.66     | 10      |

**jainson**  
COPPER TUBULAR  
CRIMPING  
IN-LINE CONNECTORS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 393      | 1.5                  | 32-41            | 7.37       | 1000    |
| 394      | 800                  | 32-42            | 3726.59    | 4       |
| 395      | 1000                 | 32-43            | 5553.41    | 4       |
| 396      | 20                   | 32-47            | 19.51      | 1000    |
| 397      | 70                   | 32-51            | 115.47     | 100     |
| 398      | 95                   | 32-52            | 171.55     | 75      |
| 399      | 120                  | 32-53            | 205.18     | 50      |
| 400      | 150                  | 32-54            | 290.72     | 40      |
| 401      | 185                  | 32-55            | 392.83     | 25      |
| 402      | 240                  | 32-56            | 601.11     | 20      |
| 403      | 300                  | 32-57            | 827.59     | 15      |
| 404      | 400                  | 32-58            | 1116.65    | 10      |
| 405      | 500                  | 32-59            | 1605.62    | 5       |
| 406      | 550                  | 32-60            | 1744.36    | 5       |
| 407      | 630                  | 32-61            | 2205.60    | 4       |
| 408      | 185                  | 32-31            | 448.99     | 25      |
| 409      | 240                  | 32-32            | 685.86     | 25      |
| 410      | 400                  | 32-34            | 1339.49    | 10      |
| 411      | 500                  | 32-35            | 1968.19    | 10      |

**jainson**  
COPPER TUBULAR IN-LINE  
CONNECTORS



(LONG BARREL)

| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 412      | 1.5                  | JBL-453          | 8.76       | 1000    |
| 413      | 2.5                  | JBL-23           | 11.37      | 1000    |
| 414      | 4.0                  | JBL-3            | 15.69      | 1000    |
| 415      | 6.0                  | JBL-4            | 15.86      | 1000    |
| 416      | 10                   | JBL-460          | 26.40      | 500     |
| 417      | 16                   | JBL-6            | 23.81      | 500     |
| 418      | 25                   | JBL-7            | 57.21      | 300     |
| 419      | 35                   | JBL-8            | 74.96      | 200     |
| 420      | 50                   | JBL-9            | 113.69     | 150     |
| 421      | 70                   | JBL-10           | 168.10     | 100     |
| 422      | 95                   | JBL-11           | 231.93     | 75      |
| 423      | 120                  | JBL-12           | 325.41     | 50      |
| 424      | 150                  | JBL-13           | 416.00     | 50      |
| 425      | 185                  | JBL-14           | 504.39     | 25      |
| 426      | 225                  | JBL-20           | 711.52     | 25      |
| 427      | 240                  | JBL-15           | 742.52     | 20      |
| 428      | 300                  | JBL-16           | 1121.33    | 15      |
| 429      | 400                  | JBL-17           | 1706.41    | 10      |
| 430      | 500                  | JBL-18           | 2215.45    | 8       |
| 431      | 630                  | JBL-19           | 3043.94    | 5       |
| 432      | 800                  | JBL-21           | 4873.39    | 4       |

**Jainson**  
COPPER TUBULAR IN-LINE  
CONNECTORS (LONG BARREL)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 433      | 1000                 | JBL-22           | 7102.21    | 4       |
| 434      | 625                  | 32-36            | 2525.82    | 5       |

**Jainson**  
COPPER CRIMPING INLINE  
CONNECTORS

(HEAVY DUTY)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 435      | 1.5                  | JC-1.5           | 6.68       | 1000    |
| 436      | 2.5                  | JC-2.5           | 8.58       | 1000    |
| 437      | 4                    | JC-4             | 10.93      | 1000    |
| 438      | 6                    | JC-6             | 12.04      | 1000    |
| 439      | 10                   | JC-10            | 19.22      | 1000    |
| 440      | 16                   | JC-16            | 29.91      | 400     |
| 441      | 20                   | JC-20            | 42.43      | 200     |
| 442      | 25                   | JC-25            | 45.17      | 200     |
| 443      | 35                   | JC-35            | 57.25      | 150     |
| 444      | 50                   | JC-50            | 83.31      | 100     |
| 445      | 70                   | JC-70            | 120.21     | 75      |
| 446      | 95                   | JC-95            | 154.27     | 50      |
| 447      | 120                  | JC-120           | 264.71     | 40      |
| 448      | 150                  | JC-150           | 306.57     | 25      |
| 449      | 185                  | JC-185           | 421.65     | 25      |
| 450      | 240                  | JC-240           | 631.97     | 20      |
| 451      | 300                  | JC-300           | 952.64     | 10      |
| 452      | 400                  | JC-400           | 1280.62    | 8       |
| 453      | 500                  | JC-500           | 1808.23    | 5       |
| 454      | 550                  | JC-550           | 1923.13    | 4       |
| 455      | 630                  | JC-630           | 2043.22    | 4       |
| 456      | 800                  | JC-800           | 3437.26    | 4       |
| 457      | 1000                 | JC-1000          | 4884.87    | 4       |

**Jainson**  
COPPER CRIMPING TYPE  
IN-LINE CONNECTORS

(LONG BARREL)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 458      | 2.5                  | JCXL-21          | 7.87       | 1000    |
| 459      | 4                    | JCXL-22          | 9.69       | 1000    |
| 460      | 6                    | JCXL-23          | 11.63      | 1000    |
| 461      | 10                   | JCXL-24          | 17.71      | 1000    |
| 462      | 16                   | JCXL-25          | 32.54      | 400     |

**Jainson**  
COPPER CRIMPING TYPE  
IN-LINE CONNECTORS

(LONG BARREL)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 463      | 25                   | JCXL-26          | 64.18      | 300     |
| 464      | 35                   | JCXL-27          | 82.10      | 200     |
| 465      | 50                   | JCXL-28          | 127.37     | 150     |
| 466      | 70                   | JCXL-29          | 161.99     | 100     |
| 467      | 95                   | JCXL-30          | 225.85     | 75      |
| 468      | 120                  | JCXL-31          | 321.98     | 50      |
| 469      | 150                  | JCXL-32          | 447.72     | 40      |
| 470      | 185                  | JCXL-33          | 600.49     | 25      |
| 471      | 240                  | JCXL-34          | 791.11     | 20      |
| 472      | 300                  | JCXL-35          | 1163.54    | 15      |
| 473      | 400                  | JCXL-36          | 1634.39    | 10      |
| 474      | 500                  | JCXL-37          | 2132.44    | 5       |
| 475      | 630                  | JCXL-38          | 2955.19    | 5       |
| 476      | 800                  | JCXL-39          | 4933.56    | 4       |
| 477      | 1000                 | JCXL-40          | 6565.71    | 4       |

**Jainson**  
COPPER CONNECTORS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 478      | 35                   | 32-25 J40        | 50.90      | 300     |
| 479      | 16                   | 461-J32          | 35.48      | 400     |
| 480      | 25                   | 32-24-J23        | 27.78      | 300     |
| 481      | 35                   | 32-25-J25        | 30.53      | 300     |
| 482      | 150                  | JTC-150          | 774.53     | 40      |
| 483      | 2.5                  | 58-001           | 4.71       | 1000    |
| 484      | 2.5                  | 58-002           | 6.25       | 1000    |
| 485      | 6.0                  | 58-003           | 7.64       | 1000    |
| 486      | 16.0                 | 58-004           | 9.18       | 500     |
| 487      | 50.0                 | 58-005           | 65.74      | 200     |

**Jainson**  
COPPER CONNECTOR

(T TYPE)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 488      | 150                  | JTC-150T         | 2392.01    | 25      |

**Jainson**  
COPPER TUBULAR CRIMPING  
END SEALING FERRULES



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 489      | 0.5                  | 58-508           | 1.07       | 5000    |
| 490      | 0.75                 | 58-509           | 1.07       | 5000    |
| 491      | 1.0                  | 58-510           | 1.07       | 5000    |
| 492      | 1.0                  | 58-511           | 1.45       | 5000    |
| 493      | 1.5                  | 58-512           | 1.45       | 3000    |
| 494      | 1.5                  | 58-513           | 1.73       | 3000    |
| 495      | 2.5                  | 58-514           | 1.45       | 2000    |
| 496      | 2.5                  | 58-515           | 1.68       | 2000    |
| 497      | 4                    | 58-516           | 1.45       | 1000    |
| 498      | 4                    | 58-517           | 1.68       | 1000    |
| 499      | 6                    | 58-518           | 1.68       | 1000    |
| 500      | 6                    | 58-519           | 1.68       | 1000    |
| 501      | 6                    | 58-520           | 1.90       | 1000    |
| 502      | 10                   | 58-521           | 1.90       | 1000    |
| 503      | 10                   | 58-522           | 2.08       | 1000    |
| 504      | 10                   | 58-523           | 2.46       | 1000    |
| 505      | 16                   | 58-524           | 2.22       | 1000    |
| 506      | 16                   | 58-525           | 2.60       | 1000    |
| 507      | 16                   | 58-526           | 2.98       | 1000    |

**Jainson**  
COPPER TUBULAR CRIMPING  
IN-LINE CONNECTORS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 508      | 1.5                  | 58-459           | 5.25       | 1000    |
| 509      | 4                    | 58-495           | 4.57       | 1000    |
| 510      | 6                    | 58-568           | 7.09       | 1000    |
| 511      | 10                   | 58-569           | 8.54       | 1000    |
| 512      | 16                   | 58-570           | 10.73      | 1000    |
| 513      | 25                   | 58-571           | 13.49      | 500     |
| 514      | 35                   | 58-500           | 14.52      | 400     |
| 515      | 50                   | 58-572           | 20.21      | 300     |
| 516      | 70                   | 58-497           | 21.13      | 150     |
| 517      | 95                   | 58-573           | 27.11      | 150     |
| 518      | 120                  | 58-574           | 33.56      | 100     |
| 519      | 150                  | 58-575           | 36.61      | 100     |
| 520      | 185                  | 58-496           | 83.26      | 50      |
| 521      | 240                  | 58-578           | 290.75     | 25      |
| 522      | 16                   | 58-457           | 15.46      | 1000    |
| 523      | 50                   | 58-477           | 75.38      | 200     |
| 524      | 95                   | 58-479           | 144.68     | 150     |
| 525      | 0.5                  | 58-651           | 5.41       | 1000    |

**Jainson**  
Keeping Electricity Firmly in its Place  
CABLE TERMINAL ENDS

**S J METAL INDUSTRIES**  
AN ISO 9001-2015 CO.



**Jainson**  
COPPER TUBULAR END  
SEALING FERRULES



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 526      | 0.5                  | 58-467           | 1.51       | 1000    |
| 527      | 0.75                 | 58-468           | 1.51       | 1000    |
| 528      | 1.0                  | 58-469           | 1.51       | 1000    |
| 529      | 1.0                  | 58-470           | 2.08       | 1000    |
| 530      | 1.5                  | 58-471           | 2.08       | 1000    |
| 531      | 1.5                  | 58-472           | 2.38       | 1000    |
| 532      | 2.5                  | 58-499           | 2.08       | 1000    |
| 533      | 2.5                  | 58-502           | 2.37       | 1000    |
| 534      | 4                    | 58-503           | 2.08       | 1000    |
| 535      | 4                    | 58-504           | 2.37       | 1000    |
| 536      | 6                    | 58-505           | 2.37       | 1000    |
| 537      | 6                    | 58-506           | 2.37       | 1000    |
| 538      | 6                    | 58-507           | 2.63       | 1000    |
| 539      | 10                   | 58-549           | 2.63       | 500     |
| 540      | 10                   | 58-550           | 2.63       | 500     |
| 541      | 10                   | 58-551           | 3.08       | 500     |
| 542      | 16                   | 58-552           | 3.08       | 500     |
| 543      | 16                   | 58-553           | 3.08       | 500     |
| 544      | 16                   | 58-554           | 3.08       | 500     |

**Jainson**  
COPPER OPEN CLOSE TYPE  
SOLDERING CABLE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 545      | 1.5                  | 153-371          | 2.93       | 1000    |
| 546      | 1.5                  | 153-345          | 2.37       | 1000    |
| 547      | 2.5                  | 153-372          | 3.46       | 1000    |
| 548      | 2.5                  | 153-344          | 3.12       | 1000    |
| 549      | 4                    | 153-373          | 6.06       | 1000    |
| 550      | 6                    | 153-374          | 7.57       | 1000    |
| 551      | 10                   | 153-375          | 9.82       | 1000    |
| 552      | 16                   | 153-376          | 16.86      | 500     |
| 553      | 25                   | 153-377          | 31.81      | 300     |
| 554      | 35                   | 153-378          | 39.63      | 200     |
| 555      | 50                   | 153-379          | 69.79      | 150     |
| 556      | 70                   | 153-380          | 108.68     | 75      |
| 557      | 95                   | 153-381          | 195.74     | 50      |
| 558      | 120                  | 153-382          | 251.21     | 50      |
| 559      | 150                  | 153-383          | 336.20     | 40      |
| 560      | 185                  | 153-384          | 502.67     | 25      |
| 561      | 225                  | 153-385          | 616.06     | 20      |
| 562      | 240                  | 153-386          | 745.85     | 15      |
| 563      | 300                  | 153-387          | 952.10     | 10      |
| 564      | 400                  | 153-388          | 1391.18    | 5       |
| 565      | 500                  | 153-389          | 1633.65    | 5       |
| 566      | 625                  | 153-390          | 1939.19    | 4       |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 567      | 1.5                  | 3.7   | 170489           | 3.11       | 1000    |
| 568      | 1.5                  | 4.2   | 170499           | 3.11       | 1000    |
| 569      | 1.5                  | 2.6   | 170009           | 3.72       | 1000    |
| 570      | 1.5                  | 3.2   | 170019           | 3.57       | 1000    |
| 571      | 1.5                  | 3.7   | 170029           | 3.57       | 1000    |
| 572      | 1.5                  | 4.2   | 170039           | 3.11       | 1000    |
| 573      | 1.5                  | 4.2   | 171549           | 3.57       | 1000    |
| 574      | 1.5                  | 4.2   | 170049           | 3.20       | 1000    |
| 575      | 1.5                  | 5.2   | 170059           | 3.20       | 1000    |
| 576      | 1.5                  | 5.2   | 170069           | 4.01       | 1000    |
| 577      | 1.5                  | 6.4   | 170079           | 3.87       | 1000    |
| 578      | 1.5                  | 6.4   | 171069           | 4.51       | 1000    |
| 579      | 2.5                  | 3.2   | 171079           | 3.74       | 1000    |
| 580      | 2.5                  | 3.7   | 170089           | 3.57       | 1000    |
| 581      | 2.5                  | 3.7   | 171089           | 3.74       | 1000    |
| 582      | 2.5                  | 4.2   | 170099           | 3.20       | 1000    |
| 583      | 2.5                  | 5.2   | 170109           | 3.20       | 1000    |
| 584      | 2.5                  | 5.2   | 171099           | 3.83       | 1000    |
| 585      | 2.5                  | 6.4   | 170119           | 3.44       | 1000    |
| 586      | 2.5                  | 5.2   | 171109           | 5.43       | 1000    |
| 587      | 2.5                  | 6.4   | 170129           | 5.30       | 1000    |
| 588      | 2.5                  | 8.2   | 170139           | 5.43       | 1000    |
| 589      | 2.5                  | 8.2   | 170149           | 6.53       | 1000    |
| 590      | 2.5                  | 10.2  | 171519           | 7.84       | 1000    |
| 591      | 4-6                  | 4.2   | 171559           | 6.11       | 1000    |
| 592      | 4-6                  | 5.2   | 170509           | 6.11       | 1000    |
| 593      | 4-6                  | 5.2   | 171579           | 15.09      | 1000    |
| 594      | 4-6                  | 5.2   | 170169           | 7.22       | 1000    |
| 595      | 4-6                  | 6.4   | 170179           | 6.81       | 1000    |
| 596      | 4-6                  | 8.2   | 170189           | 7.22       | 1000    |
| 597      | 4-6                  | 6.4   | 170199           | 8.32       | 1000    |
| 598      | 4-6                  | 6.4   | 171159           | 9.66       | 1000    |
| 599      | 4-6                  | 8.2   | 170209           | 9.54       | 1000    |
| 600      | 4-6                  | 8.2   | 171169           | 11.78      | 1000    |
| 601      | 4-6                  | 10.2  | 170239           | 11.23      | 1000    |
| 602      | 4-6                  | 12.7  | 170249           | 10.69      | 1000    |
| 603      | 10                   | 5.2   | 170259           | 8.69       | 1000    |
| 604      | 10                   | 4.2   | 171199           | 10.18      | 1000    |
| 605      | 10                   | 5.2   | 170269           | 8.01       | 1000    |
| 606      | 10                   | 6.4   | 171209           | 9.42       | 1000    |
| 607      | 10                   | 8.2   | 171219           | 12.57      | 500     |
| 608      | 10                   | 10.2  | 171239           | 19.24      | 500     |
| 609      | 10                   | 12.7  | 170289           | 17.45      | 500     |
| 610      | 16                   | 5.2   | 171249           | 14.27      | 500     |
| 611      | 16                   | 6.4   | 170299           | 15.78      | 500     |
| 612      | 16                   | 8.2   | 170309           | 18.87      | 500     |
| 613      | 16                   | 10.2  | 171289           | 25.31      | 500     |
| 614      | 16                   | 12.7  | 170339           | 25.03      | 500     |
| 615      | 25                   | 6.4   | 171569           | 35.53      | 300     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 616      | 25                   | 8.2   | 170349           | 36.12      | 300     |
| 617      | 25                   | 10.2  | 171319           | 47.56      | 300     |
| 618      | 25                   | 10.2  | 171329           | 52.96      | 200     |
| 619      | 25                   | 12.7  | 170379           | 53.88      | 200     |
| 620      | 35                   | 6.4   | 171339           | 45.11      | 300     |
| 621      | 35                   | 8.2   | 170389           | 42.28      | 300     |
| 622      | 35                   | 8.2   | 171349           | 64.09      | 200     |
| 623      | 35                   | 10.2  | 170399           | 59.15      | 200     |
| 624      | 35                   | 10.2  | 171359           | 58.78      | 200     |
| 625      | 35                   | 12.7  | 170409           | 57.19      | 200     |
| 626      | 50                   | 8.2   | 171369           | 73.04      | 150     |
| 627      | 50                   | 10.2  | 171379           | 81.11      | 150     |
| 628      | 50                   | 12.7  | 170429           | 82.87      | 150     |
| 629      | 50                   | 16.2  | 171399           | 93.01      | 100     |
| 630      | 70                   | 10.2  | 171409           | 100.43     | 100     |
| 631      | 70                   | 12.7  | 171419           | 98.82      | 100     |
| 632      | 70                   | 16.2  | 171429           | 110.44     | 100     |
| 633      | 95                   | 10.2  | 171449           | 136.78     | 75      |
| 634      | 95                   | 12.7  | 170449           | 137.33     | 75      |
| 635      | 95                   | 16.2  | 171459           | 156.31     | 75      |
| 636      | 120                  | 12.7  | 171469           | 175.74     | 50      |
| 637      | 120                  | 16.2  | 171479           | 195.01     | 50      |
| 638      | 120                  | 20.3  | 171489           | 261.77     | 50      |
| 639      | 150                  | 12.7  | 171499           | 382.26     | 25      |
| 640      | 150                  | 16.2  | 170459           | 361.78     | 25      |
| 641      | 150                  | 20.3  | 170469           | 387.46     | 25      |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 642      | 1.5                  | 2.6   | 170539           | 6.24       | 1000    |
| 643      | 1.5                  | 3.2   | 170549           | 4.84       | 1000    |
| 644      | 1.5                  | 3.7   | 170559           | 4.84       | 1000    |
| 645      | 1.5                  | 4.2   | 170569           | 4.51       | 1000    |
| 646      | 1.5                  | 3.7   | 170589           | 4.51       | 1000    |
| 647      | 1.5                  | 4.2   | 170599           | 4.51       | 1000    |
| 648      | 1.5                  | 4.2   | 170619           | 4.86       | 1000    |
| 649      | 1.5                  | 5.2   | 170629           | 4.86       | 1000    |
| 650      | 1.5                  | 4.2   | 170639           | 4.95       | 1000    |
| 651      | 1.5                  | 5.2   | 170659           | 5.41       | 1000    |
| 652      | 1.5                  | 6.4   | 170669           | 5.21       | 1000    |
| 653      | 1.5                  | 6.4   | 170679           | 5.71       | 1000    |
| 654      | 2.5                  | 3.2   | 170689           | 4.88       | 1000    |
| 655      | 2.5                  | 3.7   | 170699           | 4.88       | 1000    |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 656      | 2.5                  | 3.7   | 170709           | 5.34       | 1000    |
| 657      | 2.5                  | 4.2   | 170719           | 4.84       | 1000    |
| 658      | 2.5                  | 5.2   | 170729           | 4.84       | 1000    |
| 659      | 2.5                  | 5.2   | 170739           | 5.52       | 1000    |
| 660      | 2.5                  | 6.4   | 170749           | 5.26       | 1000    |
| 661      | 2.5                  | 5.2   | 170759           | 7.01       | 1000    |
| 662      | 2.5                  | 6.4   | 170769           | 6.90       | 1000    |
| 663      | 0.75                 | 4.2   | 175919           | 7.55       | 1000    |
| 664      | 2.5                  | 8.2   | 170779           | 6.55       | 1000    |
| 665      | 2.5                  | 8.2   | 170799           | 7.47       | 1000    |
| 666      | 2.5                  | 10.2  | 170819           | 8.71       | 1000    |
| 667      | 4-6                  | 4.2   | 170839           | 7.79       | 500     |
| 668      | 4-6                  | 5.2   | 170849           | 7.60       | 500     |
| 669      | 4-6                  | 5.2   | 170869           | 8.54       | 500     |
| 670      | 4-6                  | 5.2   | 170879           | 17.10      | 500     |
| 671      | 4-6                  | 6.4   | 170899           | 8.78       | 500     |
| 672      | 4-6                  | 8.2   | 170909           | 9.04       | 500     |
| 673      | 4-6                  | 6.4   | 170929           | 10.16      | 500     |
| 674      | 4-6                  | 6.4   | 170939           | 11.45      | 500     |
| 675      | 4-6                  | 8.2   | 170949           | 11.14      | 500     |
| 676      | 4-6                  | 8.2   | 170969           | 13.25      | 500     |
| 677      | 4-6                  | 10.2  | 170999           | 12.92      | 500     |
| 678      | 4-6                  | 12.7  | 171009           | 12.39      | 500     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 679      | 10                   | 4.2   | 173899           | 16.79      | 500     |
| 680      | 10                   | 5.2   | 173909           | 16.79      | 500     |
| 681      | 10                   | 4.2   | 173919           | 15.90      | 500     |
| 682      | 10                   | 5.2   | 173929           | 15.90      | 500     |
| 683      | 10                   | 6.4   | 173939           | 18.13      | 500     |
| 684      | 10                   | 8.2   | 173949           | 20.66      | 500     |
| 685      | 10                   | 8.2   | 173959           | 29.71      | 500     |
| 686      | 10                   | 10.2  | 173969           | 29.71      | 300     |
| 687      | 10                   | 10.2  | 173979           | 26.55      | 300     |
| 688      | 10                   | 12.7  | 173989           | 26.55      | 300     |
| 689      | 16                   | 5.2   | 173999           | 25.43      | 300     |
| 690      | 16                   | 5.2   | 174009           | 27.97      | 300     |
| 691      | 16                   | 6.4   | 174019           | 27.97      | 300     |
| 692      | 16                   | 6.4   | 174029           | 27.97      | 300     |
| 693      | 16                   | 8.2   | 174039           | 27.97      | 300     |
| 694      | 16                   | 9.7   | 174049           | 27.97      | 300     |
| 695      | 16                   | 8.2   | 174059           | 40.53      | 200     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 696      | 16                   | 10.2  | 174069           | 40.53      | 200     |
| 697      | 16                   | 10.2  | 174079           | 35.44      | 200     |
| 698      | 16                   | 12.7  | 174089           | 35.44      | 200     |
| 699      | 25                   | 6.4   | 174099           | 48.63      | 100     |
| 700      | 25                   | 8.2   | 174109           | 48.63      | 100     |
| 701      | 25                   | 6.4   | 174119           | 49.58      | 100     |
| 702      | 25                   | 8.2   | 174129           | 49.58      | 100     |
| 703      | 25                   | 10.2  | 174139           | 49.58      | 100     |
| 704      | 25                   | 6.4   | 174149           | 66.12      | 100     |
| 705      | 25                   | 8.2   | 174159           | 66.12      | 100     |
| 706      | 25                   | 10.2  | 174169           | 71.68      | 100     |
| 707      | 25                   | 10.2  | 174179           | 75.69      | 100     |
| 708      | 25                   | 12.7  | 174189           | 71.21      | 100     |
| 709      | 35                   | 6.4   | 174199           | 61.50      | 100     |
| 710      | 35                   | 8.2   | 174209           | 61.99      | 100     |
| 711      | 35                   | 8.2   | 174219           | 89.66      | 100     |
| 712      | 35                   | 10.2  | 174229           | 89.66      | 100     |
| 713      | 35                   | 10.2  | 174239           | 90.28      | 100     |
| 714      | 35                   | 12.7  | 174249           | 90.28      | 100     |
| 715      | 50                   | 8.2   | 174259           | 89.04      | 75      |
| 716      | 50                   | 10.2  | 174269           | 89.04      | 75      |
| 717      | 50                   | 10.2  | 174279           | 91.55      | 75      |
| 718      | 50                   | 10.2  | 174289           | 104.27     | 75      |
| 719      | 50                   | 12.7  | 174299           | 104.27     | 75      |
| 720      | 50                   | 16.2  | 174309           | 124.93     | 75      |
| 721      | 70                   | 10.2  | 174319           | 130.35     | 50      |
| 722      | 70                   | 12.7  | 174329           | 133.85     | 50      |
| 723      | 70                   | 12.7  | 174339           | 127.17     | 50      |
| 724      | 70                   | 16.2  | 174349           | 127.17     | 50      |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(M. R.)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 725      | 1.5                  | 2.6   | 174369           | 8.47       | 1000    |
| 726      | 1.5                  | 3.2   | 174379           | 5.85       | 1000    |
| 727      | 1.5                  | 3.7   | 174389           | 5.85       | 1000    |
| 728      | 1.5                  | 4.2   | 174399           | 5.85       | 1000    |
| 729      | 1.5                  | 3.7   | 174419           | 5.85       | 1000    |
| 730      | 1.5                  | 4.2   | 174429           | 5.85       | 1000    |
| 731      | 1.5                  | 4.2   | 174449           | 6.07       | 1000    |
| 732      | 1.5                  | 5.2   | 174459           | 6.07       | 1000    |
| 733      | 1.5                  | 4.2   | 174469           | 6.17       | 1000    |
| 734      | 1.5                  | 5.2   | 174489           | 6.90       | 1000    |
| 735      | 1.5                  | 6.4   | 174499           | 6.99       | 1000    |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(M.R.)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 736      | 1.5                  | 6.4   | 174509           | 7.20       | 1000    |
| 737      | 2.5                  | 3.2   | 174519           | 6.90       | 1000    |
| 738      | 2.5                  | 3.7   | 174529           | 6.59       | 1000    |
| 739      | 2.5                  | 3.7   | 174539           | 7.14       | 1000    |
| 740      | 2.5                  | 4.2   | 174549           | 6.31       | 1000    |
| 741      | 2.5                  | 5.2   | 174559           | 6.31       | 1000    |
| 742      | 2.5                  | 5.2   | 174569           | 6.79       | 1000    |
| 743      | 2.5                  | 6.4   | 174579           | 6.63       | 1000    |
| 744      | 2.5                  | 5.2   | 174589           | 8.76       | 1000    |
| 745      | 2.5                  | 6.4   | 174599           | 8.63       | 1000    |
| 746      | 2.5                  | 8.2   | 174609           | 8.76       | 1000    |
| 747      | 2.5                  | 8.2   | 174629           | 8.56       | 1000    |
| 748      | 2.5                  | 10.2  | 174649           | 10.82      | 1000    |
| 749      | 4-6                  | 4.2   | 174669           | 10.79      | 500     |
| 750      | 4-6                  | 5.2   | 174679           | 9.85       | 500     |
| 751      | 4-6                  | 5.2   | 174699           | 10.92      | 500     |
| 752      | 4-6                  | 5.2   | 174709           | 20.27      | 500     |
| 753      | 4-6                  | 6.4   | 174729           | 10.82      | 500     |
| 754      | 4-6                  | 8.2   | 174739           | 10.93      | 500     |
| 755      | 4-6                  | 6.4   | 174759           | 12.50      | 500     |
| 756      | 4-6                  | 6.4   | 174769           | 13.68      | 500     |
| 757      | 4-6                  | 8.2   | 174779           | 13.68      | 500     |
| 758      | 4-6                  | 8.2   | 174799           | 15.54      | 500     |
| 759      | 4-6                  | 10.2  | 174829           | 15.96      | 500     |
| 760      | 4-6                  | 12.7  | 174839           | 15.96      | 500     |
| 761      | 10                   | 4.2   | 174849           | 22.09      | 300     |
| 762      | 10                   | 5.2   | 174859           | 22.09      | 300     |
| 763      | 10                   | 4.2   | 174869           | 21.06      | 300     |
| 764      | 10                   | 5.2   | 174879           | 21.06      | 300     |
| 765      | 10                   | 6.4   | 174889           | 23.71      | 300     |
| 766      | 10                   | 8.2   | 174899           | 25.92      | 300     |
| 767      | 10                   | 8.2   | 174909           | 35.64      | 300     |
| 768      | 10                   | 10.2  | 174919           | 35.64      | 300     |
| 769      | 10                   | 10.2  | 174929           | 32.27      | 300     |
| 770      | 10                   | 12.7  | 174939           | 32.27      | 300     |
| 771      | 16                   | 5.2   | 174949           | 32.27      | 200     |
| 772      | 16                   | 5.2   | 174959           | 33.87      | 200     |
| 773      | 16                   | 6.4   | 174969           | 33.87      | 200     |
| 774      | 16                   | 6.4   | 174979           | 33.87      | 200     |
| 775      | 16                   | 8.2   | 174989           | 33.87      | 200     |
| 776      | 16                   | 9.7   | 174999           | 33.87      | 200     |
| 777      | 16                   | 8.2   | 175009           | 47.42      | 200     |
| 778      | 16                   | 10.2  | 175019           | 47.42      | 200     |
| 779      | 16                   | 10.2  | 175029           | 41.84      | 200     |
| 780      | 16                   | 12.7  | 175039           | 41.84      | 200     |



**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS



(NON- STANDARD ITEMS)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 781      | 1.5                  | 3.2   | 171539           | 3.98       | 1000    |
| 782      | 1.5                  | 2.2   | 171039           | 4.03       | 1000    |
| 783      | 1.5                  | 3.2   | 171049           | 4.71       | 1000    |
| 784      | 1.5                  | 4.2   | 171059           | 5.17       | 1000    |
| 785      | 2.5                  | 6.4   | 171119           | 8.58       | 1000    |
| 786      | 2.5                  | 10.2  | 170159           | 8.15       | 1000    |
| 787      | 2.5                  | 12.7  | 170479           | 9.28       | 1000    |
| 788      | 4-6                  | 4.2   | 171129           | 8.49       | 1000    |
| 789      | 4-6                  | 5.2   | 171139           | 8.36       | 1000    |
| 790      | 4-6                  | 5.2   | 171149           | 9.92       | 1000    |
| 791      | 4-6                  | 9.7   | 170219           | 11.28      | 1000    |
| 792      | 4-6                  | 10.2  | 170229           | 13.23      | 1000    |
| 793      | 4-6                  | 8.2   | 171179           | 12.39      | 1000    |
| 794      | 10                   | 4.2   | 171189           | 9.92       | 1000    |
| 795      | 10                   | 8.2   | 171229           | 20.08      | 500     |
| 796      | 10                   | 10.2  | 170279           | 19.86      | 500     |
| 797      | 16                   | 5.2   | 171259           | 17.97      | 500     |
| 798      | 16                   | 6.4   | 171269           | 19.29      | 500     |
| 799      | 16                   | 9.7   | 170319           | 19.86      | 500     |
| 800      | 16                   | 8.2   | 171279           | 27.04      | 500     |
| 801      | 16                   | 10.2  | 170329           | 26.19      | 500     |
| 802      | 25                   | 8.2   | 170519           | 31.48      | 300     |
| 803      | 25                   | 6.4   | 171299           | 35.40      | 300     |
| 804      | 25                   | 10.2  | 170359           | 33.23      | 300     |
| 805      | 25                   | 6.2   | 171309           | 43.72      | 300     |
| 806      | 25                   | 8.2   | 170369           | 42.54      | 300     |
| 807      | 50                   | 10.2  | 170419           | 74.35      | 150     |
| 808      | 50                   | 10.2  | 171389           | 85.24      | 150     |
| 809      | 70                   | 12.7  | 170439           | 104.39     | 100     |
| 810      | 95                   | 10.2  | 171439           | 132.37     | 75      |
| 811      | 150                  | 16.2  | 171509           | 433.73     | 25      |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
INSULATED



(NON- STANDARD ITEMS)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 812      | 1.5                  | 2.2   | 170529           | 5.89       | 1000    |
| 813      | 1.5                  | 3.2   | 170579           | 5.89       | 1000    |
| 814      | 1.5                  | 3.2   | 170609           | 6.77       | 1000    |
| 815      | 1.5                  | 4.2   | 170649           | 6.90       | 1000    |
| 816      | 2.5                  | 6.4   | 170789           | 10.33      | 1000    |
| 817      | 2.5                  | 10.2  | 170809           | 10.33      | 1000    |
| 818      | 2.5                  | 12.7  | 170829           | 11.58      | 1000    |
| 819      | 4-6                  | 4.2   | 170859           | 11.58      | 500     |
| 820      | 4-6                  | 5.2   | 170889           | 12.96      | 500     |
| 821      | 4-6                  | 5.2   | 170919           | 12.68      | 500     |
| 822      | 4-6                  | 9.7   | 170959           | 16.35      | 500     |
| 823      | 4-6                  | 10.2  | 170979           | 19.57      | 500     |
| 824      | 4-6                  | 8.2   | 170989           | 18.13      | 500     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)



(NON- STANDARD ITEMS)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 842      | 4                    | 5.2   | 180419           | 12.60      | 500     |
| 843      | 4                    | 6.7   | 180429           | 13.91      | 500     |
| 844      | 4                    | 13.1  | 180439           | 18.43      | 500     |
| 845      | 2.5                  | 8.3   | 180449           | 8.89       | 1000    |
| 846      | 4                    | 4.4   | 180459           | 13.70      | 500     |
| 847      | 2.5                  | 5.2   | 180469           | 8.42       | 1000    |
| 848      | 2.5                  | 6.7   | 180479           | 9.10       | 1000    |
| 849      | 2.5                  | 9.9   | 180489           | 8.88       | 1000    |
| 850      | 2.5                  | 4.4   | 180499           | 8.04       | 1000    |
| 851      | 4-6                  | 5.2   | 180509           | 13.74      | 500     |
| 852      | 4-6                  | 5.2   | 180519           | 18.36      | 500     |
| 853      | 4-6                  | 6.7   | 180529           | 16.27      | 500     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)  
(NON- STANDARD ITEMS)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 825      | 1.5                  | 2.2   | 174359           | 8.63       | 1000    |
| 826      | 1.5                  | 3.2   | 174409           | 8.63       | 1000    |
| 827      | 1.5                  | 3.2   | 174439           | 7.60       | 1000    |
| 828      | 1.5                  | 4.2   | 174479           | 8.17       | 1000    |
| 829      | 2.5                  | 6.4   | 174619           | 11.96      | 1000    |
| 830      | 2.5                  | 10.2  | 174639           | 11.96      | 1000    |
| 831      | 2.5                  | 12.7  | 174659           | 13.42      | 1000    |
| 832      | 4-6                  | 4.2   | 174689           | 14.14      | 500     |
| 833      | 4-6                  | 5.2   | 174719           | 15.83      | 500     |
| 834      | 4-6                  | 5.2   | 174749           | 15.79      | 500     |
| 835      | 4-6                  | 9.7   | 174789           | 16.93      | 500     |
| 836      | 4-6                  | 10.2  | 174809           | 19.51      | 500     |
| 837      | 4-6                  | 8.2   | 174819           | 21.24      | 500     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(BEND TYPE)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 854      | 1                    | 5.0   | JAB-1            | 11.64      | 1000    |
| 855      | 2.5                  | 5.0   | JAB-2.5          | 11.92      | 1000    |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(60° & 90 BEND)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 856      | 1.5                  | 3.2   | 173559           | 11.60      | 1000    |
| 857      | 10                   | 6.4   | 173889           | 25.70      | 500     |
| 858      | 10                   | 8.4   | 171739           | 75.69      | 500     |
| 859      | 10                   | 10.5  | 180219           | 93.10      | 500     |
| 860      | 16                   | 8.2   | 180229           | 114.26     | 300     |

PRODUCT RANGE OF Jainson GROUP

- CABLE TERMINAL ENDS
- CRIMPING TOOLS
- CABLE GLANDS
- PLUG & SOCKET
- MAIN SWITCHES
- ROTARY SWITCHES
- CLIP ON TYPE TERMINALS
- BAKELITE STRIP CONNECTORS
- REVERSE FORWARD SWITCHES
- L.T. CONTROL SWITCHES
- LED LIGHTS
- WIRE STRIPPER WITH CUTTER
- BAKELITE FUSE FITTING
- ANTI-CORROSIVE COMPOUNDS
- LIMIT SWITCHES
- CAM SWITCHES

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS (M.R)



(NON- STANDARD ITEMS)

| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 838      | 4                    | 8.3   | 180379           | 15.14      | 500     |
| 839      | 4                    | 9.9   | 180389           | 15.14      | 500     |
| 840      | 2.5                  | 4.0   | 180399           | 7.57       | 1000    |
| 841      | 4                    | 8.3   | 180409           | 15.14      | 500     |



**Jainson**  
COPPER RING TONGUE  
SLOTTED LOCK HOLE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 861      | 25                   | 19    | JRL-504A         | 98.25      | 150     |
| 862      | 50                   | 23    | JRL-504B         | 176.80     | 100     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(DOUBLE HOLE)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 863      | 4-6                  | 5.2   | 7157-DH          | 17.24      | 1000    |

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT )



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 864      | 1.5                  | 3.1   | 172359           | 4.61       | 1000    |
| 865      | 1.5                  | 4.1   | 172369           | 5.06       | 1000    |
| 866      | 1.5                  | 4.1   | 172379           | 5.06       | 1000    |
| 867      | 1.5                  | 5.1   | 172389           | 5.51       | 1000    |
| 868      | 1.5                  | 3.6   | 172409           | 4.61       | 1000    |
| 869      | 1.5                  | 3.1   | 172419           | 4.61       | 1000    |
| 870      | 1.5                  | 3.6   | 172449           | 4.61       | 1000    |
| 871      | 1.5                  | 6.1   | 178619           | 5.51       | 1000    |
| 872      | 2.5                  | 3.1   | 178629           | 5.06       | 1000    |
| 873      | 2.5                  | 3.6   | 178639           | 5.06       | 1000    |
| 874      | 2.5                  | 6.1   | 178649           | 5.42       | 1000    |
| 875      | 2.5                  | 4.1   | 172399           | 5.53       | 1000    |
| 876      | 2.5                  | 5.1   | 172429           | 5.53       | 1000    |
| 877      | 4-6                  | 4.1   | 172439           | 8.42       | 1000    |
| 878      | 4-6                  | 4.1   | 172459           | 9.83       | 1000    |
| 879      | 4-6                  | 5.1   | 172469           | 9.83       | 1000    |
| 880      | 4-6                  | 5.1   | 172479           | 11.38      | 1000    |
| 881      | 4-6                  | 6.1   | 172489           | 11.38      | 1000    |
| 882      | 10                   | 4.1   | 178659           | 11.38      | 1000    |
| 883      | 10                   | 5.1   | 178669           | 11.36      | 1000    |
| 884      | 10                   | 6.1   | 178679           | 12.61      | 1000    |
| 885      | 10                   | 8.1   | 178689           | 14.74      | 1000    |
| 886      | 16                   | 5.1   | 178699           | 17.90      | 500     |
| 887      | 16                   | 6.1   | 178709           | 19.98      | 500     |
| 888      | 16                   | 8.1   | 178719           | 19.98      | 500     |
| 889      | 16                   | 8.1   | 178729           | 24.91      | 500     |

**Jainson**  
COPPER RING TONGUE  
TERMINAL ENDS  
(“U” CUT INSULATED )



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 890      | 1.5                  | 3.1   | 178739           | 6.13       | 1000    |
| 891      | 1.5                  | 3.6   | 178749           | 6.13       | 1000    |
| 892      | 1.5                  | 3.1   | 178759           | 6.04       | 1000    |
| 893      | 1.5                  | 3.6   | 178769           | 6.26       | 1000    |
| 894      | 1.5                  | 4.1   | 178779           | 6.88       | 1000    |
| 895      | 1.5                  | 4.1   | 178789           | 6.88       | 1000    |
| 896      | 1.5                  | 5.1   | 178799           | 7.44       | 1000    |
| 897      | 1.5                  | 6.1   | 178809           | 7.44       | 1000    |
| 898      | 2.5                  | 3.1   | 178819           | 7.16       | 1000    |
| 899      | 2.5                  | 3.6   | 178829           | 7.07       | 1000    |
| 900      | 2.5                  | 4.1   | 178839           | 7.47       | 1000    |
| 901      | 2.5                  | 5.1   | 178849           | 7.60       | 1000    |
| 902      | 2.5                  | 6.1   | 178859           | 7.60       | 1000    |
| 903      | 4-6                  | 4.1   | 178869           | 11.47      | 500     |
| 904      | 4-6                  | 4.1   | 178879           | 13.88      | 500     |
| 905      | 4-6                  | 5.1   | 178889           | 13.88      | 500     |
| 906      | 4-6                  | 5.1   | 178899           | 15.06      | 500     |
| 907      | 4-6                  | 6.1   | 178909           | 15.06      | 500     |
| 908      | 10                   | 4.1   | 178919           | 16.40      | 500     |
| 909      | 10                   | 5.1   | 178929           | 16.40      | 500     |
| 910      | 10                   | 6.1   | 178939           | 17.69      | 500     |
| 911      | 10                   | 8.1   | 178949           | 20.05      | 500     |
| 912      | 16                   | 5.1   | 178959           | 23.54      | 300     |
| 913      | 16                   | 6.1   | 178969           | 24.63      | 300     |
| 914      | 16                   | 8.1   | 178979           | 24.63      | 300     |
| 915      | 16                   | 8.1   | 178989           | 36.65      | 300     |

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT M.R.)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 916      | 1.5                  | 3.1   | 178999           | 8.17       | 1000    |
| 917      | 1.5                  | 3.6   | 179009           | 8.17       | 1000    |
| 918      | 1.5                  | 3.1   | 179019           | 8.17       | 1000    |
| 919      | 1.5                  | 3.6   | 179029           | 8.17       | 1000    |
| 920      | 1.5                  | 4.1   | 179039           | 9.20       | 1000    |
| 921      | 1.5                  | 4.1   | 179049           | 9.20       | 1000    |
| 922      | 1.5                  | 5.1   | 179059           | 9.20       | 1000    |
| 923      | 1.5                  | 6.1   | 179069           | 9.96       | 1000    |
| 924      | 2.5                  | 3.1   | 179079           | 9.96       | 1000    |
| 925      | 2.5                  | 3.6   | 179089           | 9.96       | 1000    |
| 926      | 2.5                  | 4.1   | 179099           | 10.12      | 1000    |
| 927      | 2.5                  | 5.1   | 179109           | 10.12      | 1000    |
| 928      | 2.5                  | 6.1   | 179119           | 10.12      | 1000    |
| 929      | 4-6                  | 4.1   | 179129           | 14.97      | 500     |

**Jainson**  
COPPER RING TONGUE  
FORK TERMINAL ENDS  
(“U” CUT M.R.)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 930      | 4-6                  | 4.1   | 179139           | 17.03      | 500     |
| 931      | 4-6                  | 5.1   | 179149           | 17.03      | 500     |
| 932      | 4-6                  | 5.1   | 179159           | 18.55      | 500     |
| 933      | 4-6                  | 6.1   | 179169           | 18.55      | 500     |
| 934      | 10                   | 4.1   | 179179           | 21.70      | 300     |
| 935      | 10                   | 5.1   | 179189           | 21.70      | 300     |
| 936      | 10                   | 6.1   | 179199           | 22.73      | 300     |
| 937      | 10                   | 8.1   | 179209           | 25.75      | 300     |
| 938      | 16                   | 5.1   | 179219           | 31.07      | 200     |
| 939      | 16                   | 6.1   | 179229           | 54.38      | 200     |
| 940      | 16                   | 8.1   | 179239           | 55.79      | 200     |
| 941      | 16                   | 8.1   | 179249           | 58.44      | 200     |

**Jainson**  
COPPER FORK TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 942      | 1.0                  | 3.5   | FT-SPL           | 3.61       | 1000    |
| 943      | 1.5                  | 3.0   | 180559           | 4.60       | 1000    |
| 944      | 1.5                  | 5.1   | 172149           | 6.74       | 1000    |
| 945      | 1.5                  | 3.5   | 172499           | 2.64       | 1000    |
| 946      | 1.5                  | 3.1   | 172509           | 3.98       | 1000    |
| 947      | 2.5                  | 3.5   | 172519           | 2.99       | 1000    |
| 948      | 2.5                  | 5.1   | 172809           | 7.71       | 1000    |
| 949      | 4-6                  | 3.1   | 172529           | 5.17       | 1000    |
| 950      | 4-6                  | 3.5   | 172539           | 5.06       | 1000    |
| 951      | 10                   | 6.5   | 172549           | 14.84      | 500     |
| 952      | 10                   | 8.5   | 172559           | 14.52      | 500     |
| 953      | 16                   | 4.4   | 101319           | 18.20      | 500     |
| 954      | 1.5                  | 2.8   | JFT-900          | 3.63       | 1000    |
| 955      | 2.5                  | 4.1   | 185159           | 7.75       | 1000    |



**Jainson**

**COPPER FORK TERMINAL ENDS ( INSULATED )**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 956      | 1.0                  | 3.5   | FT-SPL(I)        | 4.88       | 1000    |
| 957      | 1.5                  | 5.1   | 179259           | 8.03       | 1000    |
| 958      | 1.5                  | 3.5   | 179269           | 3.59       | 1000    |
| 959      | 1.5                  | 3.1   | 179279           | 5.34       | 1000    |
| 960      | 2.5                  | 3.5   | 179289           | 4.22       | 1000    |
| 961      | 2.5                  | 5.1   | 179299           | 8.58       | 1000    |
| 962      | 4-6                  | 3.1   | 179309           | 7.05       | 500     |
| 963      | 4-6                  | 3.5   | 179319           | 6.90       | 500     |
| 964      | 10                   | 6.5   | 179329           | 17.63      | 300     |
| 965      | 10                   | 8.2   | 179339           | 17.40      | 300     |

**Jainson**

**COPPER FORK TERMINAL ENDS ( M.R. )**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 966      | 1.0                  | 3.5   | FT-SPL(R)        | 5.76       | 1000    |
| 967      | 1.5                  | 5.1   | 179349           | 9.77       | 1000    |
| 968      | 1.5                  | 3.5   | 179359           | 5.01       | 1000    |
| 969      | 1.5                  | 3.1   | 179369           | 6.41       | 1000    |
| 970      | 2.5                  | 3.5   | 179379           | 5.37       | 1000    |
| 971      | 2.5                  | 5.0   | 179389           | 9.50       | 1000    |
| 972      | 4-6                  | 3.1   | 179399           | 8.93       | 500     |
| 973      | 4-6                  | 3.5   | 179409           | 8.85       | 500     |
| 974      | 10                   | 6.5   | 179419           | 23.58      | 200     |
| 975      | 10                   | 8.2   | 179429           | 23.45      | 200     |

**Jainson**

**COPPER FORK TYPE TERMINAL ENDS**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 976      | 1.5                  | 3.2   | JFT-911          | 4.32       | 1000    |
| 977      | 1.5                  | 3.7   | JFT-912          | 4.15       | 1000    |
| 978      | 2.5                  | 3.7   | JFT-922          | 4.86       | 1000    |
| 979      | 4-6                  | 5.2   | JFT-940          | 8.06       | 1000    |
| 980      | 10                   | 4.2   | JFT-958          | 12.81      | 1000    |
| 981      | 1.0                  | 4.2   | JFT-908          | 6.88       | 1000    |
| 982      | 1.5                  | 5.2   | JFT-919          | 6.05       | 1000    |
| 983      | 4-6                  | 6.4   | JFT-943          | 11.09      | 1000    |
| 984      | 1.5                  | 2.2   | JFT-909          | 6.07       | 1000    |
| 985      | 1.5                  | 5.2   | JFT-918          | 4.34       | 1000    |

**Jainson**

**COPPER FORK TYPE TERMINAL ENDS**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 986      | 2.5                  | 4.2   | JFT-925          | 7.12       | 1000    |
| 987      | 2.5                  | 5.2   | JFT-926          | 7.12       | 1000    |
| 988      | 2.5                  | 6.4   | JFT-928          | 9.74       | 1000    |
| 989      | 2.5                  | 12.7  | JFT-938          | 12.10      | 1000    |
| 990      | 4-6                  | 4.2   | JFT-939          | 8.42       | 1000    |
| 991      | 4-6                  | 8.2   | JFT-948          | 12.14      | 1000    |
| 992      | 10                   | 4.2   | JFT-957          | 13.10      | 1000    |
| 993      | 10                   | 5.2   | JFT-959          | 12.64      | 1000    |
| 994      | 10                   | 6.4   | JFT-960          | 11.85      | 1000    |

**Jainson**

**COPPER FORK TYPE TERMINAL ENDS ( INSULATED )**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 995      | 1.5                  | 2.2   | JFT-1009         | 5.80       | 1000    |
| 996      | 1.5                  | 3.2   | JFT-1011         | 5.46       | 1000    |
| 997      | 1.5                  | 3.7   | JFT-1012         | 5.46       | 1000    |
| 998      | 1.5                  | 5.2   | JFT-1018         | 6.16       | 1000    |
| 999      | 1.5                  | 5.2   | JFT-1019         | 7.12       | 1000    |
| 1000     | 2.5                  | 3.7   | JFT-1022         | 7.12       | 1000    |
| 1001     | 2.5                  | 4.2   | JFT-1025         | 8.67       | 1000    |
| 1002     | 2.5                  | 5.2   | JFT-1026         | 8.67       | 1000    |
| 1003     | 2.5                  | 6.4   | JFT-1028         | 11.02      | 1000    |
| 1004     | 2.5                  | 12.7  | JFT-1038         | 14.60      | 1000    |
| 1005     | 4-6                  | 4.2   | JFT-1039         | 11.74      | 500     |
| 1006     | 4-6                  | 5.2   | JFT-1040         | 11.74      | 500     |
| 1007     | 4-6                  | 6.4   | JFT-1043         | 14.09      | 500     |
| 1008     | 4-6                  | 8.2   | JFT-1048         | 15.62      | 500     |
| 1009     | 10                   | 4.2   | JFT-1057         | 18.97      | 500     |
| 1010     | 10                   | 4.2   | JFT-1058         | 19.87      | 500     |
| 1011     | 10                   | 5.2   | JFT-1059         | 19.51      | 500     |
| 1012     | 10                   | 6.4   | JFT-1060         | 19.51      | 500     |

**Jainson**

**COPPER FORK TYPE TERMINAL ENDS ( M.R. )**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1013     | 1.5                  | 2.2   | JFT-1109         | 7.26       | 1000    |
| 1014     | 1.5                  | 3.2   | JFT-1111         | 7.14       | 1000    |
| 1015     | 1.5                  | 3.7   | JFT-1112         | 8.02       | 1000    |

**Jainson**

**COPPER FORK TYPE TERMINAL ENDS ( M.R. )**



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1016     | 1.5                  | 5.2   | JFT-1118         | 8.89       | 1000    |
| 1017     | 1.5                  | 5.2   | JFT-1119         | 9.93       | 1000    |
| 1018     | 2.5                  | 3.7   | JFT-1122         | 8.22       | 1000    |
| 1019     | 2.5                  | 4.2   | JFT-1125         | 10.53      | 1000    |
| 1020     | 2.5                  | 5.2   | JFT-1126         | 12.43      | 1000    |
| 1021     | 2.5                  | 6.4   | JFT-1128         | 12.43      | 1000    |
| 1022     | 2.5                  | 12.7  | JFT-1138         | 16.74      | 1000    |
| 1023     | 4-6                  | 4.2   | JFT-1139         | 16.74      | 500     |
| 1024     | 4-6                  | 5.2   | JFT-1140         | 16.74      | 500     |
| 1025     | 4-6                  | 6.4   | JFT-1143         | 16.74      | 500     |
| 1026     | 4-6                  | 8.2   | JFT-1148         | 18.50      | 500     |
| 1027     | 10                   | 4.2   | JFT-1157         | 27.40      | 400     |
| 1028     | 10                   | 4.2   | JFT-1158         | 27.40      | 400     |
| 1029     | 10                   | 5.2   | JFT-1159         | 27.40      | 400     |
| 1030     | 10                   | 6.4   | JFT-1160         | 27.40      | 400     |

**Jainson**

**COPPER FORK HOOK TERMINAL ENDS**



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1031     | 0.75                 | 172799           | 6.92       | 1000    |
| 1032     | 1.5                  | 172789           | 5.83       | 1000    |
| 1033     | 1.5                  | 172659           | 5.83       | 1000    |
| 1034     | 1.5                  | 172669           | 6.61       | 1000    |
| 1035     | 1.5                  | 172569           | 6.61       | 1000    |
| 1036     | 1.5                  | 172579           | 7.06       | 1000    |
| 1037     | 1.5                  | 172709           | 8.20       | 1000    |
| 1038     | 1.5                  | 172719           | 8.20       | 1000    |
| 1039     | 2.5                  | 172589           | 8.20       | 1000    |
| 1040     | 2.5                  | 172599           | 7.04       | 1000    |
| 1041     | 2.5                  | 172609           | 7.12       | 1000    |
| 1042     | 2.5                  | 172729           | 9.59       | 1000    |
| 1043     | 2.5                  | 172739           | 9.59       | 1000    |
| 1044     | 4                    | 172749           | 15.70      | 1000    |
| 1045     | 4                    | 172759           | 15.70      | 1000    |
| 1046     | 4                    | 172769           | 15.70      | 1000    |
| 1047     | 4                    | 172779           | 15.70      | 1000    |
| 1048     | 4-6                  | 172619           | 12.84      | 1000    |
| 1049     | 4-6                  | 172629           | 12.84      | 1000    |
| 1050     | 4-6                  | 172639           | 12.84      | 1000    |
| 1051     | 4-6                  | 172689           | 10.95      | 1000    |
| 1052     | 4-6                  | 172699           | 10.64      | 1000    |
| 1053     | 6                    | 172649           | 12.84      | 1000    |
| 1054     | 6                    | 172679           | 14.00      | 1000    |



**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1055     | 0.75                 | 179439           | 8.06       | 1000    |
| 1056     | 1.5                  | 179449           | 8.89       | 1000    |
| 1057     | 1.5                  | 179459           | 7.71       | 1000    |
| 1058     | 1.5                  | 179469           | 7.71       | 1000    |
| 1059     | 1.5                  | 179479           | 7.71       | 1000    |
| 1060     | 1.5                  | 179489           | 7.36       | 1000    |
| 1061     | 1.5                  | 179499           | 9.44       | 1000    |
| 1062     | 1.5                  | 179509           | 9.20       | 1000    |
| 1063     | 2.5                  | 179519           | 9.66       | 1000    |
| 1064     | 2.5                  | 179529           | 8.58       | 1000    |
| 1065     | 2.5                  | 179539           | 8.58       | 1000    |
| 1066     | 2.5                  | 179549           | 11.15      | 1000    |
| 1067     | 2.5                  | 179559           | 11.15      | 1000    |
| 1068     | 4                    | 179569           | 17.69      | 1000    |
| 1069     | 4-6                  | 179609           | 14.60      | 500     |
| 1070     | 4-6                  | 179639           | 14.34      | 500     |
| 1071     | 4-6                  | 179649           | 12.61      | 500     |

**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1072     | 4                    | 5.1   | 179579           | 18.19      | 500     |
| 1073     | 4                    | 8.1   | 179599           | 17.08      | 500     |
| 1074     | 4-6                  | 5.1   | 179619           | 14.69      | 500     |
| 1075     | 4-6                  | 5.1   | 179629           | 14.69      | 500     |
| 1076     | 6                    | 4.1   | 179659           | 15.83      | 500     |
| 1077     | 6                    | 4.1   | 179669           | 16.47      | 500     |

**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(M.R.)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1078     | 0.75                 | 179679           | 10.49      | 1000    |
| 1079     | 1.5                  | 179689           | 9.74       | 1000    |
| 1080     | 1.5                  | 179699           | 9.74       | 1000    |
| 1081     | 1.5                  | 179709           | 10.42      | 1000    |
| 1082     | 1.5                  | 179719           | 10.42      | 1000    |
| 1083     | 1.5                  | 179729           | 10.42      | 1000    |
| 1084     | 1.5                  | 179739           | 11.96      | 1000    |

**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
(M.R.)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1085     | 1.5                  | 179749           | 11.96      | 1000    |
| 1086     | 2.5                  | 179759           | 12.66      | 1000    |
| 1087     | 2.5                  | 179769           | 11.69      | 1000    |
| 1088     | 2.5                  | 179779           | 11.69      | 1000    |
| 1089     | 2.5                  | 179789           | 14.27      | 1000    |
| 1090     | 2.5                  | 179799           | 14.27      | 1000    |
| 1091     | 4                    | 179809           | 22.97      | 500     |
| 1092     | 4.6                  | 179849           | 18.83      | 500     |
| 1093     | 4.6                  | 179859           | 18.83      | 500     |
| 1094     | 4.6                  | 179879           | 16.11      | 500     |
| 1095     | 6                    | 179889           | 16.11      | 500     |

**Jainson**  
COPPER FORK HOOK  
TERMINAL ENDS  
( M.R. )



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1096     | 4                    | 5.1   | 179819           | 22.44      | 500     |
| 1097     | 4                    | 8.1   | 179829           | 22.44      | 500     |
| 1098     | 4                    | 8.1   | 179839           | 20.67      | 500     |
| 1099     | 4.6                  | 5.1   | 179869           | 17.95      | 500     |
| 1100     | 6                    | 4.1   | 179899           | 21.35      | 500     |
| 1101     | 6                    | 4.1   | 179909           | 21.68      | 500     |

**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1102     | 1.0                  | 316-0            | 3.58       | 1000    |
| 1103     | 1.5                  | 316-9            | 2.83       | 1000    |
| 1104     | 1.5                  | 316-35           | 3.22       | 1000    |
| 1105     | 1.5                  | 316-38           | 7.79       | 1000    |
| 1106     | 2.5                  | 316-1            | 3.03       | 1000    |
| 1107     | 2.5                  | 316-2            | 2.93       | 1000    |
| 1108     | 4                    | 316-3            | 6.31       | 1000    |
| 1109     | 4                    | 316-4            | 10.38      | 1000    |
| 1110     | 6                    | 316-5            | 6.55       | 1000    |
| 1111     | 6                    | 316-6            | 10.66      | 1000    |
| 1112     | 10                   | 316-7            | 10.42      | 1000    |
| 1113     | 16                   | 316-8            | 18.63      | 500     |
| 1114     | 2.5                  | 316-10           | 5.05       | 1000    |

**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1115     | 2.5                  | 316-11           | 5.05       | 1000    |
| 1116     | 4                    | 316-12           | 9.42       | 1000    |
| 1117     | 4                    | 316-13           | 9.88       | 1000    |
| 1118     | 6                    | 316-14           | 10.62      | 1000    |
| 1119     | 6                    | 316-15           | 10.62      | 1000    |
| 1120     | 10                   | 316-16           | 15.49      | 1000    |
| 1121     | 25                   | 316-125          | 48.02      | 300     |
| 1122     | 35                   | 316-135          | 63.28      | 300     |
| 1123     | 50                   | 316-150          | 81.12      | 150     |
| 1124     | 70                   | 316-170          | 111.73     | 100     |
| 1125     | 95                   | 316-195          | 156.90     | 100     |
| 1126     | 0.75                 | 316-54           | 4.10       | 1000    |

**Jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
(INSULATED)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1127     | 1.0                  | 316-0 (I)        | 4.80       | 1000    |
| 1128     | 1.0                  | 316-45 (I)       | 10.11      | 1000    |
| 1129     | 1.5                  | 316-17           | 3.77       | 1000    |
| 1130     | 1.5                  | 316-40           | 4.88       | 1000    |
| 1131     | 1.5                  | 316-38 (I)       | 9.13       | 1000    |
| 1132     | 1.5                  | 316-42 (I)       | 10.11      | 1000    |
| 1133     | 1.5                  | 316-51 (I)       | 6.94       | 1000    |
| 1134     | 2.5                  | 316-18           | 4.05       | 1000    |
| 1135     | 2.5                  | 316-19           | 4.31       | 1000    |
| 1136     | 4                    | 316-20           | 8.26       | 500     |
| 1137     | 4                    | 316-21           | 16.62      | 500     |
| 1138     | 6                    | 316-22           | 16.55      | 500     |
| 1139     | 6                    | 316-23           | 16.62      | 500     |
| 1140     | 10                   | 316-24           | 26.67      | 500     |
| 1141     | 16                   | 316-25           | 35.64      | 400     |



**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
( M.R. )



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1142     | 1.0                  | 316-0 (R)        | 6.06       | 1000    |
| 1143     | 1.5                  | 316-26           | 5.19       | 1000    |
| 1144     | 2.5                  | 316-27           | 5.50       | 1000    |
| 1145     | 2.5                  | 316-28           | 5.32       | 1000    |
| 1146     | 4                    | 316-29           | 10.29      | 500     |
| 1147     | 4                    | 316-30           | 22.44      | 500     |
| 1148     | 6                    | 316-31           | 23.01      | 500     |
| 1149     | 6                    | 316-32           | 23.01      | 500     |
| 1150     | 0.75                 | 316-54           | 5.52       | 1000    |
| 1151     | 2.5                  | 316-52           | 13.68      | 1000    |
| 1152     | 10                   | 316-33           | 31.64      | 400     |
| 1153     | 16                   | 316-34           | 44.16      | 300     |
| 1154     | 1.5                  | 316-35(R)        | 6.63       | 1000    |

**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1155     | 2.5                  | 316-101          | 12.00      | 1000    |
| 1156     | 2.5                  | 316-102          | 14.51      | 1000    |
| 1157     | 6                    | 316-103          | 24.56      | 1000    |
| 1158     | 6                    | 316-104          | 20.44      | 1000    |

**jainson**  
COPPER PIN TYPE  
TERMINAL ENDS  
(SPECIAL)



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1159     | 16                   | 316-105          | 34.03      | 500     |
| 1160     | 2.5                  | 316-106          | 13.06      | 1000    |
| 1161     | 2.5                  | 316- 2P2         | 10.39      | 1000    |
| 1162     | 2.5                  | T TYPE           | 10.88      | 1000    |
| 1163     | 4-6                  | T TYPE           | 13.26      | 1000    |

**jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1164     | 0.75                 | JSP-01           | 3.24       | 1000    |
| 1165     | 0.75                 | JSF-02           | 3.07       | 1000    |
| 1166     | 0.75                 | JSR-03           | 3.14       | 1000    |
| 1167     | 0.75                 | JSP-04           | 3.48       | 1000    |
| 1168     | 1                    | JSP-05           | 3.73       | 1000    |
| 1169     | 1.5                  | JSP-06           | 4.05       | 1000    |
| 1170     | 1                    | JSR-07           | 3.88       | 1000    |
| 1171     | 1                    | JSR-08           | 3.88       | 1000    |
| 1172     | 1                    | JSR-09           | 3.97       | 1000    |
| 1173     | 1                    | JSR-10           | 3.73       | 1000    |
| 1174     | 1                    | JSR-11           | 4.09       | 1000    |
| 1175     | 1                    | JSR-12           | 3.97       | 1000    |
| 1176     | 1                    | JSR-13           | 4.35       | 1000    |
| 1177     | 1                    | JSR-14           | 4.35       | 1000    |
| 1178     | 1                    | JSR-15           | 4.67       | 1000    |

**jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS  
( INSULATED )



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1179     | 0.75                 | JSP-01 (I)       | 5.28       | 1000    |
| 1180     | 0.75                 | JSF-02 (I)       | 5.13       | 1000    |
| 1181     | 0.75                 | JSR-03 (I)       | 5.13       | 1000    |
| 1182     | 0.75                 | JSP-04 (I)       | 5.28       | 1000    |
| 1183     | 1                    | JSP-05 (I)       | 5.92       | 1000    |
| 1184     | 1.5                  | JSP-06 (I)       | 6.06       | 1000    |
| 1185     | 1                    | JSR-07 (I)       | 5.92       | 1000    |
| 1186     | 1                    | JSR-08 (I)       | 5.92       | 1000    |
| 1187     | 1                    | JSR-09 (I)       | 5.92       | 1000    |
| 1188     | 1                    | JSR-10 (I)       | 5.43       | 1000    |
| 1189     | 1                    | JSR-11 (I)       | 6.06       | 1000    |
| 1190     | 1                    | JSR-12 (I)       | 5.92       | 1000    |
| 1191     | 1                    | JSR-13 (I)       | 6.53       | 1000    |
| 1192     | 1                    | JSR-14 (I)       | 6.45       | 1000    |
| 1193     | 1                    | JSR-15 (I)       | 6.96       | 1000    |

**jainson**  
COPPER PIN TYPE, FORK TYPE,  
RING TONGUE TERMINAL ENDS  
( M.R. )



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1194     | 0.75                 | JSP-01 (R)       | 5.92       | 1000    |
| 1195     | 0.75                 | JSF-02 (R)       | 5.73       | 1000    |
| 1196     | 0.75                 | JSR-03 (R)       | 5.92       | 1000    |
| 1197     | 0.75                 | JSP-04 (R)       | 6.83       | 1000    |
| 1198     | 1                    | JSP-05 (R)       | 7.15       | 1000    |
| 1199     | 1.5                  | JSP-06 (R)       | 7.46       | 1000    |
| 1200     | 1                    | JSR-07 (R)       | 7.46       | 1000    |
| 1201     | 1                    | JSR-08 (R)       | 7.46       | 1000    |
| 1202     | 1                    | JSR-09 (R)       | 7.53       | 1000    |
| 1203     | 1                    | JSR-10 (R)       | 7.46       | 1000    |
| 1204     | 1                    | JSR-11 (R)       | 7.61       | 1000    |
| 1205     | 1                    | JSR-12 (R)       | 7.53       | 1000    |
| 1206     | 1                    | JSR-13 (R)       | 8.06       | 1000    |
| 1207     | 1                    | JSR-14 (R)       | 8.02       | 1000    |
| 1208     | 1                    | JSR-15 (R)       | 8.53       | 1000    |

**jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1209     | 2.5                  | RPC-1            | 21.41      | 1000    |
| 1210     | 2.5                  | RPC-7            | 19.44      | 1000    |
| 1211     | 4                    | RPC-15           | 21.41      | 1000    |
| 1212     | 4                    | RPC-16           | 19.44      | 1000    |
| 1213     | 6                    | RPC-17           | 22.79      | 1000    |
| 1214     | 6                    | RPC-18           | 20.03      | 1000    |
| 1215     | 10                   | RPC-19           | 26.23      | 1000    |
| 1216     | 10                   | RPC-20           | 24.39      | 1000    |
| 1217     | 10                   | RPC-21           | 30.48      | 1000    |
| 1218     | 10                   | RPC-22           | 28.07      | 1000    |
| 1219     | 16                   | RPC-23           | 52.24      | 500     |
| 1220     | 16                   | RPC-24           | 52.24      | 500     |
| 1221     | 16                   | RPC-2            | 36.81      | 500     |
| 1222     | 25                   | RPC-25           | 60.33      | 400     |
| 1223     | 25                   | RPC-3            | 82.43      | 300     |
| 1224     | 35                   | RPC-4            | 80.31      | 300     |
| 1225     | 50                   | RPC-26           | 91.78      | 200     |
| 1226     | 50                   | RPC-5            | 199.89     | 100     |
| 1227     | 70                   | RPC-27           | 147.24     | 150     |
| 1228     | 70                   | RPC-6            | 184.75     | 100     |
| 1229     | 70                   | RPC-28           | 226.02     | 100     |
| 1230     | 95                   | RPC-29           | 214.90     | 75      |
| 1231     | 95                   | RPC-8            | 301.00     | 75      |
| 1232     | 95                   | RPC-31           | 200.48     | 100     |
| 1233     | 95                   | RPC-32           | 317.33     | 50      |



**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1234     | 120                  | RPC-33           | 272.21     | 75      |
| 1235     | 120                  | RPC-34           | 270.11     | 50      |
| 1236     | 120                  | RPC-35           | 315.44     | 50      |
| 1237     | 120                  | RPC-36           | 422.22     | 50      |
| 1238     | 150                  | RPC-10           | 499.22     | 50      |
| 1239     | 150                  | RPC-37           | 387.46     | 50      |
| 1240     | 185                  | RPC-30           | 621.43     | 40      |
| 1241     | 185                  | RPC-38           | 516.61     | 50      |
| 1242     | 225                  | RPC-39           | 807.20     | 25      |
| 1243     | 225                  | RPC-46           | 1010.63    | 25      |
| 1244     | 225                  | RPC-42           | 991.25     | 25      |
| 1245     | 240                  | RPC-44           | 1033.22    | 25      |
| 1246     | 240                  | RPC-43           | 790.81     | 25      |
| 1247     | 300                  | RPC-45           | 994.47     | 20      |
| 1248     | 300                  | RPC-47           | 1048.63    | 20      |

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS  
(SPECIAL ITEMS)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1249     | 4                    | RPC-51           | 36.11      | 1000    |
| 1250     | 10                   | RPC-52           | 48.05      | 500     |
| 1251     | 16                   | RPC-53           | 71.66      | 500     |
| 1252     | 25                   | RPC-54           | 96.72      | 300     |
| 1253     | 35                   | RPC-55           | 125.67     | 200     |
| 1254     | 50                   | RPC-56           | 135.54     | 150     |
| 1255     | 2.5                  | RPC-57           | 21.37      | 1000    |
| 1256     | 10                   | RPC-58           | 33.87      | 600     |
| 1257     | 25                   | RPC-59           | 90.35      | 400     |
| 1258     | 35                   | RPC-60           | 80.10      | 400     |
| 1259     | 50                   | RPC-61           | 93.64      | 200     |
| 1260     | 400                  | RPC-101          | 1890.53    | 10      |

**Jainson**  
ALUMINIUM CABLE SOCKETS

(CENTRAL PALM )



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1261     | 70                   | JADC-25          | 29.38      | 100     |
| 1262     | 70                   | JADC-33          | 48.77      | 100     |
| 1263     | 120                  | JADC-26          | 56.88      | 50      |

**Jainson**  
COPPER REDUCER TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1264     | 1.5                  | JP-36            | 31.00      | 1000    |
| 1265     | 2.5                  | JP-37            | 28.92      | 1000    |
| 1266     | 4                    | JP-38            | 28.92      | 1000    |
| 1267     | 6                    | JP-39            | 30.68      | 1000    |
| 1268     | 10                   | JP-40            | 43.60      | 500     |
| 1269     | 10                   | JP-41            | 60.06      | 500     |
| 1270     | 16                   | JP-42            | 75.56      | 500     |
| 1271     | 25                   | JP-43            | 84.76      | 300     |
| 1272     | 35                   | JP-44            | 96.07      | 300     |
| 1273     | 50                   | JP-45            | 135.80     | 200     |
| 1274     | 70                   | JP-46            | 183.71     | 100     |

**Jainson**  
REDUCER TYPE SOLDERING  
TERMINAL ENDS

(Brass)



| ITEM NO. | AREA Amps./mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------------|------------------|------------|---------|
| 1275     | 15                         | JE-40            | 29.36      | 1000    |
| 1276     | 30                         | JE-41            | 57.51      | 500     |
| 1277     | 60                         | JE-42            | 145.29     | 500     |
| 1278     | 100                        | JE-43            | 231.88     | 100     |
| 1279     | 150                        | JE-44            | 357.04     | 40      |
| 1280     | 200                        | JE-45            | 467.67     | 25      |
| 1281     | 300                        | JE-46            | 579.31     | 20      |
| 1282     | 50                         | JE-47            | 137.10     | 200     |
| 1283     | 70                         | JE-48            | 166.78     | 200     |
| 1284     | 150                        | JE-49            | 357.04     | 50      |
| 1285     | 50                         | JE-50            | 389.50     | 200     |
| 1286     | 300                        | JE-51            | 540.37     | 20      |
| 1287     | 300                        | JE-52            | 649.14     | 20      |
| 1288     | 300                        | JE-53            | 540.37     | 20      |
| 1289     | 400                        | JE-54            | 710.17     | 15      |

**Jainson**  
ALUMINUM REDUCER TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1290     | 2.5                  | RPA-1            | 10.84      | 1000    |
| 1291     | 2.5                  | RPA-7            | 10.12      | 1000    |
| 1292     | 4                    | RPA-15           | 10.84      | 1000    |
| 1293     | 4                    | RPA-16           | 10.12      | 1000    |

**Jainson**  
ALUMINIUM REDUCER TYPE  
TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1294     | 6                    | RPA-17           | 12.30      | 1000    |
| 1295     | 6                    | RPA-18           | 10.18      | 1000    |
| 1296     | 10                   | RPA-19           | 13.36      | 1000    |
| 1297     | 10                   | RPA-20           | 12.30      | 1000    |
| 1298     | 10                   | RPA-21           | 15.03      | 1000    |
| 1299     | 10                   | RPA-22           | 14.55      | 1000    |
| 1300     | 16                   | RPA-23           | 28.16      | 500     |
| 1301     | 16                   | RPA-24           | 28.16      | 400     |
| 1302     | 16                   | RPA-2            | 18.81      | 500     |
| 1303     | 25                   | RPA-25           | 29.58      | 300     |
| 1304     | 25                   | RPA-3            | 38.91      | 300     |
| 1305     | 35                   | RPA-4            | 38.91      | 200     |
| 1306     | 50                   | RPA-26           | 44.83      | 150     |
| 1307     | 50                   | RPA-5            | 77.11      | 100     |
| 1308     | 70                   | RPA-27           | 67.75      | 100     |
| 1309     | 70                   | RPA-6            | 83.93      | 75      |
| 1310     | 70                   | RPA-28           | 103.78     | 75      |
| 1311     | 95                   | RPA-29           | 100.54     | 75      |
| 1312     | 95                   | RPA-8            | 134.92     | 75      |
| 1313     | 95                   | RPA-31           | 88.85      | 75      |
| 1314     | 95                   | RPA-32           | 146.54     | 75      |
| 1315     | 120                  | RPA-33           | 123.78     | 50      |
| 1316     | 120                  | RPA-34           | 123.78     | 50      |
| 1317     | 120                  | RPA-35           | 138.61     | 50      |
| 1318     | 120                  | RPA-36           | 190.43     | 50      |
| 1319     | 150                  | RPA-10           | 224.49     | 40      |
| 1320     | 150                  | RPA-37           | 179.77     | 50      |
| 1321     | 185                  | RPA-30           | 280.31     | 50      |
| 1322     | 185                  | RPA-38           | 227.08     | 40      |
| 1323     | 225                  | RPA-39           | 373.74     | 20      |
| 1324     | 225                  | RPA-46           | 530.45     | 20      |
| 1325     | 225                  | RPA-42           | 492.96     | 20      |
| 1326     | 240                  | RPA-44           | 481.85     | 20      |
| 1327     | 240                  | RPA-43           | 351.28     | 25      |
| 1328     | 300                  | RPA-45           | 449.43     | 15      |
| 1329     | 300                  | RPA-47           | 506.20     | 15      |

**Jainson**  
ALUMINIUM REDUCER TYPE  
TERMINAL ENDS

(SPECIAL)



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1330     | 6                    | RPA-51           | 17.22      | 1000    |
| 1331     | 10                   | RAP-52           | 17.90      | 1000    |
| 1332     | 25                   | RPA-53           | 23.92      | 300     |
| 1333     | 50                   | RPA-54           | 75.75      | 200     |



**Jainson**

COPPER INSULATED FERRULES



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1334     | 0.5                  | 58 - 508 L6 (I)  | 1.70       | 1000    |
| 1335     | 0.5                  | 58 - 508 L8 (I)  | 2.01       | 1000    |
| 1336     | 0.5                  | 58 - 508 L10 (I) | 2.14       | 1000    |
| 1337     | 0.75                 | 58 - 509 L6 (I)  | 2.01       | 1000    |
| 1338     | 0.75                 | 58 - 509 L8 (I)  | 2.06       | 1000    |
| 1339     | 0.75                 | 58 - 509 L10 (I) | 2.33       | 1000    |
| 1340     | 0.75                 | 58 - 509 L12 (I) | 2.44       | 1000    |
| 1341     | 1.0                  | 58 - 510 L6 (I)  | 2.14       | 1000    |
| 1342     | 1.0                  | 58 - 510 L8 (I)  | 2.18       | 1000    |
| 1343     | 1.0                  | 58 - 511 L10 (I) | 2.33       | 1000    |
| 1344     | 1.0                  | 58 - 511 L12 (I) | 2.67       | 1000    |
| 1345     | 1.5                  | 58 - 512 L8 (I)  | 2.18       | 1000    |
| 1346     | 1.5                  | 58 - 513 L10 (I) | 2.25       | 1000    |
| 1347     | 1.5                  | 58 - 513 L18 (I) | 3.90       | 1000    |
| 1348     | 2.5                  | 58 - 514 L8 (I)  | 2.63       | 1000    |
| 1349     | 2.5                  | 58 - 515 L12 (I) | 2.95       | 1000    |
| 1350     | 2.5                  | 58 - 515 L18 (I) | 3.90       | 1000    |
| 1351     | 4                    | 58 - 516 L10 (I) | 2.95       | 1000    |
| 1352     | 4                    | 58 - 517 L12 (I) | 3.43       | 1000    |
| 1353     | 4                    | 58 - 517 L18 (I) | 4.56       | 1000    |
| 1354     | 6                    | 58 - 518 L10 (I) | 3.31       | 1000    |
| 1355     | 6                    | 58 - 519 L12 (I) | 3.78       | 1000    |
| 1356     | 6                    | 58 - 520 L15 (I) | 4.50       | 1000    |
| 1357     | 6                    | 58 - 520 L18 (I) | 4.84       | 1000    |
| 1358     | 10                   | 58 - 521 L12 (I) | 5.56       | 500     |
| 1359     | 10                   | 58 - 522 L15 (I) | 6.04       | 500     |
| 1360     | 10                   | 58 - 523 L18 (I) | 7.57       | 500     |
| 1361     | 16                   | 58 - 524 L12 (I) | 7.10       | 500     |
| 1362     | 16                   | 58 - 525 L15 (I) | 7.57       | 500     |
| 1363     | 16                   | 58 - 526 L18 (I) | 8.16       | 500     |
| 1364     | 25                   | 58 - 527 L12 (I) | 14.85      | 200     |
| 1365     | 25                   | 58 - 527 L16 (I) | 16.56      | 200     |
| 1366     | 25                   | 58 - 527 L22 (I) | 19.89      | 200     |
| 1367     | 35                   | 58 - 528 L16 (I) | 19.96      | 200     |
| 1368     | 35                   | 58 - 528 L22 (I) | 22.39      | 200     |
| 1369     | 35                   | 58 - 528 L25 (I) | 25.13      | 200     |
| 1370     | 50                   | 58 - 529 L12 (I) | 28.29      | 100     |
| 1371     | 50                   | 58 - 529 L20 (I) | 32.98      | 100     |
| 1372     | 50                   | 58 - 529 L25 (I) | 35.48      | 100     |
| 1373     | 70                   | 58 - 530 L20 (I) | 39.93      | 100     |
| 1374     | 70                   | 58 - 530 L25 (I) | 42.88      | 100     |
| 1375     | 95                   | 58 - 531 L20 (I) | 47.31      | 50      |
| 1376     | 95                   | 58 - 531 L25 (I) | 51.02      | 50      |

**Jainson**

COPPER TWIN INSULATED FERRULES



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1377     | 0.5                  | TW-508L8         | 5.19       | 1000    |
| 1378     | 0.75                 | TW-509L8         | 5.58       | 1000    |
| 1379     | 0.75                 | TW-509L10        | 5.98       | 1000    |
| 1380     | 1.0                  | TW-510L8         | 7.91       | 1000    |
| 1381     | 1.0                  | TW-511L10        | 8.16       | 1000    |
| 1382     | 1.5                  | TW-512L8         | 9.10       | 1000    |
| 1383     | 1.5                  | TW-513L12        | 9.46       | 1000    |
| 1384     | 2.5                  | TW-514L10        | 11.83      | 1000    |
| 1385     | 2.5                  | TW-515L12        | 12.26      | 1000    |
| 1386     | 4.0                  | TW-517L12        | 15.78      | 1000    |
| 1387     | 6.0                  | TW-520L14        | 17.56      | 500     |
| 1388     | 10.0                 | TW-522L14        | 19.32      | 500     |
| 1389     | 16.0                 | TW-525L14        | 21.76      | 500     |

**Jainson**


SNAP-ON TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1390     | 1.0                  | 183689           | 5.38       | 1000    |
| 1391     | ....                 | 183699           | 5.38       | 1000    |
| 1392     | ....                 | 183709           | 5.38       | 1000    |
| 1393     | 1.5                  | 183609           | 8.54       | 1000    |
| 1394     | 1.5                  | 183619           | 10.71      | 1000    |
| 1395     | 1.5                  | 183519           | 6.38       | 1000    |
| 1396     | 1.5                  | 183519(I)        | 8.13       | 1000    |
| 1397     | 1.5                  | 183529           | 8.94       | 1000    |
| 1398     | 1.5                  | 183589           | 5.38       | 1000    |
| 1399     | 1.5                  | 183599           | 7.32       | 1000    |
| 1400     | 1.5                  | 183249           | 4.99       | 1000    |
| 1401     | 1.5                  | 183259           | 6.65       | 1000    |
| 1402     | 1.5                  | 183549           | 5.38       | 1000    |
| 1403     | 1.5                  | 183559           | 6.77       | 1000    |
| 1404     | 1.5                  | 181979           | 6.05       | 1000    |
| 1405     | 1.5                  | 183369           | 5.26       | 1000    |
| 1406     | 1.5                  | 183539           | 7.68       | 1000    |
| 1407     | 1.5                  | 183569           | 5.38       | 1000    |
| 1408     | 1.5                  | 183579           | 6.77       | 1000    |
| 1409     | 1.5                  | 183629           | 7.19       | 1000    |
| 1410     | 1.5                  | 183649           | 4.75       | 1000    |
| 1411     | 1.5                  | 183679           | 17.76      | 1000    |
| 1412     | 1.5                  | 186619           | 8.81       | 1000    |
| 1413     | 2.5                  | 181789           | 9.75       | 1000    |
| 1414     | 1.5                  | 182459           | 8.38       | 1000    |
| 1415     | 1.5                  | 183319           | 9.03       | 1000    |
| 1416     | 2.5                  | 183479           | 6.76       | 1000    |

**Jainson**

SNAP-ON TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1417     | 2.5                  | 183479(I)        | 8.67       | 1000    |
| 1418     | 2.5                  | 183489           | 9.72       | 1000    |
| 1419     | 2.5                  | 183499           | 6.76       | 1000    |
| 1420     | 2.5                  | 183509           | 9.72       | 1000    |
| 1421     | 2.5                  | 183639           | 8.13       | 1000    |
| 1422     | 2.5                  | 183659           | 11.38      | 1000    |
| 1423     | 2.5                  | 183669           | 11.38      | 1000    |
| 1424     | 2.5                  | 184739           | 12.88      | 1000    |
| 1425     | 2.5                  | 184749           | 15.99      | 500     |
| 1426     | 2.5                  | 184759           | 15.99      | 500     |
| 1427     | 2.5                  | 184779           | 21.01      | 500     |
| 1428     | ....                 | 182149           | 10.30      | 1000    |
| 1429     | ....                 | 183469           | 11.52      | 1000    |
| 1430     | 1.2                  | 186939           | 4.88       | 1000    |
| 1431     | 1.2                  | 186949           | 3.79       | 1000    |
| 1432     | 1.2                  | 186959           | 3.43       | 1000    |
| 1433     | 1.2                  | 186979           | 2.31       | 1000    |
| 1434     | 4                    | 184769(R)        | 12.73      | 500     |
| 1435     | 2.5                  | 184769 I         | 10.50      | 500     |
| 1436     | 2.5                  | 184769 PLAIN     | 9.01       | 1000    |

**Jainson**

SNAP-ON TERMINAL ENDS



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |      |
|----------|----------------------|------------------|------------|---------|------|
| 1437     | 2.5                  | 189609           | 6.77       | 1000    |      |
| 1438     | 2.5                  | 189619           | 8.33       | 1000    |      |
| 1439     | 4                    | 189629           | 17.70      | 1000    |      |
| 1440     | 1-2.5                | 6.3 X 0.8        | 119609     | 4.99    | 1000 |
| 1441     | 4-6                  | 6.3 X 0.8        | 110119     | 6.92    | 1000 |
| 1442     | 0.5-1.25             | 6.3 X 0.8        | 119619     | 4.03    | 1000 |
| 1443     | 0.5-2                | 4.8 X 0.5        | 119659     | 3.07    | 1000 |
| 1444     | 0.5-2                | 4.8 X 0.5        | 119689     | 3.85    | 1000 |
| 1445     | 0.5-1.0              | 4.8 X 0.5        | 118609     | 3.85    | 1000 |
| 1446     | 0.5-1.5              | 6.3 X 0.8        | 119679     | 4.79    | 1000 |
| 1447     | 2.6                  | 6.3 X 0.8        | 110129     | 5.83    | 1000 |
| 1448     | 0.5-2                | 4.8 X 0.5        | 119759     | 2.85    | 1000 |
| 1449     | 0.5-2                | 4.8 X 0.8        | 119789     | 3.40    | 1000 |
| 1450     | 0.25                 | 2.8 X 0.5        | 118069     | 2.85    | 1000 |
| 1451     | 1-0                  | 2.8 X 0.5        | 116969     | 5.02    | 1000 |
| 1452     | 1-0                  | 2.8 X 0.8        | 116989     | 6.38    | 1000 |

**Jainson**

SNAP ON TABS



| ITEM NO. | TAB SIZE | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------|------------------|------------|---------|
| 1453     | 6.3      | T- TOP I         | 9.14       | 1000    |
| 1454     | ....     | C- CLIP II       | 2.19       | 1000    |



**Jainson** SNAP ON TYPE TABS

TYPE



| ITEM NO. | AREA mm <sup>2</sup> | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1455     | 1.5                  | 150849 (VI)      | 8.63       | 1000    |
| 1456     | 2.5                  | 150859 (VI)      | 8.83       | 1000    |
| 1457     | 6                    | 150249 (VI)      | 10.35      | 1000    |
| 1458     | ...                  | 150449 (IV)      | 5.78       | 1000    |
| 1459     | ...                  | 150459 (IV)      | 6.50       | 1000    |
| 1460     | 1.2                  | 150689 (I)       | 7.68       | 1000    |
| 1461     | 1.2                  | 150729 (I)       | 7.68       | 1000    |
| 1462     | 1.5                  | 150659 (VI)      | 8.27       | 1000    |
| 1463     | 2.0                  | 150669 (VI)      | 8.27       | 1000    |
| 1464     | 2.0                  | 150739 (I)       | 8.42       | 1000    |
| 1465     | 2.0                  | 150769 (I)       | 10.75      | 1000    |
| 1466     | ....                 | 150479 (IV)      | 6.74       | 1000    |
| 1467     | ....                 | 150499 (II)      | 7.68       | 1000    |
| 1468     | ....                 | 150509 (IV)      | 6.12       | 1000    |
| 1469     | ....                 | 150799 (IV)      | 6.74       | 1000    |
| 1470     | ....                 | 150819 (V)       | 5.29       | 1000    |
| 1471     | 2.5                  | 151219 (I)       | 10.35      | 1000    |
| 1472     | 6                    | 151059 (I)       | 11.80      | 1000    |
| 1473     | 1.2                  | 150679 (I)       | 10.30      | 1000    |
| 1474     | ....                 | 100019 (VI)      | 3.76       | 1000    |
| 1475     | ....                 | 100029 (III)     | 3.76       | 1000    |
| 1476     | ....                 | 100039 (VII)     | 4.61       | 1000    |
| 1477     | ....                 | 100049 (V)       | 6.92       | 1000    |
| 1478     | ....                 | 100059 (VI)      | 7.48       | 1000    |
| 1479     | ....                 | 100069           | 7.68       | 1000    |
| 1480     | ....                 | 150239           | 9.90       | 1000    |
| 1481     | ....                 | 151019           | 12.19      | 1000    |
| 1482     | ....                 | 150619           | 4.59       | 1000    |
| 1483     | ....                 | 150519           | 6.12       | 1000    |
| 1484     | ....                 | 150229           | 10.55      | 1000    |
| 1485     | ....                 | 150349           | 9.03       | 1000    |
| 1486     | 6.3 X 0.8            | 100079           | 9.99       | 1000    |
| 1487     | 6.3 X 0.8            | 100089 IV        | 4.66       | 1000    |
| 1488     | 6.3 X 0.8            | 100099 IV        | 5.15       | 1000    |
| 1489     | 6.3 X 0.8            | 100109 IV        | 5.15       | 1000    |
| 1490     | 6.3 X 0.8            | 100119 II        | 6.50       | 1000    |
| 1491     | 6.3 X 0.8            | 110129 V         | 5.83       | 1000    |



SNAP ON TYPE TABS

**Jainson** BI-METAL CABLE LUGS  
SUITABLE FOR 1.1 KV &  
ABOVE FOR R. CORE  
XLPE ALUMINIUM  
LT /HT CABLE



| ITEM NO. | AL-CABLE SIZE Sq.mm-φE stud size             | Jainson CAT. No.                          | PRICE EACH | STD PKG |
|----------|--|---|------------|---------|
| 1492     | 16Sq mm-M8<br>16Sq mm-M10                    | JB1-16M 8<br>JB1-16M 10                   | 339.20     | 200     |
| 1493     | 25Sq mm-M8<br>25Sq mm-M10                    | JB1-25M 8<br>JB1-25M 10                   | 358.40     | 200     |
| 1494     | 35Sq mm-M8<br>35Sq mm-M10                    | JB1-35M 8<br>JB1-35M 10                   | 358.40     | 200     |
| 1495     | 50Sq mm-M8<br>50Sq mm-M10<br>50Sq mm-M12     | JB1-50M 8<br>JB1-50M 10<br>JB1-50M 12     | 399.36     | 100     |
| 1496     | 70Sq mm-M8<br>70Sq mm-M10<br>70Sq mm-M12     | JB1-70M 8<br>JB1-70M 10<br>JB1-70M 12     | 403.20     | 100     |
| 1497     | 95Sq mm-M8<br>95Sq mm-M10<br>95Sq mm-M12     | JB1-95M 8<br>JB1-95M 10<br>JB1-95M 12     | 403.20     | 75      |
| 1498     | 120Sq mm-M10<br>120Sq mm-M12                 | JB1-120M 10<br>JB1-120M 12                | 665.60     | 50      |
| 1499     | 150Sq mm-M10<br>150Sq mm-M12                 | JB1-150M 10<br>JB1-150M 12                | 672.00     | 50      |
| 1500     | 185Sq mm-M10<br>185Sq mm-M12<br>185Sq mm-M16 | JB1-185M 10<br>JB1-185M 12<br>JB1-185M 16 | 992.00     | 25      |
| 1501     | 240Sq mm-M10<br>240Sq mm-M12<br>240Sq mm-M16 | JB1-240M 10<br>JB1-240M 12<br>JB1-240M 16 | 1011.20    | 25      |
| 1502     | 300Sq mm-M10<br>300Sq mm-M12<br>300Sq mm-M16 | JB1-300M 10<br>JB1-300M 12<br>JB1-300M 16 | 1024.00    | 25      |
| 1503     | 400Sq mm-M12<br>400Sq mm-M14<br>400Sq mm-M16 | JB1-400M 12<br>JB1-400M 14<br>JB1-400M 16 | 1228.80    | 20      |
| 1504     | 500Sq mm-M12<br>500Sq mm-M16<br>500Sq mm-M20 | JB1-500M 12<br>JB1-500M 16<br>JB1-500M 20 | 4716.80    | 15      |
| 1505     | 630Sq mm-M12<br>630Sq mm-M16<br>630Sq mm-M20 | JB1-630M 12<br>JB1-630M 16<br>JB1-630M 20 | 4883.20    | 15      |

**Jainson** CABLE TERMINAL ENDS  
Product Range 0.5mm<sup>2</sup> To 1000mm<sup>2</sup>



**jainson**  
COMPRESSION TYPE  
ALUMINIUM TUBULAR  
TERMINAL FOR  
ALUMINIUM  
CONDUCTORS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1506     | 2.5                  | 3.2   | 119-151          | 3.41       | 2000    |
| 1507     | 2.5                  | 3.7   | 119-309          | 3.41       | 2000    |
| 1508     | 4                    | 4.2   | 119-155          | 3.41       | 2000    |
| 1509     | 4                    | 5.2   | 119-317          | 3.63       | 2000    |
| 1510     | 6                    | 5.2   | 119-158          | 3.63       | 2000    |
| 1511     | 6                    | 6.5   | 119-313          | 3.63       | 2000    |
| 1512     | 10                   | 4.2   | 119-159          | 4.24       | 1000    |
| 1513     | 10                   | 6.4   | 119-214          | 4.95       | 1000    |
| 1514     | 10                   | 8.2   | 119-215          | 4.95       | 1000    |
| 1515     | 16                   | 6.4   | 119-252          | 5.50       | 1000    |
| 1516     | 16                   | 8.2   | 119-216          | 5.50       | 1000    |
| 1517     | 16                   | 10.2  | 119-217          | 5.50       | 1000    |
| 1518     | 25                   | 6.4   | 119-253          | 7.37       | 500     |
| 1519     | 25                   | 8.2   | 119-218          | 7.37       | 500     |
| 1520     | 25                   | 10.2  | 119-219          | 7.37       | 500     |
| 1521     | 25                   | 12.7  | 119-220          | 7.37       | 500     |
| 1522     | 35                   | 6.4   | 119-254          | 9.68       | 500     |
| 1523     | 35                   | 8.2   | 119-221          | 9.68       | 500     |
| 1524     | 35                   | 10.2  | 119-222          | 9.68       | 500     |
| 1525     | 50                   | 8.2   | 119-255          | 14.52      | 250     |
| 1526     | 50                   | 10.2  | 119-312          | 14.52      | 250     |
| 1527     | 50                   | 12.7  | 119-224          | 14.52      | 250     |
| 1528     | 70                   | 8.2   | 119-256          | 22.99      | 200     |
| 1529     | 70                   | 10.2  | 119-225          | 22.99      | 200     |
| 1530     | 70                   | 12.7  | 119-226          | 22.99      | 200     |
| 1531     | 95                   | 10.2  | 119-227          | 26.02      | 150     |
| 1532     | 95                   | 12.7  | 119-228          | 26.02      | 150     |
| 1533     | 95                   | 16.2  | 119-229          | 26.02      | 150     |
| 1534     | 120                  | 10.2  | 119-257          | 36.52      | 100     |
| 1535     | 120                  | 12.7  | 119-230          | 36.52      | 100     |
| 1536     | 120                  | 16.2  | 119-231          | 36.52      | 100     |
| 1537     | 150                  | 10.2  | 119-258          | 48.40      | 80      |
| 1538     | 150                  | 12.7  | 119-232          | 48.40      | 80      |
| 1539     | 150                  | 16.2  | 119-233          | 48.40      | 80      |
| 1540     | 185                  | 10.2  | 119-311          | 62.32      | 75      |
| 1541     | 185                  | 12.7  | 119-234          | 62.32      | 75      |
| 1542     | 185                  | 16.2  | 119-235          | 62.32      | 75      |
| 1543     | 225                  | 12.7  | 119-320          | 82.28      | 40      |
| 1544     | 240                  | 12.7  | 119-236          | 104.06     | 40      |
| 1545     | 240                  | 16.2  | 119-237          | 104.06     | 40      |
| 1546     | 300                  | 16.2  | 119-300          | 139.15     | 30      |
| 1547     | 300                  | 20.3  | 119-259          | 139.15     | 30      |
| 1548     | 400                  | 20.3  | 119-260          | 217.80     | 20      |
| 1549     | 500                  | 20.3  | 119-296          | 297.00     | 15      |
| 1550     | 630                  | 20.3  | 119-261          | 387.20     | 10      |
| 1551     | 800                  | W/E   | 119-318          | 605.00     | 4       |
| 1552     | 1000                 | W/E   | 119-319          | 1089.00    | 4       |

**jainson**  
ALUMINIUM TUBULAR  
TERMINAL ENDS WITH  
LONG BARREL FOR  
ALUMINIUM CONDUCTORS



| ITEM NO. | AREA mm <sup>2</sup> | E Dia | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|-------|------------------|------------|---------|
| 1553     | 2.5                  | 3.2   | 119-551          | 4.24       | 2000    |
| 1554     | 2.5                  | 3.7   | 119-509          | 4.24       | 2000    |
| 1555     | 4                    | 4.2   | 119-555          | 4.24       | 2000    |
| 1556     | 4                    | 5.1   | 119-517          | 4.84       | 2000    |
| 1557     | 6                    | 5.2   | 119-558          | 4.84       | 2000    |
| 1558     | 6                    | 6.4   | 119-513          | 4.84       | 2000    |
| 1559     | 10                   | 4.2   | 119-514          | 6.05       | 800     |
| 1560     | 10                   | 6.4   | 119-515          | 6.05       | 800     |
| 1561     | 16                   | 6.4   | 119-552          | 7.26       | 800     |
| 1562     | 16                   | 8.2   | 119-516          | 7.26       | 800     |
| 1563     | 16                   | 10.2  | 119-617          | 7.26       | 800     |
| 1564     | 25                   | 8.2   | 119-518          | 8.47       | 500     |
| 1565     | 25                   | 10.2  | 119-519          | 8.47       | 500     |
| 1566     | 25                   | 12.7  | 119-520          | 8.47       | 500     |
| 1567     | 35                   | 8.2   | 119-521          | 12.10      | 400     |
| 1568     | 35                   | 10.2  | 119-522          | 12.10      | 400     |
| 1569     | 50                   | 8.2   | 119-655          | 18.70      | 200     |
| 1570     | 50                   | 10.2  | 119-512          | 18.70      | 200     |
| 1571     | 50                   | 12.7  | 119-524          | 18.70      | 200     |
| 1572     | 70                   | 8.2   | 119-556          | 30.25      | 125     |
| 1573     | 70                   | 10.2  | 119-525          | 30.25      | 125     |
| 1574     | 70                   | 12.7  | 119-526          | 30.25      | 125     |
| 1575     | 95                   | 10.2  | 119-527          | 33.28      | 100     |
| 1576     | 95                   | 12.7  | 119-528          | 33.28      | 100     |
| 1577     | 95                   | 16.2  | 119-529          | 33.28      | 100     |
| 1578     | 120                  | 10.2  | 119-557          | 45.10      | 80      |
| 1579     | 120                  | 12.7  | 119-530          | 45.10      | 80      |
| 1580     | 120                  | 16.2  | 119-531          | 45.10      | 80      |
| 1581     | 150                  | 10.2  | 119-658          | 61.60      | 60      |
| 1582     | 150                  | 12.7  | 119-532          | 61.60      | 60      |
| 1583     | 150                  | 16.2  | 119-533          | 61.60      | 60      |
| 1584     | 185                  | 10.2  | 119-511          | 79.86      | 50      |
| 1585     | 185                  | 12.7  | 119-534          | 79.86      | 50      |
| 1586     | 185                  | 16.2  | 119-535          | 79.86      | 50      |
| 1587     | 225                  | 12.7  | 119-620          | 115.50     | 30      |
| 1588     | 240                  | 12.7  | 119-536          | 129.47     | 30      |
| 1589     | 240                  | 16.2  | 119-537          | 129.47     | 30      |
| 1590     | 300                  | 16.2  | 119-500          | 170.50     | 25      |
| 1591     | 300                  | 20.3  | 119-559          | 170.50     | 25      |
| 1592     | 400                  | 20.3  | 119-560          | 267.30     | 12      |
| 1593     | 500                  | 20.3  | 119-596          | 387.20     | 10      |
| 1594     | 630                  | 20.3  | 119-561          | 508.20     | 8       |
| 1595     | 800                  | ..... | 119-618          | 794.20     | 4       |
| 1596     | 1000                 | ..... | 119-619          | 1476.20    | 4       |

**G. J METAL INDUSTRIES**  
MUMBAI -400 064  
OFF.- 022- 28440464

**jainson**  
COMPRESSION TYPE  
ALUMINIUM TUBULAR  
IN-LINE CONNECTORS FOR  
ALUMINIUM CONDUCTORS



| ITEM NO. | AREA mm <sup>2</sup> | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|----------------------|------------------|------------|---------|
| 1597     | 2.5                  | 119-145          | 2.53       | 2000    |
| 1598     | 2.5                  | 119-6            | 2.53       | 2000    |
| 1599     | 4                    | 119-5            | 2.53       | 2000    |
| 1600     | 6                    | 119-13           | 2.53       | 2000    |
| 1601     | 10                   | 119-146          | 2.92       | 1000    |
| 1602     | 10                   | 119-14           | 3.30       | 1000    |
| 1603     | 16                   | 119-4            | 4.40       | 1000    |
| 1604     | 25                   | 119-3            | 6.27       | 500     |
| 1605     | 35                   | 119-2            | 8.14       | 500     |
| 1606     | 50                   | 119-12           | 11.55      | 250     |
| 1607     | 70                   | 119-1            | 21.78      | 200     |
| 1608     | 95                   | 119-15           | 23.65      | 150     |
| 1609     | 120                  | 119-9            | 31.46      | 100     |
| 1610     | 150                  | 119-10           | 38.12      | 80      |
| 1611     | 185                  | 119-11           | 52.03      | 75      |
| 1612     | 225                  | 119-147          | 88.00      | 40      |
| 1613     | 240                  | 119-16           | 86.90      | 40      |
| 1614     | 300                  | 119-17           | 125.84     | 30      |
| 1615     | 400                  | 119-18           | 193.60     | 20      |
| 1616     | 500                  | 119-19           | 259.60     | 15      |
| 1617     | 625                  | 119-20           | 335.50     | 10      |
| 1618     | 800                  | 119-148          | 698.50     | 4       |
| 1619     | 1000                 | 119-149          | 902.00     | 4       |

**jainson**  
ALUMINIUM TERMINALS  
FOR ALUMINIUM XLPE  
CONDUCTORS.



| ITEM NO. | AREA mm <sup>2</sup> - E | jainson CAT. No. | PRICE EACH |
|----------|--------------------------|------------------|------------|
| 1620     | 25 - 8                   | JAXL-17          | 12.71      |
| 1621     | 35 - 8                   | JAXL-18          | 17.33      |
| 1622     | 50 - 10                  | JAXL-19          | 27.72      |
| 1623     | 70 - 10                  | JAXL-20          | 36.91      |
| 1624     | 95 - 12                  | JAXL-21          | 57.31      |
| 1625     | 120 - 12                 | JAXL-22          | 73.21      |
| 1626     | 150 - 12                 | JAXL-23          | 105.99     |
| 1627     | 185 - 12                 | JAXL-24          | 140.36     |
| 1628     | 225 - 12                 | JAXL-25          | 174.24     |
| 1629     | 240 - 12                 | JAXL-26          | 193.60     |
| 1630     | 300 - 20                 | JAXL-27          | 253.00     |
| 1631     | 400 - 20                 | JAXL-28          | 402.60     |
| 1632     | 500 - 20                 | JAXL-29          | 559.90     |
| 1633     | 630 - 20                 | JAXL-30          | 800.80     |
| 1634     | 800 - 20                 | JAXL-31          | 1082.40    |
| 1635     | 1000 - 20                | JAXL-32          | 2304.50    |



**PRICE-LIST  
2024**



**jainson  
CABLE GLANDS**

**jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND



| ITEM NO. | Core Size sq. mm | mm  | Inch   | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|------------------|-----|--------|------------------|------------|---------|
| 1        | 1.5 X 2          | 10  | 3/8"   | JC-3/8"          | 53.32      | 200     |
| 2        | 1.5 X 3          | 12  | 1/2"   | JC-1/2"L         | 51.08      | 150     |
| 3        | 1.5 X 3          | 12  | 1/2"   | JC-1/2"M         | 60.73      | 150     |
| 4        | 1.5 X 3          | 12  | 1/2"   | JC-1/2"H         | 71.87      | 100     |
| 5        | 2.5 X 3          | 16  | 5/8"   | JC-5/8"L         | 50.99      | 150     |
| 6        | 1.5 X 4          |     |        | JC-5/8"M         | 67.47      | 150     |
| 7        |                  |     |        | JC-5/8"H         | 82.85      | 100     |
| 8        | 1.5 X 5,6,7      |     |        | JC-3/4"L         | 62.22      | 100     |
| 9        | 2.5 X 4          | 19  | 3/4"   | JC-3/4"M         | 76.95      | 100     |
| 10       |                  |     |        | JC-3/4"H         | 105.73     | 100     |
| 11       | 4 X 6            |     |        | JC-7/8"L         | 78.03      | 100     |
| 12       | 6 X 4            | 22  | 7/8"   | JC-7/8"M         | 90.01      | 100     |
| 13       |                  |     |        | JC-7/8"H         | 113.80     | 100     |
| 14       | 2.5 X 7,10,12    |     |        | JC-1"L           | 96.83      | 50      |
| 15       | 10 X 4           | 25  | 1"     | JC-1"M           | 112.72     | 50      |
| 16       |                  |     |        | JC-1"H           | 151.48     | 50      |
| 17       |                  |     |        | JC-1"SP          | 161.47     | 40      |
| 18       | 16 X 3,4         | 28  | 1.1/8" | JC-1.1/8"        | 213.42     | 50      |
| 19       |                  |     |        | JC-1.1/8"L       | 164.37     | 50      |
| 20       | 25 X 3.5,4       |     |        | JC-1.1/4"        | 254.73     | 30      |
| 21       | 35 X 3.5,4       | 32  | 1.1/4" | JC-1.1/4"L       | 207.42     | 30      |
| 22       | 50 X 3.5,4       | 35  | 1.3/8" | JC-1.3/8"        | 322.65     | 35      |
| 23       |                  |     |        | JC-1.3/8"L       | 258.99     | 40      |
| 24       | 70 X 3,3.5       |     |        | JC-1.1/2"        | 360.57     | 25      |
| 25       | 95 X 3           | 38  | 1.1/2" | JC-1.1/2"L       | 301.09     | 25      |
| 26       | 95 X 3.5         |     |        | JC-1 3/4"        | 453.89     | 16      |
| 27       | 120 X 3.5        | 45  | 1.3/4" | JC-1 3/4"L       | 349.09     | 20      |
| 28       | 150 X 3.5        |     |        | JC-2"            | 582.34     | 12      |
| 29       | 185 X 3          | 50  | 2"     | JC-2"L           | 532.42     | 14      |
| 30       | 185 X 3.5        | 57  | 2.1/4" | JC-2 1/4"        | 672.01     | 12      |
| 31       |                  |     |        | JC-2 1/4"L       | 561.64     | 12      |
| 32       | 240 X 3,3.5      | 63  | 2.1/2" | JC-2 1/2"        | 806.37     | 7       |
| 33       |                  |     |        | JC-2 1/2"L       | 614.87     | 8       |
| 34       | 300 X 3,3.5      | 70  | 2.3/4" | JC-2 3/4"        | 925.70     | 6       |
| 35       |                  |     |        | JC-2 3/4"L       | 800.29     | 7       |
| 36       | 400 X 3          | 75  | 3"     | JC-3"            | 1123.72    | 6       |
| 37       |                  |     |        | JC-3"L           | 944.31     | 6       |
| 38       | 400 X 3.5        | 82  | 3.1/4" | JC-3 1/4"        | 1244.87    | 5       |
| 39       |                  |     |        | JC-3.1/4"L       | 1047.54    | 5       |
| 40       | 500 X 3.5        | 88  | 3.1/2" | JC-3.1/2"        | 1940.97    | 3       |
| 41       |                  |     |        | JC-3.1/2L        | 1644.23    | 3       |
| 42       | 625 X 3.5        | 100 | 4"     | JC-4"            | 2380.16    | 1       |
| 43       | 625 X 3.5        | 115 | 4.1/2" | JC-4.1/2"        | 3616.77    | 1       |

**jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND SIBG  
(HEAVY DUTY)



| ITEM NO. | SUITABLE FOR CABLE OVERALL DIA |      |        | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|--------------------------------|------|--------|------------------|------------|---------|
|          | ABOVE                          | UPTO | NIPPLE |                  |            |         |
| 44       | 9.0                            | 12.0 | 1/2"   | 1612             | 96.62      | 150     |
| 45       | 9.0                            | 16.0 | 5/8"   | 1616             | 135.24     | 100     |
| 46       | 10.0                           | 16.0 | 3/4"   | 1619             | 147.24     | 100     |
| 47       | 14.0                           | 20.0 | 3/4"   | 2119             | 175.33     | 60      |
| 48       | 14.0                           | 20.0 | 1"     | 2125             | 189.33     | 40      |
| 49       | 20.0                           | 26.0 | 1"     | 2925             | 276.56     | 30      |
| 50       | 24.0                           | 29.0 | 1-1/4" | 2932             | 319.26     | 30      |
| 51       | 24.0                           | 29.0 | 1-1/2" | 2938             | 319.26     | 20      |
| 52       | 31.0                           | 37.0 | 1-1/2" | 3638             | 496.16     | 12      |
| 53       | 42.0                           | 45.0 | 2"     | 4251             | 771.33     | 12      |
| 54       | 44.0                           | 50.0 | 2"     | 5451             | 876.99     | 8       |
| 55       | 44.0                           | 50.0 | 2-1/2" | 5463             | 901.69     | 8       |
| 56       | 54.0                           | 60.0 | 2-1/2" | 6063             | 1190.43    | 8       |
| 57       | 60.0                           | 66.0 | 3"     | 6675             | 1354.19    | 4       |
| 58       | 70.0                           | 77.0 | 3-1/4" | 7882             | 1794.95    | 4       |
| 59       | 79.0                           | 84.0 | 3-1/2" | 8490             | 2589.93    | 2       |

**jainson**  
SINGLE COMPRESSION SIEMENS TYPE  
BRASS CABLE GLAND  
(LONG NIPPLE)



| ITEM NO. | Core Size sq. mm | mm           | jainson CAT. No. | PRICE EACH | STD PKG |
|----------|------------------|--------------|------------------|------------|---------|
| 60       | 1.5 X 3          | 12           | JC-1/2"L.N.      | 81.58      | 150     |
| 61       | 2.5 X 3          | 1.5X4 16     | JC-5/8"L.N.      | 84.36      | 150     |
| 62       | 1.5 X 5,6,7      | 2.5X4 16     | JC-3/4"L.N.      | 113.93     | 100     |
| 63       | 4.0 X 6          | 6X4 22       | JC-7/8"L.N.      | 122.45     | 100     |
| 64       | 2.5 X 7,10,12    |              | JC-1"L.N.        | 162.46     | 50      |
| 65       | 10 X 4           | 25           | JC-1"SP L.N.     | 183.16     | 75      |
| 66       | 16 X 3,4         | 28           | JC-1.1/8"L.N.    | 233.42     | 50      |
| 67       | 25-35 X 3.5,4    | 32           | JC-1.1/4"L.N.    | 286.48     | 30      |
| 68       | 50 X 3.5,4       | 35           | JC-1.3/8"L.N.    | 366.31     | 30      |
| 69       | 70 X 3,3.5       | 38           | JC-1.1/2"L.N.    | 452.93     | 25      |
| 70       | 95 X 3.5         | 120 X 3.5 45 | JC-1.3/4"L.N.    | 479.20     | 16      |
| 71       | 150 X 3.5        | 50           | JC-2"L.N.        | 599.48     | 12      |



**YASH TRADING CO. MUMBAI -64**

This Price-List cancels all our previous Price Lists.

**Jainson**

**DOUBLE COMPRESSION FLAME PROOF TYPE BRASS CABLE GLAND (LIGHT DUTY)**



| ITEM NO. | Core Size              |     | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|------------------------|-----|------------------|------------|---------|
|          | sq. mm                 | mm  |                  |            |         |
| 72       | 1.5 X 2                | 10  | JPFL-3/8"        | 228.77     | 50      |
| 73       | 1.5 X 3                | 12  | JPFL-1/2"        | 228.77     | 50      |
| 74       | 2.5 X 2    1.5 X 4     | 16  | JPFL-5/8"        | 241.58     | 40      |
| 75       | 1.5 X 5,6,7    2.5 X 4 | 19  | JPFL-3/4"        | 269.36     | 40      |
| 76       | 4 X 6    1.5 X 10      | 22  | JPFL-7/8"        | 343.23     | 30      |
| 77       | 2.5 X 10,12    10 X 4  | 25  | JPFL-1"          | 432.08     | 20      |
| 78       | 25 X 3.5    1.5 X 24   | 28  | JPFL-1.1/8"      | 537.56     | 12      |
| 79       | 50-35 X 3.5            | 32  | JPFL-1.1/4"      | 690.29     | 12      |
| 80       | 50 X 3.5,4             | 35  | JPFL-1.3/8"      | 813.24     | 12      |
| 81       | 70-95 X 3              | 38  | JPFL-1.1/2"      | 1008.07    | 9       |
| 82       | 95-120 X 3.5           | 45  | JPFL-1.3/4"      | 1179.27    | 7       |
| 83       | 150 X 3.5    185 X 3   | 50  | JPFL-2"          | 1503.03    | 7       |
| 84       | 185 X 3.5              | 57  | JPFL-2.1/4"      | 1677.39    | 6       |
| 85       | 240 X 3.5              | 63  | JPFL-2.1/2"      | 2324.59    | 2       |
| 86       | 300 X 3.5              | 70  | JPFL-2.3/4"      | 2635.05    | 2       |
| 87       | 400 X 3,3.5            | 75  | JPFL-3"          | 3415.18    | 2       |
| 88       |                        |     | JPFL-3.1/4"      | 4765.81    | 2       |
| 89       | 500 X 3.5              | 88  | JPFL-3.1/2"      | 6165.36    | 2       |
| 90       | 625 X 3.5              | 100 | JPFL-4"          | 8620.39    | 1       |

**Jainson**

**DOUBLE COMPRESSION FLAME PROOF BRASS CABLE GLAND**



| ITEM NO. | SUITABLE FOR CABLE OVERALL DIA |       |        | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|--------------------------------|-------|--------|------------------|------------|---------|
|          | ABOVE                          | UPTO  | NIPPLE |                  |            |         |
| 91       | 10.5                           | 15.0  | 3/4"   | JPF-01S          | 359.62     | 30      |
| 92       | 13.5                           | 18.5  | 3/4"   | JPF-01           | 401.13     | 25      |
| 93       | 13.5                           | 18.5  | 1"     | JPF-01A          | 456.70     | 25      |
| 94       | 14.0                           | 20.0  | 1"     | JPF-02           | 513.35     | 20      |
| 95       | 14.0                           | 20.0  | 3/4"   | JPF-02A          | 562.60     | 20      |
| 96       | 17.0                           | 23.0  | 1"     | JPF-03           | 568.50     | 20      |
| 97       | 20.0                           | 26.0  | 1"     | JPF-04           | 712.67     | 12      |
| 98       | 20.0                           | 26.0  | 1.1/4" | JPF-04A          | 814.99     | 12      |
| 99       | 24.0                           | 30.0  | 1.1/4" | JPF-05           | 881.21     | 12      |
| 100      | 24.0                           | 30.0  | 1.1/2" | JPF-05A          | 1000.75    | 12      |
| 101      | 27.0                           | 33.0  | 1.1/2" | JPF-06           | 1230.59    | 12      |
| 102      | 27.0                           | 33.0  | 1.1/4" | JPF-06A          | 1353.79    | 12      |
| 103      | 30.0                           | 37.0  | 1.1/2" | JPF-07           | 1422.09    | 10      |
| 104      | 35.0                           | 41.0  | 2"     | JPF-08           | 1759.33    | 7       |
| 105      | 40.0                           | 46.0  | 2"     | JPF-09           | 2001.49    | 7       |
| 106      | 46.0                           | 52.0  | 2"     | JPF-010          | 2302.63    | 6       |
| 107      | 46.0                           | 52.0  | 2.1/2" | JPF-010A         | 2648.11    | 5       |
| 108      | 54.0                           | 60.0  | 2.1/2" | JPF-011          | 3170.28    | 2       |
| 109      | 60.0                           | 67.0  | 3"     | JPF-012          | 3967.21    | 2       |
| 110      | 72.0                           | 78.0  | 3.1/4" | JPF-013          | 4999.82    | 2       |
| 111      | 66.0                           | 72.0  | 3"     | JPF-013A         | 5749.75    | 2       |
| 112      | 78.0                           | 84.0  | 3.1/2" | JPF-014          | 5903.48    | 2       |
| 113      | 88.0                           | 94.0  | 4"     | JPF-015          | 8667.80    | 1       |
| 114      | 98.0                           | 105.0 | 4.1/2" | JPF-016          | 9849.07    | 1       |

**Jainson**

**DOUBLE COMPRESSION WEATHER PROOF BRASS CABLE GLAND (HEAVY DUTY)**



| ITEM NO. | SUITABLE FOR CABLE OVERALL DIA |       |        | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|--------------------------------|-------|--------|------------------|------------|---------|
|          | ABOVE                          | UPTO  | NIPPLE |                  |            |         |
| 115      | 8.0                            | 14.0  | 3/4"   | JPW-001          | 232.18     | 50      |
| 116      | 10.5                           | 15.0  | 3/4"   | JPW-01S          | 316.78     | 30      |
| 117      | 13.5                           | 18.5  | 3/4"   | JPW-01           | 341.40     | 30      |
| 118      | 13.5                           | 18.5  | 1"     | JPW-01A          | 378.00     | 25      |
| 119      | 14.0                           | 20.0  | 1"     | JPW-02           | 453.37     | 20      |
| 120      | 14.0                           | 20.0  | 3/4"   | JPW-02A          | 463.19     | 20      |
| 121      | 17.0                           | 23.0  | 1"     | JPW-03           | 486.81     | 20      |
| 122      | 20.0                           | 26.0  | 1"     | JPW-04           | 621.91     | 12      |
| 123      | 20.0                           | 26.0  | 1.1/4" | JPW-04A          | 715.41     | 12      |
| 124      | 24.0                           | 30.0  | 1.1/4" | JPW-05           | 815.74     | 12      |
| 125      | 24.0                           | 30.0  | 1.1/2" | JPW-05A          | 914.06     | 12      |
| 126      | 27.0                           | 33.0  | 1.1/2" | JPW-06           | 1074.62    | 12      |
| 127      | 27.0                           | 33.0  | 1.1/4" | JPW-06A          | 1127.44    | 12      |
| 128      | 30.0                           | 37.0  | 1.1/2" | JPW-07           | 1281.42    | 10      |
| 129      | 35.0                           | 41.0  | 2"     | JPW-08           | 1502.28    | 7       |
| 130      | 40.0                           | 46.0  | 2"     | JPW-09           | 1672.57    | 7       |
| 131      | 46.0                           | 52.0  | 2"     | JPW-010          | 2002.32    | 6       |
| 132      | 46.0                           | 52.0  | 2.1/2" | JPW-010A         | 2403.12    | 5       |
| 133      | 54.0                           | 60.0  | 2.1/2" | JPW-011          | 2880.12    | 2       |
| 134      | 60.0                           | 67.0  | 3"     | JPW-012          | 3477.74    | 2       |
| 135      | 72.0                           | 78.0  | 3.1/4" | JPW-013          | 4461.18    | 2       |
| 136      | 66.0                           | 72.0  | 3"     | JPW-013A         | 4670.65    | 2       |
| 137      | 78.0                           | 84.0  | 3.1/2" | JPW-014          | 4965.96    | 2       |
| 138      | 88.0                           | 94.0  | 4"     | JPW-015          | 7249.29    | 1       |
| 139      | 98.0                           | 105.0 | 4.1/2" | JPW-016          | 8755.65    | 1       |
| 140      | 88.0                           | 105.0 | 4"     | JPW-017          | 9061.12    | 1       |

**Jainson**

**FLANGE TYPE BRASS CABLE GLAND**



| ITEM NO. | Core Size    |             |     | Jainson CAT. No. | PRICE EACH | STD PKG |
|----------|--------------|-------------|-----|------------------|------------|---------|
|          | sq. mm       | mm          |     |                  |            |         |
| 141      | 1.5 X 2,3,4  | 2.5 X 2,3   | 16  | JF 5             | 148.02     | 75      |
| 142      | 2.5 X 4      | 4-6 X 2,3,4 | 19  | JF 4             | 203.33     | 50      |
| 143      | 10 X 2,3     | 6 X 4       | 22  | JF 3             | 235.51     | 50      |
| 144      | 16 X 2,3,4   | 10 X 4      | 25  | JF 2             | 320.22     | 40      |
| 145      | 25 X 2,3,3.5 |             | 28  | JF 1SP           | 449.11     | 35      |
| 146      | 35 X 2,3,3.5 |             | 32  | JF 1             | 422.06     | 35      |
| 147      | 50 X 3,3.5   |             | 35  | JF 11            | 482.15     | 20      |
| 148      | 70 X 3.5     | 95 X 3      | 38  | JF 0             | 491.03     | 20      |
| 149      | 70 X 3.5     |             | 38  | JF 00            | 506.33     | 20      |
| 150      | 95 X 3.5     | 120 X 3     | 45  | JF 38            | 617.83     | 16      |
| 151      | 150 X 3,3.5  | 120 X 3.5   | 45  | JF 001           | 764.46     | 12      |
| 152      | 185 X 3,3.5  |             | 50  | JF 002           | 820.72     | 12      |
| 153      | 225 X 3,3.5  |             | 57  | JF 003           | 1006.40    | 8       |
| 154      | 300 X 3,3.5  | 240 X 3.5   | 63  | JF 0033          | 1177.73    | 6       |
| 155      | 400 X 3.5    |             | 75  | JF 004           | 1629.79    | 6       |
| 156      | 500 X 3.5    |             | 100 | JF 005           | 2446.60    | 2       |

# jainson CABLE GLAND SELECTION CHART



| CABLE CONSTRUCTION DETAILS |                                 |                                   | DOUBLE COMPRESSION TYPE |                  |                        | FLANGE TYPE | SINGLE COMPRESSION TYPE |                   |                 |  |
|----------------------------|---------------------------------|-----------------------------------|-------------------------|------------------|------------------------|-------------|-------------------------|-------------------|-----------------|--|
| Core size sq.mm            | Armoured Overall Dia mm(Approx) | Unarmoured Overall Dia mm(Approx) | Weatherproof (JPW)      | Flameproof (JPF) | Flameproof Type (JPFL) | Type (JF)   | Siemens Type (JC)       | Heavy Duty (SIBG) | Rubber Ref. No. |  |

## AYY (ARMOURED & UNARMOURED SINGLE CORE POWER CABLES) 650/1100V

| Core size sq.mm | Armoured Overall Dia mm(Approx) | Unarmoured Overall Dia mm(Approx) | DOUBLE COMPRESSION TYPE |                  | Flameproof Type (JPFL) | Flange Type (JF) | SINGLE COMPRESSION TYPE |                   |                 |           |                |           |      |      |
|-----------------|---------------------------------|-----------------------------------|-------------------------|------------------|------------------------|------------------|-------------------------|-------------------|-----------------|-----------|----------------|-----------|------|------|
|                 |                                 |                                   | Weatherproof (JPW)      | Flameproof (JPF) |                        |                  | Siemens Type (JC)       | Heavy Duty (SIBG) | Rubber Ref. No. |           |                |           |      |      |
| 1 x 4           | 12.3                            | 9.5                               | JPW-001                 | JPW-001          | JPF-01S                | JPF-01S          | JPFL-3/8"               | JF-5              | JC-1/2"         | JC-1/2"   | 1616           | 1616      | 1613 | 1609 |
| 1 x 6           | 12.8                            | 10.0                              | JPW-001                 | JPW-001          | JPF-01S                | JPF-01S          | JPFL-3/8"               | JF-5              | JC-5/8"         | JC-1/2"   | 1616           | 1616      | 1613 | 1611 |
| 1 x 10          | 13.5                            | 11.0                              | JPW-001                 | JPW-001          | JPF-01S                | JPF-01S          | JPFL-1/2"               | JF-5              | JC-3/4"         | JC-5/8"   | 1616,1619,1619 | 1616      | 1613 | 1611 |
| 1 x 16          | 15.5                            | 12.5                              | JPW-01S                 | JPW-001          | JPF-01S                | JPF-01S          | JPFL-1/2"               | JF-5              | JC-3/4"         | JC-5/8"   | 1616,1619      | 1619      | 1615 | 1613 |
| 1 x 25          | 16.5                            | 14.0                              | JPW-01S                 | JPW-001          | JPF-01S                | JPF-01S          | JPFL-5/8"               | JF-5              | JC-7/8"         | JC-3/4"   | 2119           | 1619      | 2116 | 1613 |
| 1 x 35          | 17.0                            | 15.0                              | JPW-01                  | JPW-01S          | JPF-01                 | JPF-01S          | JPFL-5/8"               | JF-5              | JC-7/8"         | JC-3/4"   | 2119           | 1619      | 2118 | 1615 |
| 1 x 50          | 18.5                            | 16.5                              | JPW-01                  | JPW-01S          | JPF-01                 | JPF-01S          | JPFL-3/4"               | JF-4              | JC-1"           | JC-3/4"   | 2125           | 1619      | 2118 | 1615 |
| 1 x 70          | 21.0                            | 19.0                              | JPW-02                  | JPW-01           | JPF-02                 | JPF-01           | JPFL-7/8"               | JF-3              | JC-1"           | JC-1"     | 2125           | 2125      | 2120 | 2118 |
| 1 x 95          | 23.0                            | 21.0                              | JPW-03                  | JPW-02           | JPF-03                 | JPF-02           | JPFL-1"                 | JF-2              | JC-1.1/8"       | JC-1.1/8" | 2925,2932      | 2125      | 2923 | 2120 |
| 1 x 120         | 25.0                            | 23.0                              | JPW-04                  | JPW-03           | JPF-04                 | JPF-03           | JPFL-1.1/8"             | JF-2              | JC-1.1/8"       | JC-1.1/8" | 2925,2932      | 2925      | 2925 | 2923 |
| 1 x 150         | 26.0                            | 24.5                              | JPW-04                  | JPW-04           | JPF-04                 | JPF-04           | JPFL-1.1/8"             | JF-1              | JC-1.1/8"       | JC-1.1/4" | 2925,2932      | 2925,2932 | 2925 | 2925 |
| 1 x 185         | 29.0                            | 27.0                              | JPW-05                  | JPW-04           | JPF-05                 | JPF-04           | JPFL-1.1/4"             | JF-1              | JC-1.1/4"       | JC-1.1/4" | 2932           | 2925,2932 | 2929 | 2927 |
| 1 x 225         | 31.5                            | 29.5                              | JPW-06                  | JPW-05           | JPF-06                 | JPF-05           | JPFL-1.1/4"             | JF-11             | JC-1.3/8"       | JC-1.3/8" | 3638           | 2932,2938 | 3631 | 2929 |
| 1 x 240         | 33.5                            | 32.0                              | JPW-06                  | JPW-06           | JPF-06                 | JPF-06           | JPFL-1.3/8"             | JF-11             | JC-1.3/8"       | JC-1.1/2" | 3638           | 3638      | 3633 | 3633 |
| 1 x 300         | 36.0                            | 39.0                              | JPW-07                  | JPW-07           | JPF-07                 | JPF-07           | JPFL-1.1/2"             | JF-00             | JC-1.1/2"       | JC-1.3/4" | 3638           | 3638      | 3637 | 3637 |
| 1 x 400         | 41.0                            | 39.0                              | JPW-08                  | JPW-08           | JPF-08                 | JPF-08           | JPFL-1.3/4"             | JF-38             | JC-1.3/4"       | JC-2"     | 4251           | 4251      | 4240 | 4240 |
| 1 x 500         | 43.0                            | 42.0                              | JPW-09                  | JPW-09           | JPF-09                 | JPF-09           | JPFL-1.3/4"             | JF-001            | JC-2"           | JC-2"     | 4251           | 4251      | 4242 | 4242 |
| 1 x 625         | 49.0                            | 47.0                              | JPW-010                 | JPW-09           | JPF-010                | JPF-09           | JPFL-2"                 | JF-002            | JC-2.1/4"       | JC-2"     | 5451           | 5451,5463 | 5448 | 5448 |
| 1 x 800         | 54.0                            | 52.0                              | JPW-011                 | JPW-010          | JPF-011                | JPF-010          | JPFL-2.1/4"             | JF-003            | JC-2.1/4"       | JC-2.1/4" | 6063           | 5463      | 6055 | 5450 |
| 1 x 1000        | 59.0                            | 57.0                              | JPW-011                 | JPW-011          | JPF-011                | JPF-011          | JPFL-2.1/2"             | JF-003            | JC-2.1/2"       | JC-2.1/2" | 6063           | 6063      | 6060 | 6060 |

## AYWY (ARMOURED TWIN CORE POWER CABLES) 650/1100V

|         |      |      |         |         |             |        |           |            |      |
|---------|------|------|---------|---------|-------------|--------|-----------|------------|------|
| 2 x 1.5 | 15.0 | 8.0  | JPW-001 | JPF-01S | JPFL-1/2"   | JF-5   | JC-1/2"   | 1616       | 1615 |
| 2 x 2.5 | 16.0 | 9.0  | JPW-01S | JPF-01S | JPFL-1/2"   | JF-5   | JC-5/8"   | 1616,1619  | 1615 |
| 2 x 4   | 17.5 | 10.5 | JPW-01  | JPF-01  | JPFL-5/8"   | JF-4   | JC-3/4"   | 1616,1619, | 1615 |
| 2 x 6   | 18.5 | 11.5 | JPW-01  | JPF-01  | JPFL-3/4"   | JF-4   | JC-7/8"   | 2119,2125  | 2118 |
| 2 x 10  | 20.5 | 14.0 | JPW-02  | JPF-02  | JPFL-7/8"   | JF-3   | JC-1"     | 2119,2125  | 2120 |
| 2 x 16  | 22.5 | 16.5 | JPW-03  | JPF-03  | JPFL-1"     | JF-2   | JC-1"     | 2125       | 2120 |
| 2 x 25  | 25.0 | 19.0 | JPW-04  | JPF-04  | JPFL-1"     | JF-1   | JC-1.1/8" | 2925,2932  | 2925 |
| 2 x 35  | 27.5 | 22.0 | JPW-05  | JPF-05  | JPFL-1.1/8" | JF-1   | JC-1.1/4" | 2932,2938  | 2927 |
| 2 x 50  | 29.0 | 23.5 | JPW-05  | JPF-05  | JPFL-1.1/4" | JF-11  | JC-1.1/4" | 2932,2938  | 2927 |
| 2 x 70  | 31.0 | 25.0 | JPW-06  | JPF-06  | JPFL-1.1/4" | JF-11  | JC-1.1/4" | 2938       | 2929 |
| 2 x 95  | 33.0 | 27.0 | JPW-06  | JPF-06  | JPFL-1.3/8" | JF-11  | JC-1.3/8" | 2938       | 2929 |
| 2 x 120 | 34.0 | 28.0 | JPW-07  | JPF-07  | JPFL-1.3/8" | JF-11  | JC-1.3/8" | 3638       | 3633 |
| 2 x 150 | 38.0 | 32.0 | JPW-08  | JPF-08  | JPFL-1.1/2" | JF-00  | JC-1.1/2" | 3638       | 3637 |
| 2 x 185 | 41.0 | 35.0 | JPW-08  | JPF-08  | JPFL-1.3/4" | JF-001 | JC-1.3/4" | 4251       | 4242 |
| 2 x 240 | 46.0 | 40.0 | JPW-09  | JPF-09  | JPFL-1.3/4" | JF-002 | JC-2"     | 5451       | 5446 |
| 2 x 300 | 51.0 | 43.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-003 | JC-2.1/4" | 5463       | 5450 |
| 2 x 400 | 57.0 | 50.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003 | JC-2.1/2" | 6063       | 6060 |



| CABLE CONSTRUCTION DETAILS |                                 |                                   | DOUBLE COMPRESSION TYPE |                  |                        | FLANGE TYPE | SINGLE COMPRESSION TYPE |                   |                 |
|----------------------------|---------------------------------|-----------------------------------|-------------------------|------------------|------------------------|-------------|-------------------------|-------------------|-----------------|
| Core size sq.mm            | Armoured Overall Dia mm(Approx) | Unarmoured Overall Dia mm(Approx) | Weatherproof (JPW)      | Flameproof (JPF) | Flameproof Type (JPFL) | Type (JF)   | Siemens Type (JC)       | Heavy Duty (SIBG) | Rubber Ref. No. |

### AYFY (ARMOURED THREE CORE POWER CABLES) 650/1100V

|         |      |      |         |         |             |         |           |            |      |
|---------|------|------|---------|---------|-------------|---------|-----------|------------|------|
| 3 X 1.5 | 15.5 | 8.5  | JPW-01S | JPF-01S | JPFL-1/2"   | JF-5    | JC-5/8"   | 1616, 1619 | 1615 |
| 3 X 2.5 | 17.0 | 10.5 | JPW-01S | JPF-01S | JPFL-5/8"   | JF-4    | JC-3/4"   | 1616, 1619 | 1615 |
| 3 X 4   | 18.0 | 11.0 | JPW-01  | JPF-01  | JPFL-3/4"   | JF-4    | JC-3/4"   | 2119, 2125 | 2116 |
| 3 X 6   | 19.5 | 12.5 | JPW-02  | JPF-02  | JPFL-7/8"   | JF-3    | JC-7/8"   | 2119, 2125 | 2118 |
| 3 X 10  | 20.5 | 14.5 | JPW-03  | JPF-03  | JPFL-1"     | JF-3    | JC-1"     | 2119, 2125 | 2120 |
| 3 X 16  | 23.5 | 18.0 | JPW-04  | JPF-04  | JPFL-1-1/8" | JF-2    | JC-1-1/8" | 2925, 2932 | 2923 |
| 3 X 25  | 23.5 | 18.0 | JPW-04  | JPF-04  | JPFL-1-1/8" | JF-2    | JC-1-1/8" | 2932, 2938 | 2923 |
| 3 X 35  | 25.5 | 20.0 | JPW-04  | JPF-04  | JPFL-1-1/4" | JF-1    | JC-1-1/8" | 2932, 2938 | 2925 |
| 3 X 50  | 29.0 | 23.0 | JPW-05  | JPF-05  | JPFL-1-3/8" | JF-1    | JC-1-1/4" | 2932, 2938 | 2929 |
| 3 X 70  | 33.0 | 27.0 | JPW-06  | JPF-06  | JPFL-1-3/8" | JF-0    | JC-1-3/8" | 3638       | 3633 |
| 3 X 95  | 37.0 | 31.0 | JPW-07  | JPF-07  | JPFL-1-1/2" | JF-00   | JC-1-1/2" | 3638       | 3637 |
| 3 X 120 | 40.0 | 34.0 | JPW-08  | JPF-08  | JPFL-1-3/4" | JF-38   | JC-1-3/4" | 4251       | 4240 |
| 3 X 150 | 44.0 | 38.0 | JPW-09  | JPF-09  | JPFL-1-3/4" | JF-001  | JC-1-3/4" | 4251       | 4242 |
| 3 X 185 | 49.0 | 42.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5451       | 5448 |
| 3 X 225 | 54.0 | 47.0 | JPW-011 | JPF-011 | JPFL-2-1/4" | JF-003  | JC-2-1/4" | 6063       | 6053 |
| 3 X 240 | 56.0 | 49.0 | JPW-011 | JPF-011 | JPFL-2-1/4" | JF-003  | JC-2-1/2" | 6063       | 6055 |
| 3 X 300 | 62.0 | 54.0 | JPW-012 | JPF-012 | JPFL-2-1/2" | JF-0033 | JC-2-3/4" | 6063       | 6060 |
| 3 X 400 | 68.0 | 60.0 | JPW-012 | JPF-012 | JPFL-2-3/4" | JF-004  | JC-3"     | 7882       | 7868 |
| 3 X 500 | 76.0 | 70.0 | JPW-013 | JPF-013 | JPFL-3"     | JF-004  | JC-3-1/4" | 7882       | 7874 |

### AYFY (ARMOURED MULTI CORE POWER CABLES) 650/1100V

|               |      |      |         |         |             |         |           |            |      |
|---------------|------|------|---------|---------|-------------|---------|-----------|------------|------|
| 3.5 X 25/16   | 26.0 | 21.0 | JPW-04  | JPF-04  | JPFL-1-1/8" | JF-1    | JC-1-1/8" | 2925, 2932 | 2925 |
| 3.5 X 35/16   | 28.5 | 23.0 | JPW-05  | JPF-05  | JPFL-1-1/4" | JF-1    | JC-1-1/4" | 2932, 2938 | 2927 |
| 3.5 X 50/25   | 32.0 | 26.0 | JPW-06  | JPF-06  | JPFL-1-1/4" | JF-11   | JC-1-3/8" | 3638       | 3631 |
| 3.5 X 70/35   | 35.0 | 29.0 | JPW-07  | JPF-07  | JPFL-1-3/8" | JF-0    | JC-1-1/2" | 3638       | 3635 |
| 3.5 X 95/50   | 40.0 | 34.0 | JPW-08  | JPF-08  | JPFL-1-3/4" | JF-38   | JC-1-3/4" | 4251       | 4240 |
| 3.5 X 120/70  | 43.0 | 37.0 | JPW-09  | JPF-09  | JPFL-1-3/4" | JF-001  | JC-1-3/4" | 4251       | 4242 |
| 3.5 X 150/70  | 48.0 | 41.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5451       | 5446 |
| 3.5 X 185/95  | 52.0 | 45.0 | JPW-010 | JPF-010 | JPFL-2-1/4" | JF-002  | JC-2-1/4" | 5463       | 5450 |
| 3.5 X 225/120 | 58.0 | 50.0 | JPW-011 | JPF-011 | JPFL-2-1/2" | JF-003  | JC-2-1/2" | 6063       | 6058 |
| 3.5 X 240/120 | 61.0 | 53.0 | JPW-012 | JPF-012 | JPFL-2-1/2" | JF-0033 | JC-2-1/2" | 6063       | 6060 |
| 3.5 X 300/150 | 66.0 | 58.0 | JPW-012 | JPF-012 | JPFL-2-3/4" | JF-0033 | JC-2-3/4" | 6675       | 6664 |
| 3.5 X 400/185 | 74.0 | 65.0 | JPW-013 | JPF-013 | JPFL-3"     | JF-004  | JC-3-1/4" | 7882       | 7874 |
| 3.5 X 500/240 | 82.0 | 72.0 | JPW-014 | JPF-014 | JPFL-3-1/2" | JF-005  | JC-3-1/2" | 8490       | 8482 |

### AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

|         |      |      |         |         |             |       |           |            |      |
|---------|------|------|---------|---------|-------------|-------|-----------|------------|------|
| 4 X 1.5 | 16.5 | 10.0 | JPW-01S | JPF-01S | JPFL-5/8"   | JF-5  | JC-3/4"   | 1616, 1619 | 1615 |
| 4 X 2.5 | 17.5 | 11.0 | JPW-01  | JPF-01  | JPFL-3/4"   | JF-4  | JC-3/4"   | 1616, 1619 | 1615 |
| 4 X 4   | 19.5 | 13.0 | JPW-02  | JPF-02  | JPFL-7/8"   | JF-3  | JC-7/8"   | 2119, 2125 | 2118 |
| 4 X 6   | 20.0 | 14.0 | JPW-02  | JPF-02  | JPFL-7/8"   | JF-3  | JC-7/8"   | 2125       | 2120 |
| 4 X 10  | 21.5 | 16.0 | JPW-03  | JPF-03  | JPFL-1"     | JF-2  | JC-1"     | 2125       | 2120 |
| 4 X 16  | 25.5 | 20.0 | JPW-04  | JPF-04  | JPFL-1"     | JF-1  | JC-1-1/8" | 2925, 2932 | 2925 |
| 4 X 25  | 26.0 | 21.0 | JPW-04  | JPF-04  | JPFL-1-1/8" | JF-1  | JC-1-1/4" | 2932, 2938 | 2925 |
| 4 X 35  | 28.5 | 23.0 | JPW-05  | JPF-05  | JPFL-1-1/8" | JF-1  | JC-1-3/8" | 2938       | 2927 |
| 4 X 50  | 33.0 | 26.0 | JPW-06  | JPF-06  | JPFL-1-3/8" | JF-11 | JC-1-3/8" | 2938       | 2929 |

| CABLE CONSTRUCTION DETAILS |                                 |                                   | DOUBLE COMPRESSION TYPE |                  |                        | FLANGE TYPE | SINGLE COMPRESSION TYPE |                   |                 |
|----------------------------|---------------------------------|-----------------------------------|-------------------------|------------------|------------------------|-------------|-------------------------|-------------------|-----------------|
| Core size sq.mm            | Armoured Overall Dia mm(Approx) | Unarmoured Overall Dia mm(Approx) | Weatherproof (JPW)      | Flameproof (JPF) | Flameproof Type (JPFL) | Type (JF)   | Siemens Type (JC)       | Heavy Duty (SIBG) | Rubber Ref. No. |

### AYWY & AYFY (ARMOURED FOUR CORE POWER CABLES) 650/1100V

|         |      |      |         |         |             |         |           |      |      |
|---------|------|------|---------|---------|-------------|---------|-----------|------|------|
| 4 X 70  | 37.0 | 30.0 | JPW-07  | JPF-07  | JPFL-1-1/2" | JF-00   | JC-1-1/2" | 3638 | 3637 |
| 4 X 95  | 42.0 | 34.0 | JPW-08  | JPF-08  | JPFL-1-3/4" | JF-38   | JC-1-3/4" | 4251 | 4242 |
| 4 X 120 | 45.0 | 36.0 | JPW-09  | JPF-09  | JPFL-1-3/4" | JF-001  | JC-1-3/4" | 5451 | 5446 |
| 4 X 150 | 50.0 | 43.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5463 | 5450 |
| 4 X 185 | 55.0 | 48.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2-1/4" | 5463 | 5450 |
| 4 X 240 | 62.0 | 54.0 | JPW-011 | JPF-011 | JPFL-2.1/2" | JF-0033 | JC-2-1/2" | 6063 | 6060 |
| 4 X 300 | 68.0 | 60.0 | JPW-012 | JPF-012 | JPFL-2.3/4" | JF-004  | JC-2-3/4" | 6675 | 6664 |
| 4 X 400 | 76.0 | 70.0 | JPW-013 | JPF-013 | JPFL-3"     | JF-004  | JC-3-1/4" | 7882 | 7874 |

### YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

|          |      |      |         |          |             |       |           |            |      |
|----------|------|------|---------|----------|-------------|-------|-----------|------------|------|
| 2 x 1.5  | 15.0 | 8.0  | JPW-001 | JPF -01S | JPFL-3/8"   | JF-5  | JC-1/2"   | 1616       | 1613 |
| 3 x 1.5  | 15.5 | 8.5  | JPW-01S | JPF -01S | JPFL-1/2"   | JF-5  | JC-1/2"   | 1616, 1619 | 1615 |
| 4 x 1.5  | 16.5 | 9.5  | JPW-01S | JPF -01S | JPFL-5/8"   | JF-5  | JC-5/8"   | 1616, 1619 | 1615 |
| 5 x 1.5  | 17.0 | 10.0 | JPW-01S | JPF -01S | JPFL-5/8"   | JF-4  | JC-3/4"   | 1616, 1619 | 1615 |
| 6 x 1.5  | 18.0 | 11.0 | JPW-01  | JPF -01  | JPFL-3/4"   | JF-4  | JC-3/4"   | 2119, 2125 | 2118 |
| 7 x 1.5  | 18.0 | 11.0 | JPW-01  | JPF -01  | JPFL-3/4"   | JF-4  | JC-3/4"   | 2119, 2125 | 2118 |
| 10 x 1.5 | 20.5 | 13.5 | JPW-03  | JPF -03  | JPFL-7/8"   | JF-3  | JC-1"     | 2119, 2125 | 2118 |
| 12 x 1.5 | 20.5 | 14.0 | JPW-03  | JPF -03  | JPFL-7/8"   | JF-3  | JC-1"     | 2119, 2125 | 2118 |
| 14 x 1.5 | 21.0 | 15.0 | JPW-03  | JPF -03  | JPFL-7/8"   | JF-2  | JC-1"     | 2125       | 2120 |
| 16 X 1.5 | 21.5 | 15.0 | JPW-03  | JPF -03  | JPFL-1"     | JF-2  | JC-1"     | 2125       | 2120 |
| 19 x 1.5 | 22.5 | 16.0 | JPW-03  | JPF -03  | JPFL-1"     | JF-2  | JC-1"     | 2125       | 2120 |
| 24 x 1.5 | 25.5 | 19.0 | JPW-04  | JPF -04  | JPFL-1.1/8" | JF-1  | JC-1-1/8" | 2932, 2938 | 2925 |
| 27 x 1.5 | 26.0 | 19.0 | JPW-04  | JPF -04  | JPFL-1.1/8" | JF-1  | JC-1-1/4" | 2932, 2938 | 2925 |
| 30 x 1.5 | 27.0 | 21.5 | JPW-05  | JPF -05  | JPFL-1.1/8" | JF-1  | JC-1-1/4" | 2932, 2938 | 2925 |
| 37 x 1.5 | 29.0 | 23.0 | JPW-05  | JPF -05  | JPFL-1.1/4" | JF-1  | JC-1-1/4" | 2932, 2938 | 2927 |
| 44 x 1.5 | 33.0 | 26.0 | JPW-06  | JPF -06  | JPFL-1.3/8" | JF-11 | JC-1-3/8" | 3638       | 3631 |
| 52 x 1.5 | 34.0 | 27.0 | JPW-07  | JPF -07  | JPFL-1.3/8" | JF-0  | JC-1-1/2" | 3638       | 3633 |
| 61 x 1.5 | 36.0 | 29.0 | JPW-07  | JPF -07  | JPFL-1.1/2" | JF-00 | JC-1-1/2" | 3638       | 3635 |

### YWY & YFY (ARMOURED MULTI CORE CONTROL CABLES) 650/1100V

|          |      |      |         |          |             |       |           |            |      |
|----------|------|------|---------|----------|-------------|-------|-----------|------------|------|
| 2 x 2.5  | 16.0 | 10.0 | JPW-01S | JPF -01S | JPFL-1/2"   | JF-5  | JC-5/8"   | 1616, 1619 | 1615 |
| 3 x 2.5  | 17.0 | 11.0 | JPW-01S | JPF -01S | JPFL-5/8"   | JF-5  | JC-5/8"   | 1616, 1619 | 1615 |
| 4 x 2.5  | 17.5 | 11.5 | JPW-01  | JPF -01  | JPFL-3/4"   | JF-4  | JC-3/4"   | 1616, 1619 | 1615 |
| 5 x 2.5  | 19.0 | 12.5 | JPW-02  | JPF -02  | JPFL-7/8"   | JF-4  | JC-7/8"   | 2119, 2125 | 2118 |
| 6 x 2.5  | 20.5 | 13.5 | JPW-03  | JPF -03  | JPFL-7/8"   | JF-3  | JC-1"     | 2119, 2125 | 2118 |
| 7 x 2.5  | 20.5 | 13.5 | JPW-03  | JPF -03  | JPFL-7/8"   | JF-3  | JC-1"     | 2119, 2125 | 2118 |
| 10 x 2.5 | 22.0 | 16.5 | JPW-03  | JPF -03  | JPFL-1"     | JF-2  | JC-1"     | 2125       | 2120 |
| 12 x 2.5 | 22.5 | 17.0 | JPW-03  | JPF -03  | JPFL-1"     | JF-2  | JC-1"     | 2125       | 2120 |
| 14 x 2.5 | 23.5 | 17.0 | JPW-04  | JPF -04  | JPFL-1"     | JF-2  | JC-1-1/8" | 2925       | 2923 |
| 16 X 2.5 | 24.5 | 18.0 | JPW-04  | JPF -04  | JPFL-1"     | JF-2  | JC-1-1/8" | 2925, 2932 | 2923 |
| 19 x 2.5 | 25.5 | 19.0 | JPW-04  | JPF -04  | JPFL-1-1/8" | JF-1  | JC-1-1/8" | 2932, 2938 | 2925 |
| 24 x 2.5 | 29.5 | 22.0 | JPW-05  | JPF -05  | JPFL-1-1/4" | JF-1  | JC-1-1/4" | 2932, 2938 | 2927 |
| 27 x 2.5 | 30.0 | 23.0 | JPW-05  | JPF -05  | JPFL-1-1/4" | JF-1  | JC-1-1/4" | 2932, 2938 | 2929 |
| 30 x 2.5 | 32.0 | 25.0 | JPW-06  | JPF -06  | JPFL-1-1/4" | JF-11 | JC-1-3/8" | 3638       | 3631 |
| 37 x 2.5 | 34.0 | 28.0 | JPW-07  | JPF -07  | JPFL-1-3/8" | JF-0  | JC-1-1/2" | 3638       | 3633 |
| 44 x 2.5 | 38.0 | 31.0 | JPW-08  | JPF -08  | JPFL-1-1/2" | JF-00 | JC-1-1/2" | 3638       | 3637 |
| 52 x 2.5 | 39.0 | 32.0 | JPW-08  | JPF -08  | JPFL-1-1/2" | JF-38 | JC-1-3/4" | 4251       | 4238 |
| 61 x 2.5 | 42.0 | 35.0 | JPW-09  | JPF -09  | JPFL-1-3/4" | JF-38 | JC-1-3/4" | 4251       | 4240 |

| CABLE CONSTRUCTION DETAILS |                                 |                                   | DOUBLE COMPRESSION TYPE |                  |                        | FLANGE TYPE | SINGLE COMPRESSION TYPE |                   |                 |
|----------------------------|---------------------------------|-----------------------------------|-------------------------|------------------|------------------------|-------------|-------------------------|-------------------|-----------------|
| Core size sq.mm            | Armoured Overall Dia mm(Approx) | Unarmoured Overall Dia mm(Approx) | Weatherproof (JPW)      | Flameproof (JPF) | Flameproof Type (JPFL) | Type (JF)   | Siemens Type (JC)       | Heavy Duty (SIBG) | Rubber Ref. No. |

### AYFY (ARMOURED THREE CORE POWER CABLES) 1900 /3300V

|         |      |      |         |         |             |         |           |            |      |
|---------|------|------|---------|---------|-------------|---------|-----------|------------|------|
| 3 X 25  | 29.0 | 21.0 | JPW-05  | JPF-05  | JPFL-1.1/4" | JF-1    | JC-1.1/4" | 2932, 2938 | 2927 |
| 3 X 35  | 31.0 | 24.0 | JPW-06  | JPF-06  | JPFL-1.1/4" | JF-11   | JC-1.3/8" | 2932, 2938 | 2929 |
| 3 X 50  | 34.0 | 26.0 | JPW-07  | JPF-07  | JPFL-1.3/8" | JF-11   | JC-1.1/2" | 3638       | 3633 |
| 3 X 70  | 37.0 | 29.0 | JPW-07  | JPF-07  | JPFL-1.1/2" | JF-00   | JC-1.1/2" | 3638       | 3635 |
| 3 X 95  | 41.0 | 33.0 | JPW-08  | JPF-08  | JPFL-1.3/4" | JF-38   | JC-1.3/4" | 4251       | 4238 |
| 3 X 120 | 44.0 | 35.0 | JPW-09  | JPF-09  | JPFL-1.3/4" | JF-001  | JC-1.3/4" | 4251       | 4242 |
| 3 X 150 | 47.0 | 38.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5451       | 5446 |
| 3 X 185 | 50.0 | 41.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2.1/4" | 5451, 5463 | 5448 |
| 3 X 225 | 55.0 | 46.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2.1/4" | 6063       | 6053 |
| 3 X 240 | 56.0 | 45.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2.1/2" | 6063       | 6055 |
| 3 X 300 | 62.0 | 52.0 | JPW-012 | JPF-012 | JPFL-2.1/2" | JF-0033 | JC-2.3/4" | 6063       | 6060 |
| 3 X 400 | 69.0 | 59.0 | JPW-013 | JPF-013 | JPFL-2.3/4" | JF-004  | JC-3"     | 7882       | 7868 |
| 3 X 500 | 77.0 | 66.0 | JPW-014 | JPF-014 | JPFL-3.1/4" | JF-005  | JC-3.1/4" | 7882       | 7877 |

### AYFY (ARMOURED THREE CORE POWER CABLES) 3800/6600V

|         |      |      |         |         |             |         |           |            |      |
|---------|------|------|---------|---------|-------------|---------|-----------|------------|------|
| 3 X 25  | 35.0 | 27.0 | JPW-07  | JPF-07  | JPFL-1.3/8" | JF-0    | JC-1.1/2" | 3638       | 3635 |
| 3 X 35  | 37.0 | 29.0 | JPW-07  | JPF-07  | JPFL-1.1/2" | JF-00   | JC-1.1/2" | 3638       | 3635 |
| 3 X 50  | 40.0 | 32.0 | JPW-08  | JPF-08  | JPFL-1.3/4" | JF-38   | JC-1.3/4" | 4251       | 4240 |
| 3 X 70  | 44.0 | 35.0 | JPW-09  | JPF-09  | JPFL-1.3/4" | JF-001  | JC-1.3/4" | 4251       | 4242 |
| 3 X 95  | 47.0 | 38.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5451       | 5446 |
| 3 X 120 | 50.0 | 41.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2.1/4" | 5451, 5463 | 5448 |
| 3 X 150 | 54.0 | 45.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2-1/4" | 6063       | 6053 |
| 3 X 185 | 57.0 | 48.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2.1/2" | 6063       | 6058 |
| 3 X 225 | 61.0 | 51.0 | JPW-012 | JPF-012 | JPFL-2.1/2" | JF-0033 | JC-2.1/2" | 6063       | 6060 |
| 3 X 240 | 63.0 | 53.0 | JPW-012 | JPF-012 | JPFL-2.1/2" | JF-0033 | JC-2.3/4" | 6675       | 6662 |
| 3 X 300 | 67.0 | 57.0 | JPW-012 | JPF-012 | JPFL-2.3/4" | JF-0033 | JC-2.3/4" | 7882       | 7870 |
| 3 X 400 | 73.0 | 63.0 | JPW-013 | JPF-013 | JPFL-3"     | JF-004  | JC-3"     | 7882       | 7874 |
| 3 X 500 | 79.0 | 68.0 | JPW-014 | JPF-014 | JPFL-3.1/4" | JF-005  | JC-3.1/4" | 7882       | 7877 |

### AYFY (ARMOURED THREE CORE POWER CABLES) 6600V(UE GRADE)

|         |      |      |         |         |             |         |           |            |      |
|---------|------|------|---------|---------|-------------|---------|-----------|------------|------|
| 3 X 25  | 38.0 | 30.0 | JPW-08  | JPF-08  | JPFL-1.1/2" | JF-00   | JC-1.1/2" | 3638       | 3637 |
| 3 X 35  | 40.0 | 32.0 | JPW-08  | JPF-08  | JPFL-1.1/2" | JF-38   | JC-1.3/4" | 4251       | 4240 |
| 3 X 50  | 43.0 | 34.0 | JPW-09  | JPF-09  | JPFL-1.3/4" | JF-001  | JC-1.3/4" | 4251       | 4240 |
| 3 X 70  | 47.0 | 38.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2"     | 5451       | 5446 |
| 3 X 95  | 50.0 | 41.0 | JPW-010 | JPF-010 | JPFL-2"     | JF-002  | JC-2.1/4" | 5451, 5463 | 5448 |
| 3 X 120 | 52.0 | 43.0 | JPW-010 | JPF-010 | JPFL-2.1/4" | JF-002  | JC-2.1/4" | 6063       | 6053 |
| 3 X 150 | 57.0 | 48.0 | JPW-011 | JPF-011 | JPFL-2.1/4" | JF-003  | JC-2.1/2" | 6063       | 6058 |
| 3 X 185 | 60.0 | 50.0 | JPW-011 | JPF-011 | JPFL-2.1/2" | JF-0033 | JC-2.1/2" | 6063       | 6058 |
| 3 X 225 | 64.0 | 54.0 | JPW-012 | JPF-012 | JPFL-2.1/2" | JF-0033 | JC-2.3/4" | 6675       | 6662 |
| 3 X 240 | 66.0 | 56.0 | JPW-012 | JPF-012 | JPFL-2.3/4" | JF-0033 | JC-2.3/4" | 6675       | 6664 |
| 3 X 300 | 71.0 | 61.0 | JPW-013 | JPF-013 | JPFL-2.3/4" | JF-004  | JC-2.3/4" | 7882       | 7870 |
| 3 X 400 | 76.0 | 65.0 | JPW-013 | JPF-013 | JPFL-3"     | JF-004  | JC-3"     | 7882       | 7874 |
| 3 X 500 | 83.0 | 71.0 | JPW-014 | JPF-014 | JPFL-3.1/2" | JF-005  | JC-3.1/2" | 8490       | 8482 |

**PRICES ARE SUBJECT TO CHANGE WITHOUT PRIOR NOTICE.**

**NOTE :** For selection of Cable Glands please ask for our glands Dimensional catalogue. Entire range of PVC shrouds, earth tag & reducer available. WE MAKE SPECIAL TYPE OF GLANDS AS PER SAMPLE OR DRAWING.



# PRODUCT RANGE OF **Jainson** GROUP



**S. J. METAL INDUSTRIES**  
Cable Terminal Ends



**YASH TRADING COMPANY**  
Cable Glands

Jain Estate, Jakeria Road, Malad (West) Mumbai-400 064. INDIA  
Tel.: 2880 7581, 2881 3169, 288202426.  
E-mail : [jainsongroup@hotmail.com](mailto:jainsongroup@hotmail.com)  
web: [www.jainsongroup.co.in](http://www.jainsongroup.co.in)