


PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 1W LED NM/RDL (CR)
Lamp Type : 1 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 3W LED NM/RDL (CR)(50)
Lamp Type : 3 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 3W LED NM/RDL (CR)(90)
Lamp Type : 3 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 5W LED NM/RDL (CR)(90)
Lamp Type : 3 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 10W LED NM/RDL (CR)(90)
Lamp Type : 10 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 1W LED NM/RDL (CR) OA
Lamp Type : 1 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 1W LED NM/RDL (CR) PA
Lamp Type : 1 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 355x215x415



Model : PEL 12W LED M/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 12W LED NM/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 15W LED M/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 15W LED NM/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 18W LED M/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 18W LED NM/RDL (CR)
Lamp Type : 18 Watt LED
Accumulator : Ni-Mh / Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 110 NM/RSL (H)
Lamp Type : 1 x 10W THL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330



Model : PEL 110 NM/RSL (C)
Lamp Type : 1 x 10W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330



Model : PEL 110 M/RSL (C)
Lamp Type : 1 x 10W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 108 M (RM)
Lamp Type : 1 x 08W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330



Model : PEL 111 M (RM)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330



Model : PEL 118 M (RM)
Lamp Type : 1 x 18W CFL
Accumulator : Ni-Cd
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x330



Model : PEL LED NM(300)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 4801x275x360



Model : PEL LED NM(600)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 230x140x730.



Model : PEL LED M(600)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 230x140x730.



Model : PEL LED M(300)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 475x275x365.




Model : PEL LED NM(1200)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 320x160x1305.



Model : PEL LED M(1200)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 230x140x1460.



Model : PEL LED NM/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL LED M/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL LED LBL
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x240x335



Model : PEL LED LTBL
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
1 Lamp - 12 hrs. / 2 Lamp - 6 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL LED LTBL (RM)
Lamp Type : LED
Accumulator : NA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL LED LML
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 350x300x375



Model : PEL LED TBL (SQ)
Lamp Type :
Accumulator : SLA
Battery Backup : 3Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL LED ML (SQ)
Lamp Type :
Accumulator : SLA
Battery Backup : 3Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 350x300x375



Model : PEL LED E/NM
Lamp Type : LED
Accumulator : SLA
Battery Backup: 3 hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 280x230x420



Model : PEL LED E/M
Lamp Type : LED
Accumulator : SLA
Battery Backup: 3 hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 280x230x420



Model : PEL LED E/NE
Lamp Type : LED
Accumulator : NA
Battery Backup: NA
Standard Pkg.: 4 pcs.
Box size in mm : 280x230x420



Model : PEL LED E/M/P
Lamp Type : LED
Accumulator : NA
Battery Backup: NA
Standard Pkg.: 2 pcs.
Box size in mm : 280x230x415



Model : PEL LED E/NM (RM) W
Lamp Type : LED
Accumulator : SLA
Battery Backup: 3 hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/M (RM) W
Lamp Type : LED
Accumulator : SLA
Battery Backup: 3 hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/NE (RM) W
Lamp Type : LED
Accumulator : NA
Battery Backup: NA
Standard Pkg.: 4 pcs.
Box size in mm : 430x220x410



Model : PEL LED E/M/P (RM) W
Lamp Type : LED
Accumulator : NA
Battery Backup: 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/M (SM)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL LED E/NM (SM)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL LED E/NE (SM)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 150x120x140




Model : PEL LED E/M (RM)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL LED E/NM (RM)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330




Model : PEL LED E/NE (RM)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330




Model : PEL LED E/M (SC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL LED E/NM (SC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/NE (SC)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/M (DC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/NM (DC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 430x220x410



Model : PEL LED E/NE (DC)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED E/NM/V
Multiple LEDs
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x380



Model : PEL LED E/M/V
Multiple LEDs
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x380



Model : PEL LED E/NE/V
Multiple LEDs
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x380




Model : PEL LED E/M/V/P
Multiple LEDs
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x380



Model : PEL LED E/M (S)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 385x255x220




Model : PEL LED E/M/S (RM)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000




Model : PEL LED E/NM/FP (W)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED E/M/FP (W)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED E/M/FP/P (W)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED E/NE/FP/P (W)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED E/NM/AS
Lamp Type : LED
Accumulator : Ni-Cd.
Battery Backup: 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL LED E/M/AS
Lamp Type : LED
Accumulator : Ni-Cd.
Battery Backup: 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL LED E/NE/AS
Lamp Type : LED
Accumulator : Ni-Cd.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL LED E/M/P/AS
Lamp Type : LED
Accumulator : Ni-Cd.
Battery Backup: 3 hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL 111 E/NM/A
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M/A
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NE/A
Lamp Type : 1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NM/A (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M/A (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NE/A (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415




Model : PEL 120 E/NM/A
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700




Model : PEL 120 E/M/A
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 120 E/NE/A
Lamp Type : 1 x 20W FTL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL LED STEP LIGHT
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Box size in mm : 000x000x000



Model : PEL STEP LIGHT SMPS
Lamp Type : ~230 V, ±10%
Accumulator : NA
Battery Backup : NA

PROLITE EMERGENCY LIGHTING SYSTEMS

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 111 PNM
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 4 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 475x275x365



Model : PEL 118 PNM
Lamp Type : 1 x 18W CFL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 475x275x365



Model : PEL 211 PNM
Lamp Type : 2 x 11W CFL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 340x300x380



Model : PEL 218 PNM
Lamp Type : 2 x 18W CFL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 340x300x380



Model : PEL 109 PNM L
Lamp Type : 1 X 9W CFL
Accumulator : SLA
Battery Backup : 6 Hrs.
Standard Pkg.: 6 pcs.
Box size in mm : 000x000x000



Model : PEL LED PNM (R)
Lamp Type : LED
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 475x275x365



Model : PEL 120 NM
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 220 NM
Lamp Type : 2 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 140 NM
Lamp Type : 1 x 36W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 240 NM
Lamp Type : 2 x 36W FTL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 120 M
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 220 M
Lamp Type : 2 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 140 M
Lamp Type : 1 x 36W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 240 M
Lamp Type : 2 x 36W FTL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 220 S
Lamp Type : 2 x 18W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 240 S
Lamp Type : 2 x 36/40W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL LED NM (SC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL LED M (SC)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 108 NM/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL 208 NM/WP (1)
Lamp Type : 2 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 1 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL 111 NM/WP (1)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400




Model : PEL 211 NM/WP (1)
Lamp Type : 2 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL 108 M/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL 111 M/WP (1)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size mm : 490x305x400



Model : PEL 120 NM/SL
Lamp Type : 1 x 18/20W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 120 M/SL
Lamp Type : 1 x 18/20W FTL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 220 NM/SL
Lamp Type : 2 x 18/20W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 275x200x740



Model : PEL 220 M/SL
Lamp Type : 2 x 18/20W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 275x200x740



Model : PEL 140 NM/SL
Lamp Type : 1 x 36/40W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 140 M/SL
Lamp Type : 1 x 36W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 240 NM/SL
Lamp Type : 2 x 36/40W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290



Model : PEL 240 M/SL
Lamp Type : 2 x 36/40W FTL
Accumulator : SLA
Battery Backup : 1 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x170x1290

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 111 NM/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 111 M/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 111 NE/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 210 TBL/FP/NM
Lamp Type : 2 x 10W THL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL 210 TBL/FP/NE
Lamp Type : 2 x 10W THL
Accumulator : NA
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL 225 TBL/FP/NM
Lamp Type : 2 x 25W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL 225 TBL/FP/NE
Lamp Type : 2 x 25W THL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED TBL/FP/NM
Lamp Type : 2 x 10W LED
Accumulator : NA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL LED TBL/FP/NE
Lamp Type : 2 x 20W LED
Accumulator : NA
Battery Backup : NA.
Standard Pkg.: 2 pcs.
Box size in mm : 000x000x000



Model : PEL 125 BL
Lamp Type : 1 x 25W
Incandescent Lamp
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x420x335



Model : PEL 155 BL
Lamp Type : 1 x 55W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x420x335



Model : PEL 210 TBL
Lamp Type : 2 x 10W THL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL 220 TBL
(Old Cat. No. PEL 225 TBL)
Lamp Type : 2 x 20W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL 250 TBL
Lamp Type : 2 x 25W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL 210 TBL(RM)
Lamp Type : 2 x 10W THL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 335x255x385



Model : PEL 225ML
Lamp Type : 2 x 25W THL
Accumulator : SLA
Battery Backup : 5 Hrs
Facia Exit : 2 pcs.
Standard Pkg.: 2 pcs.
Box size in mm : 350x300x375

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 2.5 HSL
Lamp Type : 1 x 15W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 440x260x240



Model : PEL 2.5 LSL
Lamp Type : LED
Accumulator : SLA
Battery Backup : 8 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 440x260x240



Model : PEL 10 HSL
Lamp Type : 1 x 25W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 365x355x295



Model : PEL 150 HSL
Lamp Type : 1 x 50W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 400x210x400



Model : PEL 150 HSL with Stand
Lamp Type : 1 x 50W THL
Accumulator : SLA
Battery Backup : 1 1/2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 400x210x400
Only stand : 400x210x400



Model : PEL 111 E/NM
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NE
Lamp Type : 1 x 11W CFL
Accumulator : NA
Battery Backup : NA.
Standard Pkg.: 4 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M/P
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 3 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NM (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 3 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 3 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/NE (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 3 pcs.
Box size in mm : 420x225x415



Model : PEL 111 E/M/P (RM) W
Lamp Type : 1 x 11W CFL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 3 pcs.
Box size in mm : 420x225x415



Model : PEL 120 E/NM
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 120 E/M
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 120 E/NE
Lamp Type : 1 x 20W FTL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL 120 E/M/P
Lamp Type : 1 x 20W FTL
Accumulator : SLA
Battery Backup : 3 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 310x160x700



Model : PEL 108 E/NM (RM)
Lamp Type : 1x8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 108 E/M (RM)
Lamp Type : 1x8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 108 E/NE (RM)
Lamp Type : 1x8W T5 FTL /
1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 108 E/M/P (RM)
Lamp Type : 1x8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 108 E/NM (SM)
Lamp Type : 1 x 8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL 108 E/M (SM)
Lamp Type : 1 x 8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL 108 E/NE (SM)
Lamp Type : 1 x 8W T5 FTL /
1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL 108 E/M/P (SM)
Lamp Type : 1 x 8W T5 FTL /
1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 4 pcs.
Box size in mm : 380x300x340



Model : PEL 118 E/M/AS (SM)
Lamp Type : 1 x 18W FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 685x170x360



Model : PEL 118 E/NM/AS (SM)
Lamp Type : 1 x 18W FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 685x170x360



Model : PEL 118 E/NE/AS (SM)
Lamp Type : 1 x 18W FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 685x170x360



Model : PEL 118 E/M/AS
Lamp Type : 1 x 18W FTL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL 118 E/NM/AS
Lamp Type : 1 x 18W FTL
Accumulator : SLA
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL 118 E/NE/AS
Lamp Type : 1 x 18W FTL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 390x210x610



Model : PEL LED E/M (SS)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 8 pcs.
Box size in mm : 280x230x420

PROLITE EMERGENCY LIGHTING SYSTEMS



Model : PEL LED E/NE (SS)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 8 pcs.
Box size in mm : 280x230x420



Model : PEL 111 E/NM/V
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 111 E/M/V
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 111 E/NE/V
Lamp Type : 1 x 11W CFL
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 2 pcs.
Box size in mm : 380x300x330



Model : PEL 111 E/M/V/P
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 80x300x330



Model : PEL 108 E/M/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 490x305x400



Model : PEL 108 E/NM/WP (1)
Lamp Type : 1 x 8W T5 FTL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 490x305x400



Model : PEL 111 E/M/WP (1)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 490x305x400



Model : PEL 111 E/NM/WP (1)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 10 pcs.
Box size in mm : 490x305x400



Model : PEL LED E/NE (S)
Lamp Type : LED
Accumulator : NA
Battery Backup : NA
Standard Pkg.: 10 pcs.
Box size in mm : 385x255x220



Model : PEL 111 E/NM/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 111 E/M/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 111 E/M/FP (P)
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540



Model : PEL 111 E/NE/FP
Lamp Type : 1 x 11W CFL
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 210x165x540




Model : PEL LED NM/FP (HL)
Lamp Type : LED
Accumulator : Ni-Cd
Battery Backup : 2 Hrs.
Standard Pkg.: 2 pcs.
Box size in mm : 430x245x245

PROLITE EMERGENCY LIGHTING SYSTEMS

ACCESSORIES




Model : PEL (SM)
Ceiling Mounting
All Mounting Holes 5mm.



Model : PEL (SM)
Wall Mounting
All Mounting Holes 5mm.




Model : PEL (SM) / AS
Ceiling Mounting for Airport Series
All Mounting Holes 5mm.



Model : PEL (SM) / AS
Wall Mounting for Airport Series
All Mounting Holes 5mm.

PROLITE EMERGENCY LIGHTING SYSTEMS

PROLITE CONVERSION MODULE



Suitable for Fluorescent Lamps (FTL's)			Suitable for Compact Fluorescent Lamps (CFL's)			Suitable for Halogen Tungsten Lamps		
Capacity	PEL RCM MB/EB (20/30 min)	PEL RCM MB/EB (90/120 min)	PEL RCM Capacity (20/30 min)	PEL RCM MB/EB (90/120 min)	MB/EB	PEL RCM Capacity (20/30 min)	PEL RCM MB/EB (90/120 min)	
20/18 W 40/36 W			9/11 W 18/20 W 34/36 W			12V 10W 12V 20W 12V 50W		
Suitable for LED LAMPS			Suitable for LED LAMPS					
Capacity	PEL PECM (20/30 min)	PEL PECM (90/120 min)	Capacity	PEL PECM (20/30 min)	PEL PECM (90/120 min)			
1/5 W 5/10 W 10/20 W			20/30 W 30/40 W 40/50 W					

PROLITE Conversion Modules

1. Magnetic Ballast (MB) 2. Electronic Ballast (EB)

HOW TO ORDER : While ordering for PROLITE Conversion Modules please mention the type of Ballast/Tube, Wattage of tube and duration required.

***For E.g.: If it is 40W FTL with Magnetic Ballast for 20-30 min back up it will read as follows - PEL RCM-MB 20/30 Suitable for 40W FTL

AUTOGLO LLL SYSTEM, PATHWAY MARKINGS

SIZE	MODEL NO.	
42 MM		L
90 MM		L
118 MM		L
45 MM		SN
58 MM		AL
65 MM		SNA

AUTOGLO Fire Evacuation Plan & Safety Poster



SIZE IN MM	
A0, A1, A2, A3 & A4 etc.	
A0, A1, A2, A3 & A4 etc. (Sandwich Type)	
SIZE IN MM	
300 x 450	
300 x 450 (With Lamination)	

AUTOGLO CEILING ROUTE MARKER



SIZE	MODEL NO.
100 X 150 MM	UP ARROW

Note : Supplied with Mounting clamps.

AUTOGLO SITE SAFETY SIGNAGES (NON-PHOTOLUMINESCENT)



SIZE	SS (R)	SS (A)
250 x 200mm	160	400
250 x 350mm	280	700

Note : Rates mentioned are for non-photoluminescent material. Also available in photoluminescent price on request.

AUTOGLO EMERGENCY WAY FINDING SYSTEMS

EMERGENCY WAY FINDING SYSTEMS


(Size specification)



SIZE IN MM
100 X 300
100 X 400
150 X 150
150 X 300
150 X 400
150 X 600
200 X 200
200 X 250
200 X 400
250 X 300
250 X 375
250 X 500
300 X 400
300 X 600
400 X 400

TAPES, ROUTE MARKERS & DOTS

SIZE	MODEL NO.	
40 MM X 10 METERS	T1	
80 MM X 10 METERS	T2	
40 MM X 10 METERS	T3	
80 MM X 10 METERS	T4	
40 MM X 10 METERS	T5	
80 MM X 10 METERS	T6	
40 MM X 10 METERS	T7	
80 MM X 10 METERS	T8	
40 MM X 10 METERS	T9	
80 MM X 10 METERS	T10	
40 MM X 10 METERS	T11	
80 MM X 10 METERS	T12	
80 MM X 10 METERS	AFC1	
40 MM X 10 METERS	AFC2	



	SIZE		MODEL NO.	
	FRM (A)	FRM (B)	FRM (A)	FRM (B)
Laminated Route Markers	200 MM DIA.	150 X 300 MM	FRM (M)	FRM (M)
	200 MM DIA.	150 X 300 MM	FRM (G)	FRM (G)
	200 MM DIA.	150 X 300 MM	FRM (R)	FRM (R)
	200 MM DIA.	150 X 300 MM	FRM (F)	FRM (F)
SIZE		MODEL NO.		
60 MM DIA.		DT1		
80 MM DIA.		DT2		
1 X 1 METER		FM2		
SIZE in LITRES		MODEL NO.		
BASE COAT (LITRES)		AP1		
PHOTOLUMINESCENT COAT		AP2		
UV LACQUER COAT (LITRES)		AP3		

NOTE: 1 PAINT SET COVERED 35 SQ. FT. AREA

Also available other safety signs in Non-Photoluminescent

PAT Photoluminescent ANTISKID TAPES


Photoluminescent Anti Skid Tape is applied on staircase.

Black Photoluminescent Anti Skid Tape



Model : PAT (H) - 1
Size : 50 mm x 10mtrs.
Note : 25mm Photoluminescent • 25 mm Anti Skid


Clear Photoluminescent Anti Skid Tape



Model : PAT (F) - 1 | **Model : PAT (F) - 2**
Size : 25mm x 10mtrs. | Size : 50mm x 10mtrs.

Premium quality Photoluminescent Anti Skid Tape that provides an excellent and economical choice for most indoor and outdoor requirement for Anti Skid....

- Identification for Stairs
- Escape Pathway Marking & Hazard Marking



Features :

- Indoor and outdoor use. Adheres to Clean, Dry, Smooth Surfaces includes Metal, Sealed or Painted Wood and Concert.
- Easy to use.
- Ready to use.
- Cost effective.
- Water Resistant.
- Chemical & Oil Resistant.
- Long Term weather ability.
- Photoluminescent.
- Pathway Identification.
- Hazard Marking

Application :

- Apply to Slippery Surfaces outdoors.
- Excellent durability for long lasting non-skid effect.
- Anti Skid Tapes helps to assure solid footing and sure traction, even in wet conditions on floors and stairwells.

Locations :
• Corridors • Staircase

Available: In Roll Form

These signs are used in identification of escape route, fire equipment, zone marking, handrail marking, safe conditions etc.

SIZE In LITRES	MODEL NO.	
25MM X 10MTR	PAT (F) - 1	
50MM X 10MTR	PAT (F) - 2	
50MM X 10MTR	PAT (H) - 1	

PROLITE CONVERSION MODULE



Suitable for LED LAMPS			
Capacity	PEL PECM (50/60 min)	PEL PECM (90/120 min)	PEL PECM (3 Hrs.)
1/5 W			
6/10 W			
11/20 W			
21/30 W			
31/40 W			